

Greedy Algorithms

CSE 421 26Sp
Lecture 6-7

Our Next Topic

Another abrupt change of topic.

In fact, the whole course is a sequence of seemingly-abrupt topic changes...

We're giving you a list of tools – a list of common ways of thinking when approaching a new problem.

Think of each week as a new tool in your toolbox.

Outline

Today

What is a greedy algorithm?

How Do we prove greedy algorithms correct

Monday

Other styles of greedy proof (exchange, greedy stays ahead)

Practice generating a greedy algorithm from start to (as far as we get)

Wednesday

Finish the problem we started today

Greedy algorithms as approximation algorithms

Section

Practice yourself; general problem-solving process you'll continue to use all quarter.

What is a Greedy Algorithm?

An algorithm that builds a solution by:

Considering objects one at a time, in some **order**.

Using a **simple rule** to decide on each object.

Never goes back and changes its mind.

Greedy do what looks best for you right here, right now.

Greedy Algorithms: Pros and Cons

PROS

Simple



CONS

Rarely correct

Often multiple equally intuitive options

Hard to prove correct

Usually need a fancy "structural result"

Or complicated proof by contradiction

Or subtle proof by induction

Need to focus
on proofs!



Your Takeaways

Greedy algorithms are great *when they work*.

But it's hard to tell when they work – the proofs are subtle.

And you can often invent 2-3 different greedy algorithms; it's rare that 1 gives you the best answer, extremely rare that all would.

So you have to be EXTREMELY careful.

On the other hand, they are very often useful when you need an answer that is very good, but not necessarily optimal (more on Wednesday).

Today: Focusing on Proofs, Next week: designing the algorithms

When you see a new problem, there's a good chance you'll say "well, couldn't we just..."

After those ellipses will often be a greedy algorithm idea.

Problem solving involves both generating options and eliminating the bad ones.

We'll start with confirming the right ideas

Monday we'll practice eliminating bad ones.

Three Common Proof Styles

“Structural result” – the best solution **must** look like this, and the algorithm produces something that looks like this.


Greedy stays ahead – at every step of the algorithm, the greedy algorithm is at least as good as anything else could be.

Exchange – Contradiction proof, suppose we swapped in an element from the (hypothetical) “better” solution.

Where to start? With some greedy algorithms you’ve already seen.
Minimum Spanning Trees!

Minimum Spanning Trees

It's the 1920's. Your friend at the electric company needs to choose where to build wires to connect all these cities to the plant.



She knows how much it would cost to lay electric wires between any pair of cities, and wants the cheapest way to make sure electricity from the plant to every city.

Minimum Spanning Trees (Definition)

What do we need? A set of edges such that:

Every vertex touches at least one of the edges. (the edges **span** the graph)

The graph on just those edges is **connected**.

The minimum weight set of edges that meet those conditions.

Minimum Spanning Tree Problem

Given: an undirected, weighted graph G

Find: A minimum-weight set of edges such that you can get from any vertex of G to any other on only those edges.


Greedy MST algorithms

You've seen two algorithms for MSTs

Kruskal's Algorithm:

Order: Sort the edges in increasing weight order


Rule: If connect new vertices (doesn't form a cycle), add the edge.



Prim's Algorithm:

Order: lightest weight edge that adds a new vertex to our current component

Rule: Just add it!



(Skip) Pseudocode Review

Kruskal's Algorithm

```
KruskalMST(Graph G)
```

```
    initialize each vertex to be its own component
```

```
    sort the edges by weight
```

```
    foreach(edge (u, v) in sorted order) {
```

```
        if(u and v are in different components) {
```

```
            add (u,v) to the MST
```

```
            Update u and v to be in the same component
```

```
        }
```

```
    }
```

Try It Out (Kruskal's)

KruskalMST(Graph G)

initialize each vertex to be its own component

sort the edges by weight

foreach(edge (u, v) in sorted order){

if(u and v are in different components){


add (u,v) to the MST

Update u and v to be in the same

component

}

}



Edge	Include?	Reason
(A,C)		
(C,E)		
(A,B)		
(A,D)		
(C,D)		

Edge (cont.)	Inc?	Reason
(B,F)		
(D,E)		
(D,F)		
(E,F)		
(C,F)		


Try It Out (Kruskal's answer)

KruskalMST(Graph G)

```

initialize each vertex to be its own component
sort the edges by weight
foreach(edge (u, v) in sorted order){
    if(u and v are in different components){
        add (u,v) to the MST
        Update u and v to be in the same
    }
}

```



Edge	Include?	Reason
(A,C)	Yes	
(C,E)	Yes	
(A,B)	Yes	
(A,D)	Yes	
(C,D)	No	Cycle A,C,D,A

Edge (cont.)	Inc?	Reason
(B,F)	Yes	
(D,E)	No	Cycle A,C,E,D,A
(D,F)	No	Cycle A,D,F,B,A
(E,F)	No	Cycle A,C,E,F,D,A
(C,F)	No	Cycle C,A,B,F,C

Prim's Algorithm

PrimMST(Graph G)

 initialize costToAdd to ∞

 mark source as costToAdd 0

 mark all vertices unprocessed, mark source as processed

 foreach(edge (source, v)) {

 v.costToAdd = weight(source, v)

 v.bestEdge = (source, v)

 }

 while(there are unprocessed vertices){

 let u be the cheapest to add unprocessed vertex

 add u.bestEdge to spanning tree

 foreach(edge (u, v) leaving u){

 if(weight(u, v) < v.costToAdd AND v not processed){

 v.costToAdd = weight(u, v)

 v.bestEdge = (u, v)

 }

 }

 mark u as processed


 }

Try it Out (Prim's)

```

PrimMST(Graph G)
  initialize costToAdd to  $\infty$ 
  mark source as costToAdd 0
  mark all vertices unprocessed
  mark source as processed
  foreach(edge (source, v) ) {
    v.costToAdd = weight(source,v)
    v.bestEdge = (source,v)
  }
  while(there are unprocessed vertices) {
    let u be the cheapest unprocessed vertex
    add u.bestEdge to spanning tree
    foreach(edge (u,v) leaving u){
      if(weight(u,v) < v.costToAdd
      AND v not processed){
        v.costToAdd = weight(u,v)
        v.bestEdge = (u,v)
      }
    }
    mark u as processed
  }
}

```




Vertex	costToAdd	Best Edge	Processed
A			
B			
C			
D			
E			
F			
G			


Try it Out (Prim's answer)

```

PrimMST(Graph G)
  initialize costToAdd to ∞
  mark source as costToAdd 0
  mark all vertices unprocessed
  mark source as processed
  foreach(edge (source, v) ) {
    v.costToAdd = weight(source,v)
    v.bestEdge = (source,v)
  }
  while(there are unprocessed vertices) {
    let u be the cheapest unprocessed vertex
    add u.bestEdge to spanning tree
    foreach(edge (u,v) leaving u){
      if(weight(u,v) < v.costToAdd
        AND v not processed){
        v.costToAdd = weight(u,v)
        v.bestEdge = (u,v)
      }
    }
    mark u as processed
  }
  }
  
```



Vertex	costToAdd	Best Edge	Processed
A	--	--	Yes
B	2	(A,B)	Yes
C	4	(A,C)	Yes
D	7 2	(A,D) (C,D)	Yes
E	6 5	(B,E) (C,E)	Yes
F	3	(B,F)	Yes
G	50	(B,G)	Yes



Show the algorithms correct

Correctness

You're already familiar with the algorithms.

We'll use this problem to practice the proof techniques.

We'll do both **structural** and **exchange**

Structural Proof

For simplicity – assume all edge weights are distinct and that there is only one minimum spanning tree.

“**Structural result**” – the best solution **must** look like this, and the algorithm produces something that looks like this.


Example: every spanning tree has $n - 1$ edges.
So we better have our algorithm produce $n - 1$ edges.

Is that enough? No! Lots of different trees (including non minimum ones) have $n - 1$ edges. Need to say which edges are in the tree.

Cuts in Graphs

(S, V \ S)



A "cut" $(S, V \setminus S)$ is a split of the vertices into a subset S and the remaining vertices $V \setminus S$.



Edges in red "span" or "cross" the cut (go from S to $V \setminus S$).

Safe Edge

Call an edge, e , a “safe edge” if there is some cut $(S, V \setminus S)$ where e is the minimum edge spanning that cut




MSTs and Safe Edges

Claim: Every safe edge is in the MST.

Proof: Suppose, for the sake of contradiction, that $e = (u, v)$ is a safe edge, but not in the MST.

Let $(S, V \setminus S)$ be a cut where e is the minimum edge spanning $(S, V \setminus S)$. Let T' be the MST. The MST has (at least one) an edge e' that crosses the cut (since we can get from u to v in T')




MSTs and Safe Edges (2)

Add $e=(u, v)$ to T' .

The new graph has a cycle including both e and e' , The cycle exists because u and v were connected to each other in T' (since it was a spanning tree).

Consider T'' , which is T' with e added and e' removed.




MSTs and Safe Edges (3)

Consider T'' , which is T' with e added and e' removed.

T'' spans: if the path from x to y in T' didn't use e' it still exists. If it did use e' , follow along the path to e' , along the cycle through e to the other side.

And it's a tree (it has $n - 1$ edges).

What's its weight? Less than T' ; e was the lightest edge spanning $(S, V \setminus S)$. That's a contradiction! T' was the minimum spanning tree.




MSTs and Safe Edges (4)

Consider T'' , which is T' with e added and e' removed.

T'' spans: if the path from x to y in T' didn't use e' it still exists. If it did use e' , follow along the path to e' , along the cycle through e to the other side.

And it's a tree (it has $n - 1$ edges).

What's its weight? Less than T' ; e was the lightest edge spanning $(S, V \setminus S)$. That's a contradiction! T' was the minimum spanning tree.



Structural Result

That's the structural result.

e is a “safe edge” if there is some cut $(S, V \setminus S)$ where e is the minimum edge spanning that cut.

Theorem: Every safe edge is in the MST.

So what? The goal is to analyze an algorithm!

Let's start with Prim's!

Prim's only adds safe edges


Claim: Prim's only adds safe edges.

When we add an edge, we add the minimum weight one among those that span from the already connected vertices to the not-yet-connected ones.

That's a cut! And that cut shows the edge we added is safe!

Are we done? Do we know Prim's Algorithm is correct now?

Not yet! What if there are still other edges to add!



Why Aren't We Done?

Imagine we define an “ultra-safe” edge as an edge that is lighter than every other edge in the graph.

With a similar proof to our last one, you can show every “ultra-safe” edge is in the MST.

Now imagine Brim's Algorithm: sort the edges by increasing weight, add the first edge in the sorted list.

Brim's algorithm only adds ultra-safe edges!

But that's not a correct MST algorithm!!!

Prim's only adds safe edges (completing the proof)

Claim: Prim's only adds safe edges.

When we add an edge, we add the minimum weight one among those that span from the already connected vertices to the not-yet-connected ones.

That's a cut! And that cut shows the edge we added is safe!

So we only add safe edges...

...and we produce an acyclic, connected, spanning graph (since each edge must connect new vertices, we can't create a cycle; the loop ends only when the graph is connected). So we have a (full) spanning tree.

Same slides as Friday

Announcements

HW1 Solutions will go
on EA tonight.



An Exchange Argument

What about Kruskal's?

Exchange argument:

General outline:

Suppose, you didn't find the best one.

Suppose there's a better MST

Then there's something in the algorithm's solution that doesn't match OPT. (an edge that isn't a safe edge/that's heavier than it needs to be)

Swap (**exchange**) them, and finish the proof (arrive at a contradiction or show that your solution is equal in quality)!

Exchange Arguments

You almost always want the “extremality” trick.

Don't just suppose “something is different”

Suppose something is different and focus on the *first* spot where the greedy algorithm made a different decision.

The next two slides are what happen when you don't use the extremality trick. You end up finding “earlier and earlier counter-examples”

Kruskal's Proof (v1)

Suppose, for the sake of contradiction, T_K , the tree found by Kruskal's algorithm isn't a minimum spanning tree. Let T' be the true minimum spanning tree.

Let $e = (u, v)$ be an edge in T_K but not T' . Add e to T' . In doing so we created a cycle, C , (e along with the path from u to v in T' , which exists because T' spanned.).

Our goal is to do an exchange argument – we need a new lighter tree!

We divide into cases,

Case 1: e is not the heaviest edge in C . Then delete the heaviest edge to create T'' . Since e replaced the heavier edge, T'' is lighter than T' . And T'' is a spanning tree (T'' has $n-1$ edges and spans because T' did and we just deleted an edge on a cycle). But that contradicts T' being the MST!

Kruskal's Proof (v1, cont.)

We won't be able to reach a contradiction from the cycle, but we will find another edge to examine

Case 2: e is the heaviest edge in C .

Since Kruskal's added e to our graph, there must be some edge, f , on the cycle which was not in T_K . But f was processed before e by Kruskal's (since e is heavier). Which means f would have formed a cycle, C' in T_K had it been added when it was processed.

By the process ordering, f is the heaviest edge in C' . There are no cycles in T' (since it's a tree) so there is an edge (call it e') in C' that is not in T' . This new edge e' meets exactly the assumptions we had on e , but is lighter.



Repeat the original argument on e' . Since the graph is finite, we must eventually hit Case 1, which gives our needed contradiction.

Kruskal's Proof (pretty version)

Suppose, for the sake of contradiction, ~~T_K~~ the tree found by Kruskal's algorithm isn't a minimum spanning tree. Let T' be the true minimum spanning tree.

Let $e = (u, v)$ be the lightest edge in T_K but not in T' .

A Rough Example





Kruskal's Proof (pretty version, 2)

Suppose, for the sake of contradiction, T_K , the tree found by Kruskal's algorithm isn't a minimum spanning tree. Let T' be the true minimum spanning tree.

Let $e = (u, v)$ be the lightest edge in T_K but not in T' . Add e to T' , and we will create a cycle (because there is a way to get from u to v in T' by it being a spanning tree).

We claim that e is not the heaviest edge on the cycle. Since e is the lightest edge among those in T_K but not T' , everything lighter than e in T_K is also in T' . We put e in T_K so it didn't create a cycle there. That means there is an edge on the cycle heavier than e .

A Rough Example; the cycle



Kruskal's Proof (pretty version, 3)

Suppose, for the sake of contradiction, T_K , the tree found by Kruskal's algorithm isn't a minimum spanning tree. Let T' be the true minimum spanning tree.

Let $e = (u, v)$ be the lightest edge in T_K but not in T' . Add e to T' , and we will create a cycle (because there is a way to get from u to v in T' by it being a spanning tree).


We claim that e is not the heaviest edge on the cycle. Since e is the lightest in T_K but not T' , everything lighter than e in T_K is also in T' . We put e in T_K so it didn't create a cycle there. That means there is an edge on the cycle heavier than e . Delete that edge, and call the resulting graph T'' . Observe that T'' is a spanning tree (it has $n - 1$ edges, and spans all the same vertices T' did since we deleted an edge from a cycle). But it has less weight than T' which was supposed to be the MST. That's a contradiction!

Hey...Wait a minute

That was pretty similar to last time. They both used an “exchange” idea.

The boundaries between the proof principles are a little blurry...

They’re meant to be useful for you for thinking about “where to start” with a proof, not be a beautiful taxonomy of exactly what you do in every possible proof.



Greedy Stays Ahead

Trip Planning (definition)

Your goal is to follow a pre-set route from New York to Los Angeles.

You can drive 500 miles in a day, but you need to make sure you can stop at a hotel every night (all possibilities premarked on your map)


You'd like to stop for the fewest number of nights possible – what should you plan?

Greedy: Go as far as you can every night.

Is greedy optimal?

Or is there some reason to “stop short” that might let you go further the next night?

Trip Planning (Claim)



Greedy works!

Because "greedy stays ahead"

Let g_i be the hotel you stop at on night i in the greedy algorithm.

Let OPT_i be the hotel you stop at in the optimal plan (the fewest nights plan).

Claim: g_i is always at least as far along as OPT_i .

Intuition: they start at the same point before day 1, and greedy goes as far as possible, so is "ahead" after day 1.

And if greedy is "ahead" at the start of the day, it will continue to be ahead at the end of the day (since it goes as far as possible, and the distance you can go doesn't depend on where you start).

Therefore it's always ahead. And so it uses at most the same number of days as all other solutions.

Trip Planning (pf, BC)

Greedy works!

Because “greedy stays ahead”

Let g_i be the hotel you stop at on night i in the greedy algorithm.

Let OPT_i be the hotel you stop at in the optimal plan (the fewest nights plan).

Claim: g_i is always at least as far along as OPT_i .

Base Case: $i = 1$, OPT and the algorithm choose between the same set of hotels (all at most 500 miles from the start), g_i is the farthest of those by the algorithm definition, so g_i is at least as far as OPT_i .


Trip Planning (pf, IS)

“farther along” in this proof
is a “ \geq ”, not “ $>$ ”
“at least as far as”

Inductive Hypothesis: Suppose through the first k hotels, g_k is farther along than OPT_k .

Inductive Step:

When we select g_{k+1} , we can choose any hotel within 500 miles of g_k , since g_k is at least as far along as OPT_k everything less than 500 miles after OPT_k is also less than 500 miles after g_k . Since we take the farthest along hotel, g_{k+1} is at least as far along as OPT_{k+1} .



The Interval Scheduling Problem


From problem statement to algorithm ideas to algorithm to proof

Interval Scheduling

You have a single processor, and a set of jobs with fixed start and end times.

Your goal is to maximize the number of jobs you can process.

I.e. choose the maximum number of non-overlapping intervals.




Interval Scheduling (1)

You have a single processor, and a set of jobs with fixed start and end times.

Your goal is to maximize the number of jobs you can process.

I.e. choose the maximum number of non-overlapping intervals.




3 non-overlapping
intervals

Interval Scheduling (2)

You have a single processor, and a set of jobs with fixed start and end times.

Your goal is to maximize the number of jobs you can process.

I.e. choose the maximum number of non-overlapping intervals.




3 other non-overlapping intervals

Interval Scheduling (3)

You have a single processor, and a set of jobs with fixed start and end times.

Your goal is to maximize the number of jobs you can process.

I.e. choose the maximum number of non-overlapping intervals.



OPT is 3 – there is no way to have 4 non-overlapping intervals; both the red and purple solutions are equally good.

Greedy Ideas

To specify a greedy algorithm, we need to:

Order the elements (intervals)

Choose a rule for deciding whether to add.

Rule: Add interval as long as it doesn't overlap with those we've already selected.

Ideas

earliest end time

earliest begin time

Shortest among non-overlap

of collision

least down time to next

What ordering should we use?

Think of **at least two** orderings you think might work.

Greedy Algorithm

Some possibilities

Earliest end time (add if no overlap with previous selected)

Latest end time

Earliest start time

Latest start time

Shortest interval

Fewest overlaps (with remaining intervals)

Greedy

That list slide is the real difficulty with greedy algorithms.
All of those look at least somewhat plausible at first glance.

With MSTs that was fine – those ideas all worked!
It's not fine here.

They don't all work.

As a first step – try to find counter-examples to narrow down

Greedy Algorithm Ideas (let's narrow down)

Earliest end time

Latest end time

Earliest start time

Latest start time

Shortest interval

Fewest overlaps (with remaining intervals)

Take Earliest Start Time



Take Earliest Start Time – Counter Example



Algorithm finds

Optimum



Taking the one with the earliest start time doesn't give us the best answer.

Shortest Interval



Shortest Interval (counter-example)



Taking the shortest interval first doesn't give us the best answer

Greedy Algorithm (narrowing down, 1)

Earliest end time

Latest end time ✘

Earliest start time ✘

Latest start time

Shortest interval ✘

Fewest overlaps (with remaining intervals)

Earliest End Time

Intuition: If u has the earliest end time, and u overlaps with v and w then v and w also overlap.

Why?

If u and v overlap, then both are “active” at the instant before u ends (otherwise v would have an earlier end time).

Otherwise v would have an earlier end time than u ! By the same reasoning, w is also “active” the instant before u ends. So v and w also overlap with each other.

Earliest End Time (which pf technique?)

Can you prove it correct?

Do you want to use

Structural Result

Exchange Argument

Greedy Stays Ahead

Exchange Argument (1)

Let $A = a_1, a_2, \dots, a_k$ be the set of intervals selected by the greedy algorithm, ordered by endtime

$OPT = o_1, o_2, \dots, o_\ell$ be the maximum set of intervals, ordered by endtime.

Our goal will be to “exchange” to show A has at least as many elements as OPT .

Let a_i, o_i be the first two elements where a_i and o_i aren't the same. Since a_{i-1} and o_{i-1} are the same, neither a_i nor o_i overlaps with any of o_1, \dots, o_{i-1} . And by the greedy choice, a_i ends no later than o_i so a_i doesn't overlap with o_{i+1} . So we can exchange a_i into OPT , replacing o_i and still have OPT be valid.

Exchange Argument (2)

Repeat this argument until we have changed OPT into A .

Can OPT have more elements than A ?

No! After repeating the argument, we could change every element of OPT to A . If OPT had another element, it wouldn't overlap with anything in OPT, and therefore can't overlap with anything in A after all the swaps. But then the greedy algorithm would have added it to A .

So A has the same number of elements as OPT does, and we really found an optimal

Greedy Stays Ahead (1)

Let $A = a_1, a_2, \dots, a_k$ be the set of intervals selected by the greedy algorithm, ordered by endtime

$OPT = o_1, o_2, \dots, o_\ell$ be the maximum set of intervals, ordered by endtime.

Our goal will be to show that for every i , a_i ends no later than o_i .

Proof by induction:

Base case: a_1 has the earliest end time of any interval (since there are no other intervals in the set when we consider a_1 we always include it), thus a_1 ends no later than o_1 .

Greedy Stays Ahead (2)

Inductive Hypothesis: Suppose for all $i \leq k$, a_i ends no later than o_i .

IS: Since (by IH) a_k ends no later than o_k , greedy has access to everything that doesn't overlap with a_k . Since a_k ends no later than o_k , that includes o_{k+1} . Since we take the first one that doesn't overlap, a_{k+1} will also end before o_{k+1} .

Therefore a_{k+1} ends no later than o_{k+1}

Wrapping Up: Since every a_i ends no later than o_i , the last interval greedy selects (a_n) is no later than o_n . There cannot be an o_{n+1} , as if it didn't overlap with o_n it also wouldn't overlap with a_n and would have been added by greedy.

Greedy Algorithm (narrowing down, 2)

Earliest end time ✓

Latest end time ✗

Earliest start time ✗

Latest start time

Shortest interval ✗

Fewest overlaps (with remaining intervals)

Other Greedy Algorithms

It turns out latest start time also works.

Latest start time is actually the same as earliest end time (imagine “reflecting” all the jobs along the time axis – the one with the earliest end time ends up having the last start time).

What about fewest overlaps?

Doesn't work. ☹️ Counter-examples are a little more complicated than the others.

Greedy Algorithm (narrowing down, 3)

Earliest end time ✓

Latest end time ✗

Earliest start time ✗

Latest start time ✓

Shortest interval ✗

Fewest overlaps (with remaining intervals) ✗

Summary

Greedy algorithms

You'll probably have 2 (or 3...or 6) ideas for greedy algorithms. Check some simple examples before you implement!

Greedy algorithms rarely work.

When they work AND you can prove they work, they're great!

Proofs are often tricky

Structural results are the hardest to come up with, but the most versatile.

Greedy stays ahead usually use induction

Exchange start with the **first** difference between greedy and optimal.