

CSE 431 Spring 2007

Assignment #4

Due: Friday, April 27, 2007

Reading assignment: Finish reading Chapter 5 of Sipser's text. (You may also want to skim section 6.3 of the text.)

Problems:

- (10 points) Show that there is a undecidable language contained in 1^* .
- (10 points) Let $S = \{\langle M \rangle \mid L(M) = \{\langle M \rangle\} \text{ and } M \text{ is a Turing machine}\}$. Prove that neither S nor \bar{S} is Turing-recognizable.
- Which of the following problems are decidable? Justify each answer:
 - (10 points) Given Turing machines M and N , is $L(N)$ the complement of $L(M)$?
 - (10 points) Given a Turing machine M , integers a and b , and input x , does M run for more than $a|x|^2 + b$ steps on input x ?
 - (20 points) Given a program P written in Java, or C, or (insert your favorite programming language) that does not read any input but is executed with no bound on the size of integers, does P ever attempt to index an array outside its allocated array bounds.
- (15 points) Sipser's text: 1st edition problem 5.19; 2nd edition problem 5.21.
- (Extra Credit) Show that the following problem is undecidable: Given a Turing machine M and integers a and b , does there exist an input x on which M runs for more than $a|x|^2 + b$ steps on input x ?
- (Extra Credit) Rice's Theorem shows that for every 'non-trivial' property \mathcal{P} of languages,

$$\mathcal{P}_{TM} = \{\langle M \rangle \mid L(M) \text{ has property } \mathcal{P}\}$$

is undecidable where by 'non-trivial' we mean that \mathcal{P} contains some but not all Turing-recognizable languages. Some of these \mathcal{P}_{TM} are not only undecidable, they are also not Turing-recognizable:

Show that if there is some *infinite* Turing-recognizable language L that has property \mathcal{P} but none of the finite subsets of L have property \mathcal{P} then \mathcal{P}_{TM} is not Turing recognizable.