


CSE 442 - Data Visualization


Evaluation




Jeffrey Heer University of Washington

How do we determine if a
visualization is *effective*?

Example: Tree Browsers



VS.



Evaluation Methods

Inspection or Principled Rationale

Apply design heuristics, perceptual principles

Informal User Study

Have people use visualization, observe results

Controlled Experiment

Choose appropriate tasks / users to compare

Choose metrics (time, error, **what else?**)

Evaluation Methods

Field Deployment or Case Studies

Observation and Interview

Document effects on work practices

Theoretical Analysis

Algorithm time and space complexity

Benchmarks

Performance (e.g., interactive frame rates)

Scalability to larger data sets

Topics


Focus+Context Tree Visualizations

Data Density of Time Series

Discussion and Course Evaluation


Trees

The Great Browse-Off! [CHI 97]



Microsoft File Explorer

VS.



Xerox PARC Hyperbolic Tree

Which visualization is better?

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]

Subjects performed both retrieval and comparison tasks of varying complexity.

Which visualization is better?

Xerox PARC researchers ran eye-tracking studies to investigate... [Pirolli et al 00]


Subjects performed both retrieval and comparison tasks of varying complexity.

No significant performance differences were found across task conditions.

How do users navigate the tree?


How do users navigate the tree?

They read the labels!



Microsoft File Explorer

VS.



Xerox PARC Hyperbolic Tree


How do users navigate the tree?


Information Scent: A user's (imperfect) perception of the value, cost, or access path of information sources obtained from proximal cues. [Pirolli & Card 99]

How do users navigate the tree?


Information Scent: A user's (imperfect) perception of the value, cost, or access path of information sources obtained from proximal cues. [Pirolli & Card 99]

Operationalize as: the proportion of participants who correctly identified the location of the task answer from looking at upper branches in the tree.








Length of Eye Movements




An Adaptive Field of View?



More Evaluations



vs.



Evaluation of DOI Trees

DOITree vs. Windows Explorer [Budiu, AVI 06]

Nodes visited (avg) DOI:83 Exp:53 $p < .005$

Revisitation (avg) DOI:6.6 Exp:8.2 $p < .005$

Divergence (avg) DOI:4.6 Exp:3.9 $p < .001$

DOITree more forgiving to navigation errors

BUT no significant difference in task time

DOITree vs. Google Directory [Pirolli, CHI 06]

DOITree has superior task knowledge transfer

Design Guidelines

Most people **don't** read in circles!



Design Guidelines

People don't read in circles!

Showing more is not always better

Distractors can decrease task performance

Interaction with quality of **information scent**

Design Guidelines

People don't read in circles!

Showing more is not always better

Navigation cues critical to search

Informative labels or landmarks needed

Poor **information scent** undermines search

Lessons Learned

Both **task** and **data properties** (here, *information scent*) may interact with the visualization type in unexpected ways.


Equal **performance** in terms of accuracy or response time is **not the whole picture**.
We often require more detailed study!

Spatial Navigation


An Evaluation of Pan & Zoom and Rubber Sheet Navigation with and without an Overview

Dmitry Nekrasovski, Adam Bodnar, Joanna McGrenere,
François Guimbretière, Tamara Munzner

Pan & Zoom vs. Rubber Sheet




(i) PZN



(ii) RSN

Experimental Task

Compare topological distance between nodes in a dendrogram.



Experiment

Compare performance in 4 conditions:


1. Pan & Zoom (no overview)
2. Pan & Zoom (with overview)
3. Rubber Sheet (no overview)
4. Rubber Sheet (with overview)

40 subjects (24F/16M), between 18-39 years old.


Right-handed, normal vision.

Between-subjects design.


1. Rubber Sheet / No Overview



2. Pan & Zoom / No Overview



3. Rubber Sheet / Overview



4. Pan & Zoom / Overview


Evolutionary 3D, C.A. level 0.8

File Edit View Help





Which node is the purple node closer to in terms of topological distance?

☐ Blue ☐ Green

Drag with LEFT mouse button to ZOOM IN
Drag with MIDDLE mouse button to ZOOM OUT
Drag with RIGHT mouse button to PAN
Press R to RESET the visualization
Press ESCAPE to CLEAR the current mouse drag



Which interface will perform best?



Hypotheses

1. RSN interfaces perform better than PZN interfaces independently of the presence or absence of an overview.
2. For RSN, the presence of an overview does not result in better performance.
3. For PZN, the presence of an overview results in better performance.

Results: H1 False




Figure 7: Mean completion times per trial for each interface by block in seconds (N=40).

Results: H2 True, H3 False




Figure 9: Block 7 mean per-trial completion times in seconds by navigation technique with and without an overview.


Results

R1. Pan & Zoom had lower completion times, navigation actions, resets, and reported mental demand.


R2. Overview has no significant impact on rubber sheet navigation, though it was reported to reduce physical demand.

R3. Overview has no significant impact on pan & zoom navigation, though it was reported to reduce physical demand.


Thoughts?



Does this generalize
for overview displays?




Data Density




$$\text{Data Density} = \frac{(\# \text{ entries in data})}{(\text{area of graphic})}$$


“Graphical excellence... gives to the viewer the greatest number of ideas in the shortest time with the least ink in the smallest space”

[Tufte 83]







Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Horizon Graphs



Segment Peaks




Layer Segments




Mirror Negative Values


Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present




Relative Technology Stock Performance: Jan 2008 - Present



Relative Technology Stock Performance: Jan 2008 - Present




10/03/2005



Experiment: Chart Type & Size


Q1: How do mirroring and layering affect estimation time and accuracy compared to line charts?

Q2: How does chart size affect estimation time and accuracy?



Estimate the difference between T and B (0-200) to within 5 values.


Experiment Design



3 (chart type) x 4 (size) within-subjects design

- N = 30 (17 male, 13 female), undergrads
- 14.1 inch LCD display, 1024 x 768 resolution
- At scale = 1, chart is 13.9 x 1.35 cm (48 px)

Experiment Design




3 (type) x 4 (size) within-subjects design

N = 30 (17 male, 13 female), undergrads

2 (type) x 3 (size: 1/8, 1/12, 1/24) follow-up


N = 8 (6 male, 2 female), engineering grads





Virtual Resolution (VR)

The un-mirrored, un-layered height of a chart









Experiment Results


Q1: 2-band horizon graph (but not mirrored graph) has higher baseline estimation time and error.

Q2: Estimation error increases as the *virtual resolution* decreases.

Estimation time decreases as the *physical height* decreases.

Design Guidelines

Mirroring does not hamper perception




Design Guidelines

Mirroring does not hamper perception

Layered bands beneficial for smaller charts

2-band mirror charts more accurate for heights
under 6.8mm (24 pixels @ 1024x768)

Predict benefits for 3 bands under 1.7mm (6 px)



Design Guidelines

Mirroring does not hamper perception

Layered bands beneficial for smaller charts

Optimal chart sizing

Sweet spots in time/error curves

6.8mm (24 px) for line chart & mirrored chart


3.4mm (12 px) for 2-band horizon graph

FOLLOW-UP QUESTION:


What other **tasks** and
performance measures
should one test?

Perceptual Organization of Node-Link Diagrams

Perceptual Organization of Graphs



Circular



Force-Directed

Experiment Design

Factors

Circular or Force-Directed Seed Layout

of Between-Cluster Edges ("masking")

All graphs had two primary clusters


Measures

of Edge Crossings

Average Edge Length

Average Node Distance

within or between clusters



Circular



Force-Directed




Figure 4. Edge Crossings. Human observers produced graph layouts with fewer edge crossings than the force-directed graph algorithm.




Figure 5. Edge Length Distribution. Human observers did not focus on maintaining equal edge length as much as the force directed algorithm.




Figure 7. Cluster Extraction. For all levels of masking, the distance between nodes within a cluster is significantly smaller than the overall inter-node distance, demonstrating perceptual grouping. Error bars show 95% confidence intervals






Figure 9. Cluster Hulls. Two examples of user-generated layouts where cluster edges formed a hull enclosing the cluster, organizing it into a single perceptual group.

Summary

Design and analyze visualization techniques in context of real-world use.

Time/error analyses can be insightful, but they don't provide a complete picture.

Performance measures may be more suited to serious analysis than casual use?



Users & Domain

Administrivia

Final Project Schedule

~~Proposal~~ ————— ~~Fri Nov 7~~

~~Prototype~~ ————— ~~Wed Nov 19~~

Demo Video **Wed Dec 3**

Video Showcase Thu Dec 4 (in class)

Deliverables Mon Dec 8

Logistics

Upload your video to YouTube (unlisted is fine)

Submit the video URL on Gradescope

Be sure to include all team members!

Demo Video Guidelines

Your video should communicate your chosen topic and goals along with your visualization designs.

Typically videos use a mixture of static slides and interactive screen capture with overlaid narration.

The initial frame of your video should include your project name and the team members' names.

You might show your page as-is, or you might take excerpts (cropped views) of your page for a better video narrative. Whatever communicates best.

Demo Video Guidelines, Cont.

Your video should communicate how your designs enable understanding of your chosen topic & data.

Do not laundry list the various features you implemented. Instead focus on what viewers can learn from your submission.

Walk us through an envisioned use case from the perspective of a viewer, demonstrating the kind of insights/explanations one might gain.

Keep it tight! 90 seconds goes quickly :)

Course Evaluation

Course evaluation is due by EOD 12/7

Your opinion is valued!

<https://uw.iasystem.org/survey/314282>

Course Summary

Course Overview

W1: Introduction to Visualization

W2: Visualization Tools, Part 1 & Visual Encoding

W3: Deceptive Visualization Data Transformation

W4: Interaction & Mapping

W5: Visualization Tools, Part 2 & D3.js Tutorial

W6: Animation & Color


W7: Perception & Final Project Kick-Off

W8: Uncertainty

W9: Networks & Final Project Milestone Review

W10: Scalable Visualization

W11: Evaluation & Final Project Showcase




Visual Encoding

LES VARIABLES DE L'IMAGE										12	14				
			POINTS			LIGNES			ZONES						
XY 2 DIMENSIONS DU PLAN Z															
	TAILLE														
	VALEUR														
LES VARIABLES DE SÉPARATION DES IMAGES										13					
GRAIN															
COULEUR															
ORIENTATION															


Visual Encoding

Gun deaths in Florida

Number of murders committed using firearms



Average Annual Global Temperature in Fahrenheit 1880-2015



Data Transformation



Q Latent Dimensions: 32 ▾ Projection: t-SNE ▾ Perplexity: 30 ▾

t-SNE



Q Latent Dimensions: 32 ▾ Projection: UMAP ▾ Neighbors: 15 ▾ Distance: 0.1 ▾



UMAP




Q Latent Dimensions: 32 ▾ Projection: PCA ▾ X-Axis: PC1 ▾ Y-Axis: PC2 ▾

PCA

Interaction




Mapping & Cartography




Dymaxion Maps [Fuller 46]

Visualization Tools




D3: Data-Driven Documents

Animation




Animated transitions in statistical data graphics [Heer & Robertson 07]


Color



Color Brewer




Graphical Perception



The psychophysics of sensory function [Stevens 61]

Networks



Zephoria

User ID 21721

Friends 266

Ago ??

Gender Female

Status Single

Location San Francisco, CA

Hometown Lancaster, PA

Occupation researcher: social networks, identity, context

Interests apophenia, observing people, culture, questioning power, reading, buddhism, ipseity, computer-mediated communication, social networks, technology, anthropology, stomping

Music psytrance/goatrance [infected Mushroom, Son Kite, Iboga/Digital Structures], Ani DiFranco, downtempo, Thievery Corporation, Beth Orton, Morcheeba, Ween, White Stripes

Books Authors: Erving Goffman, Stanley Milgram, Jeanette Winterson, Eric Schlosser, Leslie Feinberg, Dorothy Allison, Italo Calvino, Hermann Hesse

TV Shows ??

Movies Koyaanisqatsi, Amelie, Waking Life, Tank Girl, The Matrix, Clockwork Orange, American Beauty, Fight Club, Boys Don't Cry

Member Since ??

Last Login 2003-10-21

Last Updated 2003-10-21

About [Some know me as danah...]

I'm a geek, an activist and an academic, fascinated by people and society. I see life as a very large playground and enjoy exploring its intricacies. I revel in life's chaos, while simultaneously providing my own insane element.

My musings:
<http://www.zephoria.org/though>

Want to Meet

Someone who makes life's complexities seem simply elegant.


community >>

Enable

search >>





23

Networks







Degree-Of-Interest Trees [Heer & Card 04]

Uncertainty



Scalability

localhost:1234



Interactive querying of 1.7B stars
(1.2TB) in Falcon [Moritz et al. 2019]

Thank You!