

# Introduction to Database Systems

## CSE 444

### Lecture 07

### E/R Diagrams

April 14, 2008

1

## Outline

- E/R diagrams
  - Chapter 2
- From E/R diagrams to relations
  - Chapters 3.2, 3.3

2

## Database Design

- Why do we need it?
  - Agree on structure of the database before deciding on a particular implementation.
- Consider issues such as:
  - What entities to model
  - How entities are related
  - What constraints exist in the domain
  - How to achieve *good* designs
- Several formalisms exist
  - We discuss E/R diagrams

3

## Entity / Relationship Diagrams

Objects  $\longrightarrow$  entities  
Classes  $\longrightarrow$  entity sets

Product

Attributes are like in ODL.

address


Relationships: like in ODL except

buys

- first class citizens (not associated with classes)

- not necessarily binary


4



5

## Keys in E/R Diagrams


- Every entity set must have a key



6

## What is a Relation ?

- A mathematical definition:
  - if A, B are sets, then a relation R is a subset of  $A \times B$
- $A = \{1, 2, 3\}$ ,  $B = \{a, b, c, d\}$ ,  
 $A \times B = \{(1, a), (1, b), \dots, (3, d)\}$   $A =$   
 $R = \{(1, a), (1, c), (3, b)\}$




- **makes** is a subset of **Product**  $\times$  **Company**:




7

## Multiplicity of E/R Relations


- one-one:







- many-one



- many-many




8



## Arrows in Multiway Relationships


Q: How do we say that every person shops at at most one store ?



A: cannot. This is the best approximation.  
(Why only approximation ?)


13

## Converting Multi-way Relationships to Binary



## 3. Design Principles


What's wrong?



Moral: be faithful!

15


## Design Principles: What's Wrong?



Moral: pick the right  
kind of entities.

16

## Design Principles: What's Wrong?



Moral: don't  
complicate life more  
than it already is.


17

## From E/R Diagrams to Relational Schema

- Entity set  $\rightarrow$  relation
- Relationship  $\rightarrow$  relation

18

## Entity Set to Relation




**Product**(name, category, price)

<u>name</u>	<u>category</u>	price
gizmo	gadgets	\$19.99

19

## Relationships to Relations




**Makes**(product-name, product-category, company-name, year)

<u>Product-name</u>	<u>Product-Category</u>	<u>Company-name</u>	Starting-year
gizmo	gadgets	gizmoWorks	1963

(watch out for attribute name conflicts)

20

## Relationships to Relations




No need for **Makes**. Modify **Product**:

<u>name</u>	<u>category</u>	price	Start Year	companyName
gizmo	gadgets	19.99	1963	gizmoWorks

21

## Multi-way Relationships to Relations




22

## Modeling Subclasses

Some objects in a class may be special


- define a new class
- better: define a *subclass*



So --- we define subclasses in E/R

23

## Subclasses



## Understanding Subclasses

- Think in terms of records:

– Product

field1
field2

– SoftwareProduct

field1
field2
field3

– EducationalProduct


field1
field2
field4
field5

25

## Subclasses to Relations

Product

<u>Name</u>	Price	Category
Gizmo	99	gadget
Camera	49	photo
Toy	39	gadget



Sw.Product

<u>Name</u>	platforms
Gizmo	unix


Ed.Product

<u>Name</u>	Age Group
Gizmo	todler
Toy	retired

26

## Difference between OO and E/R inheritance


- OO: classes are disjoint (same for Java, C++)



27


## Difference between OO and E/R inheritance

- E/R: entity sets overlap



28


No need for multiple inheritance in E/R



We have three entity sets, but four different kinds of objects.

29

## Modeling UnionTypes With Subclasses




Say: each piece of furniture is owned either by a person, or by a company

30

## Modeling Union Types with Subclasses

Say: each piece of furniture is owned either by a person, or by a company


Solution 1. Acceptable, imperfect (What's wrong ?)



31

## Modeling Union Types with Subclasses

Solution 2: better, more laborious



32

## Constraints in E/R Diagrams

Finding constraints is part of the modeling process.  
Commonly used constraints:

**Keys:** social security number uniquely identifies a person.

**Single-value constraints:** a person can have only one father.


**Referential integrity constraints:** if you work for a company, it must exist in the database.

**Other constraints:** peoples' ages are between 0 and 150.

33


## Keys in E/R Diagrams

Underline:




34

## Single Value Constraints




35

## Referential Integrity Constraints




Each product made by at most one company.  
Some products made by no company



Each product made by exactly one company.

36

## Other Constraints




What does this mean ?

37

## Weak Entity Sets

Entity sets are weak when their key comes from other classes to which they are related.



Notice: we encountered this when converting multiway relationships to binary relationships

38