

Introduction to Database Systems

CSE 444

Lecture 8: Transactions in SQL

Where We Are

- What we have already learned
 - Relational model of data
 - Data manipulation language: SQL
 - Views and constraints
 - Database design (E/R diagrams & normalization)
- But what if I want to update my data?
- Today: transactions in SQL (Sec. 6.6)

Transactions

- **Problem:** An application must perform *several* writes and reads to the database, as a unit
- **Solution:** multiple actions of the application are bundled into one unit called *Transaction*
- Very powerful concept
 - *Database transactions* (that's where they started)
 - *Transaction monitors*
 - *Transactional memory*

Turing Awards to Database Researchers

- Charles Bachman 1973 for CODASYL
- Edgar Codd 1981 for relational databases
- Jim Gray 1998 for transactions

The World Without Transactions

- Just write applications that talk to databases
- Rely on operating systems for scheduling, and for concurrency control
- What can go wrong ?
 - Three famous anomalies
 - Other anomalies are possible (but not famous)

Lost Updates

Client 1:

```
UPDATE Customer  
SET rentals= rentals + 1  
WHERE cname= 'Fred'
```

Client 2:

```
UPDATE Customer  
SET rentals= rentals + 1  
WHERE cname= 'Fred'
```

Two people attempt to rent two movies for Fred, from two different terminals. What happens ?

Inconsistent Read (1/2)

Client 1: rent-a-movie

```
x = SELECT rentals FROM Cust  
WHERE cname= 'Fred'
```

```
if (x < 5)  
{ UPDATE Cust  
  SET rentals= rentals + 1  
  WHERE cname= 'Fred' }  
else println("Denied !")
```

Client 2: rent-a-movie

```
x = SELECT rentals FROM Cust  
WHERE cname= 'Fred'
```

```
if (x < 5)  
{ UPDATE Cust  
  SET rentals= rentals + 1  
  WHERE cname= 'Fred' }  
else println("Denied !")
```

What's wrong ?

Inconsistent Read (2/2)

Client 1: move from gizmo→gadget

```
UPDATE Products  
SET quantity = quantity + 5  
WHERE product = 'gizmo'
```

```
UPDATE Products  
SET quantity = quantity - 5  
WHERE product = 'gadget'
```

Client 2: inventory....

```
SELECT sum(quantity)  
FROM Product
```

What's wrong ?

Dirty Reads

```
Client 1: transfer $100 acc1 → acc2  
X = Account1.balance  
Account2.balance += 100
```

```
If (X >= 100) Account1.balance -= 100  
else { /* rollback ! */  
    account2.balance -= 100  
    println("Denied !") }
```

```
Client 1: transfer $100 acc2 → acc3  
Y = Account2.balance  
Account3.balance += 100
```

```
If (Y >= 100) Account2.balance -= 100  
else { /* rollback ! */  
    account3.balance -= 100  
    println("Denied !") }
```

What's wrong ?

Some Famous anomalies

- **Dirty read**
 - T reads data written by T' while T' has not committed
 - What can go wrong: T' writes more data (which T has already read) or T' aborts
- **Inconsistent read**
 - T sees some but not all changes made by T'
- **Lost update**
 - Two tasks T and T' both modify the same data
 - T and T' both commit
 - Final state shows effects of only T, but not of T'

Protection against crashes

Client 1:

```
UPDATE Accounts  
SET balance= balance - 500  
WHERE name= 'Fred'
```

```
UPDATE Accounts  
SET balance = balance + 500  
WHERE name= 'Joe'
```

Crash !

What's wrong ?

Enter Transactions

- Concurrency control
 - The famous anomalies and more...
- Recovery


Definition

- **A transaction = one or more operations, which reflect a single real-world transition**
 - Happens completely or not at all
- **Examples**
 - Transfer money between accounts
 - Rent a movie; return a rented movie
 - Purchase a group of products
 - Register for a class (either waitlisted or allocated)
- **By using transactions, all previous problems disappear**

Transactions in Applications

START TRANSACTION

[SQL statements]



May be omitted:
first SQL query
starts txn

COMMIT or **ROLLBACK (=ABORT)**

(Ad-hoc SQL default: each statement = one txn)

Revised Code

Client 1: rent-a-movie

START TRANSACTION

```
x = SELECT rentals
    FROM Cust
    WHERE cname= 'Fred'
```

```
if (x < 5)
  { UPDATE Cust
    SET rentals= rentals + 1
    WHERE cname= 'Fred' }
```

```
else println("Denied !")
```

COMMIT

Client 2: rent-a-movie

START TRANSACTION

```
x = SELECT rentals
    FROM Cust
    WHERE cname= 'Fred'
```

```
if (x < 5)
  { UPDATE Cust
    SET rentals= rentals + 1
    WHERE cname= 'Fred' }
```

```
else println("Denied !")
```

COMMIT

Revised Code

Client 1: transfer \$100 acc1 → acc2

START TRANSACTION

X = Account1.balance; Account2.balance += 100

If (X >= 100) { Account1.balance -= 100; **COMMIT** }
else {println("Denied !"); **ROLLBACK**}

Client 1: transfer \$100 acc2 → acc3

START TRANSACTION

X = Account2.balance; Account3.balance += 100

If (X >= 100) { Account2.balance -= 100; **COMMIT** }
else {println("Denied !"); **ROLLBACK**}

Using Transactions

Very easy to use:

- **START TRANSACTION**
- **COMMIT**
- **ROLLBACK**

But what EXACTLY do they mean ?

- Popular culture: **ACID**
- Underlying theory: **serializability**

Transaction Properties

ACID

- **Atomic**
 - State shows either all the effects of txn, or none of them
- **Consistent**
 - Txn moves from a state where integrity holds, to another where integrity holds
- **Isolated**
 - Effect of txns is the same as txns running one after another (ie looks like batch mode)
- **Durable**
 - Once a txn has committed, its effects remain in the database

ACID: Atomicity

- Two possible outcomes for a transaction
 - It *commits*: all the changes are made
 - It *aborts*: no changes are made
- That is, transaction's activities are all or nothing

ACID: Isolation

- A transaction executes concurrently with other transaction
- Isolation: the effect is as if each transaction executes in isolation of the others

ACID: Consistency

- The database satisfies integrity constraints
 - Account number is unique
 - Stock amount can't be negative
 - Sum of *debits* and of *credits* is 0
- Constraints may be explicit or implicit
- How consistency is achieved:
 - Applications preserve consistency, assuming they run atomically, and they run in isolation
 - The system ensures atomicity and isolation

ACID: Durability

- The effect of a transaction must continue to exist after the transaction, or the whole program has terminated
- Means: write data to disk
- Sometimes also means recovery

ROLLBACK

- If the app gets to a place where it can't complete the transaction successfully, it can execute ROLLBACK
- This causes the system to “abort” the transaction
 - The database returns to the state without any of the previous changes made by activity of the transaction
- App can then decide to retry or abandon or...

Reasons for Rollback

- User changes their mind (“ctl-C”/cancel)
- Explicit in program, when app program finds a problem
 - E.g. when the # of rented movies > max # allowed
 - Use it freely in Project 2 !!
- System-initiated abort
 - System crash
 - Housekeeping, e.g. due to timeouts