

CSE 444: Database Internals

Lectures 15 and 16
Transactions: Optimistic
Concurrency Control

Announcements

- Quiz 1+2 Friday in class
 - Last quarter's quiz linked in calendar
 - 1 page (2 sides) of notes allowed
 - Special attention to your implementation:
 - Understand SimpleDB operator parameters
- Lab 3 part 1 due *Saturday* 11pm
 - Less times for labs in general

Pessimistic vs. Optimistic

- **Pessimistic CC** (locking)
 - Prevents unserializable schedules
 - Never abort for serializability (but may abort for deadlocks)
 - Best for workloads with high levels of contention
- **Optimistic CC** (timestamp, multi-version, validation)
 - Assume schedule will be serializable
 - Abort when conflicts detected
 - Best for workloads with low levels of contention

Outline

- Concurrency control by timestamps (18.8)
- Concurrency control by validation (18.9)
- Snapshot Isolation

Timestamps

- Each transaction receives unique timestamp $TS(T)$

Could be:

- The system's clock
- A unique counter, incremented by the scheduler

Timestamps

Main invariant:

The timestamp order defines
the serialization order of the transaction

Will generate a schedule that is view-equivalent to a serial schedule, and recoverable

Timestamps


With each element X , associate

- $RT(X)$ = the highest timestamp of any transaction U that read X
- $WT(X)$ = the highest timestamp of any transaction U that wrote X
- $C(X)$ = the commit bit: true when transaction with highest timestamp that wrote X committed


Main Idea

For any $r_T(X)$ or $w_T(X)$ request, check for conflicts:

- $w_U(X) \dots r_T(X)$
- $r_U(X) \dots w_T(X)$
- $w_U(X) \dots w_T(X)$



How do we check
if Read too late ?




Write too
late ?


Main Idea

For any $r_T(X)$ or $w_T(X)$ request, check for conflicts:

- $w_U(X) \dots r_T(X)$
- $r_U(X) \dots w_T(X)$
- $w_U(X) \dots w_T(X)$



How do we check
if Read too late ?



Write too
late ?

When T requests $r_T(X)$, need to check $TS(U) \leq TS(T)$


Read Too Late

- T wants to read X

START(T) ... START(U) ... $w_U(X)$... $r_T(X)$

Read Too Late

- T wants to read X



If $WT(X) > TS(T)$ then need to rollback T !

Write Too Late


- T wants to write X



START(T) ... START(U) ... $r_U(X)$... $w_T(X)$

Write Too Late

- T wants to write X



If $RT(X) > TS(T)$ then need to rollback T !

Thomas' Rule

But we can still handle it:

- T wants to write X



START(T) ... START(V) ... $w_V(X)$... $w_T(X)$

Thomas' Rule

But we can still handle it:

- T wants to write X



START(T) ... START(V) ... $w_V(X)$... $w_T(X)$

If $RT(X) \leq TS(T)$ and $WT(X) > TS(T)$
then don't write X at all !

Why does this work?

Thomas' Rule

But we can still handle it:

- T wants to write X

START(T) ... START(V) ... $w_V(X)$... $w_T(X)$

If $RT(X) \leq TS(T)$ and $WT(X) > TS(T)$
then don't write X at all !

Why does this work?

View-serializable
schedule

View-Serializability

- By using Thomas' rule we do obtain a view-serializable schedule

Summary So Far

Only for transactions that do not abort
Otherwise, may result in non-recoverable schedule

Transaction wants to READ element X

If $WT(X) > TS(T)$ then ROLLBACK

Else READ and update $RT(X)$ to larger of $TS(T)$ or $RT(X)$

Transaction wants to WRITE element X

If $RT(X) > TS(T)$ then ROLLBACK

Else if $WT(X) > TS(T)$ ignore write & continue (Thomas Write Rule)

Otherwise, WRITE and update $WT(X) = TS(T)$

Ensuring Recoverable Schedules


Recall:

- Schedule avoids cascading aborts if whenever a transaction reads an element, then the transaction that wrote it must have **already committed**
- Use the commit bit **$C(X)$** to keep track if the transaction that last wrote X has committed

Ensuring Recoverable Schedules

Read dirty data:

- T wants to read X, and $WT(X) < TS(T)$
- Seems OK, but...



If $C(X)=\text{false}$, T needs to wait for it to become true

Ensuring Recoverable Schedules

Thomas' rule needs to be revised:

- T wants to write X, and $WT(X) > TS(T)$
- Seems OK not to write at all, but ...



START(T) ... START(U)... $w_U(X)$. . . $w_T(X)$... ABORT(U)

If $C(X)=\text{false}$, T needs to wait for it to become true

Timestamp-based Scheduling

- When a transaction T requests $r_T(X)$ or $w_T(X)$, the scheduler examines $RT(X)$, $WT(X)$, $C(X)$, and decides one of:
 - To grant the request, or
 - To rollback T (and restart with later timestamp)
 - To delay T until $C(X) = \text{true}$

Timestamp-based Scheduling

RULES including commit bit

- There are 4 long rules in Sec. 18.8.4
- You should be able to derive them yourself, based on the previous slides
- Make sure you understand them !

READING ASSIGNMENT:
Garcia-Molina et al. 18.8.4

Timestamp-based Scheduling (Read 18.8.4 instead!)

Transaction wants to READ element X

If $WT(X) > TS(T)$ then ROLLBACK

Else If $C(X) = \text{false}$, then WAIT

Else READ and update $RT(X)$ to larger of $TS(T)$ or $RT(X)$

Transaction wants to WRITE element X

If $RT(X) > TS(T)$ then ROLLBACK

Else if $WT(X) > TS(T)$

Then If $C(X) = \text{false}$ then WAIT

else IGNORE write (Thomas Write Rule)

Otherwise, WRITE, and update $WT(X)=TS(T)$, $C(X)=\text{false}$

Basic Timestamps with Commit Bit

T_1	T_2	T_3	T_4	A
1	2	3	4	RT=0 WT=0 C=true
	$W_2(A)$			

Time



Basic Timestamps with Commit Bit

Time
↓

T_1	T_2	T_3	T_4	A
1	2	3	4	RT=0 WT=0 C=true
$R_1(A)$ Abort	$W_2(A)$	$R_3(A)$ Delay		WT=2 C=false RT=0
	C	$R_3(A)$		C=true
		$W_3(A)$ delay	$W_4(A)$	RT=3 WT=4 C=false
			abort	WT=2 C=true
		$W_3(A)$		WT=3 C=false

Summary of Timestamp-based Scheduling

- View-serializable
- Avoids cascading aborts (hence: recoverable)
- Does NOT handle phantoms
 - These need to be handled separately, e.g. predicate locks

Multiversion Timestamp

- When transaction T requests $r(X)$ but $WT(X) > TS(T)$, then T must rollback
- Idea: keep multiple versions of X :
 $X_t, X_{t-1}, X_{t-2}, \dots$

$$TS(X_t) > TS(X_{t-1}) > TS(X_{t-2}) > \dots$$

Details

- When $w_T(X)$ occurs,
if the write is legal then
create a **new version**, denoted X_t where $t = TS(T)$

- When $r_T(X)$ occurs,
find **most recent version** X_t such that $t \leq TS(T)$

Notes:

- $WT(X_t) = t$ and it never changes
 - $RT(X_t)$ must still be maintained to check legality of writes
- Can delete X_t if we have a later version X_{t_1} and all active transactions T have $TS(T) > t_1$

Example (in class)

Four versions of X : X_3 X_9 X_{12} X_{18}

$R_6(X)$ -- Read X_3

$W_{21}(X)$ – Check read timestamp of X_{18}

$R_{15}(X)$ – Read X_{12}

$W_5(X)$ – Check read timestamp of X_3

When can we delete X_3 ?

Example w/ Basic Timestamps

	T_1	T_2	T_3	T_4	A
Timestamps:	150	200	175	225	RT=0 WT=0
$R_1(A)$ $W_1(A)$		$R_2(A)$ $W_2(A)$	$R_3(A)$ Abort	$R_4(A)$	RT=150 WT=150 RT=200 WT=200 RT=225

Example w/ Multiversion

T ₁	T ₂	T ₃	T ₄	A ₀	A ₁₅₀	A ₂₀₀
150	200	175	225			
R ₁ (A) W ₁ (A)	R ₂ (A) W ₂ (A)	R ₃ (A) W ₃ (A) abort	R ₄ (A)	RT=150	Create RT=200	Create RT=200
						RT=225

Example w/ Multiversion

T ₁	T ₂	T ₃	T ₄	A ₀	A ₁₅₀	A ₂₀₀
150	200	175	225			
R ₁ (A) W ₁ (A)	R ₂ (A) W ₂ (A)	R ₃ (A) W ₃ (A) abort	R ₄ (A)	RT=150	Create RT=200	Create RT=225
					RT=200	

Second Example w/ Multiversion

T_1	T_2	T_3	T_4	T_5	A_0	A_1	A_2	A_3	A_4	A_5
1	2	3	4	5						
			$W_4(A)$							

Second Example w/ Multiversion

T ₁	T ₂	T ₃	T ₄	T ₅	A ₀	A ₁	A ₂	A ₃	A ₄	A ₅
1	2	3	4	5						
W ₁ (A)	R ₂ (A)	R ₃ (A)	W ₄ (A)			Create			Create	
	W ₂ (A)					RT=2				
	abort					RT=3				
				R ₅ (A)					RT=5	
				W ₅ (A)					RT=5	Create
R ₁ (A)			R ₄ (A)							
C		C			X	RT=3				
						X				

Outline


- Concurrency control by timestamps (18.8)
- Concurrency control by validation (18.9)
- Snapshot Isolation

Concurrency Control by Validation

- Each transaction T defines:
 - Read set $RS(T)$ = the elements it reads
 - Write set $WS(T)$ = the elements it writes
- Each transaction T has three phases:
 - Read phase; time = $START(T)$
 - Validate phase (may need to rollback); time = $VAL(T)$
 - Write phase; time = $FIN(T)$


Main invariant: the serialization order is $VAL(T)$

Avoid $r_T(X) - w_U(X)$ Conflicts



IF $RS(T) \cap WS(U)$ and $FIN(U) > START(T)$
 (U has validated and U has not finished before T begun)
 Then **ROLLBACK(T)**

Avoid $w_T(X) - w_U(X)$ Conflicts



IF $WS(T) \cap WS(U)$ and $FIN(U) > VAL(T)$
(U has validated and U has not finished before T validates)
Then **ROLLBACK(T)**

Outline

- Concurrency control by timestamps (18.8)
- Concurrency control by validation (18.9)
- **Snapshot Isolation**
 - Not in the book, but good overview in Wikipedia

Snapshot Isolation

- A type of multiversion concurrency control algorithm
- Provides yet another level of isolation
- Very efficient, and very popular
 - Oracle, PostgreSQL, SQL Server 2005
- Prevents many classical anomalies BUT...
- Not serializable (!), yet ORACLE and PostgreSQL use it even for `SERIALIZABLE` transactions!
 - But “serializable snapshot isolation” now in PostgreSQL

Snapshot Isolation Overview

- Each transactions receives a timestamp $TS(T)$
- Transaction T sees snapshot at time $TS(T)$ of the database
- Write/write conflicts resolved by “first committer wins” rule
 - Loser gets aborted
- Read/write conflicts are ignored

Snapshot Isolation Details

- Multiversion concurrency control:
 - Versions of X : $X_{t1}, X_{t2}, X_{t3}, \dots$
- When T reads X , return $X_{TS(T)}$.
- When T writes X (to avoid lost update):
 - If latest version of X is $TS(T)$ then **proceed**
 - Else if $C(X) = \text{true}$ then **abort**
 - Else if $C(X) = \text{false}$ then **wait**
- When T commits, write its updates to disk

What Works and What Not

- No dirty reads (Why ?)
 - Start each snapshot with consistent state
- No inconsistent reads (Why ?)
 - Two reads by the same transaction will read same snapshot
- No lost updates (“first committer wins”)
- Moreover: no reads are ever delayed
- However: read-write conflicts not caught !

Write Skew

T1:

```
READ(X);  
if X >= 50  
    then Y = -50; WRITE(Y)  
COMMIT
```

T2:

```
READ(Y);  
if Y >= 50  
    then X = -50; WRITE(X)  
COMMIT
```

In our notation:

$R_1(X), R_2(Y), W_1(Y), W_2(X), C_1, C_2$

Starting with $X=50, Y=50$, we end with $X=-50, Y=-50$.
Non-serializable !!!

Write Skews Can Be Serious

- Acidicland had two viceroys, Delta and Rho
- Budget had two registers: taXes, and spendYng
- They had high taxes and low spending...

Delta:

```
READ(taXes);  
if taXes = 'High'  
    then { spendYng = 'Raise';  
           WRITE(spendYng) }  
COMMIT
```

Rho:

```
READ(spendYng);  
if spendYng = 'Low'  
    then { taXes = 'Cut';  
           WRITE(taXes) }  
COMMIT
```

... and they ran a deficit ever since.

Discussion: Tradeoffs

- **Pessimistic CC: Locks**
 - Great when there are many conflicts
 - Poor when there are few conflicts
- **Optimistic CC: Timestamps, Validation, SI**
 - Poor when there are many conflicts (rollbacks)
 - Great when there are few conflicts
- **Compromise**
 - READ ONLY transactions → timestamps
 - READ/WRITE transactions → locks

Commercial Systems

Always check documentation!

- **DB2**: Strict 2PL
- **SQL Server**:
 - Strict 2PL for standard 4 levels of isolation
 - Multiversion concurrency control for snapshot isolation
- **PostgreSQL**: SI; recently: serializable SI (!)
- **Oracle**: SI