

# Database System Internals

## Concurrency Control - Locking

Paul G. Allen School of Computer Science and Engineering  
University of Washington, Seattle

## Serializability

- Serial
- Serializable
- Conflict serializable
- View serializable

## Recoverability

- Recoverable
- Avoids cascading deletes

# Scheduler

- The scheduler:
- Module that schedules the transaction's actions, ensuring serializability
  
- Two main approaches
  - **Pessimistic**: locks
  - **Optimistic**: timestamps, multi-version, validation

# Pessimistic Scheduler

Simple idea:

- Each element has a unique **lock**
- Each transaction must first **acquire** the lock before reading/writing that element
- If the lock is taken by another transaction, then wait
- The transaction must **release** the lock(s)

# Notation

$L_i(A)$  = transaction  $T_i$  **acquires** lock for element  $A$

$U_i(A)$  = transaction  $T_i$  **releases** lock for element  $A$

# A Non-Serializable Schedule

T1	T2
READ(A, t)	
t := t+100	
WRITE(A, t)	
	READ(A,s)
	s := s*2
	WRITE(A,s)
	READ(B,s)
	s := s*2
	WRITE(B,s)
READ(B, t)	
t := t+100	
WRITE(B,t)	

# Example

T1

$L_1(A)$ ; READ(A, t)

t := t+100

WRITE(A, t);  $U_1(A)$ ;  $L_1(B)$

READ(B, t)

t := t+100

WRITE(B,t);  $U_1(B)$ ;

T2

$L_2(A)$ ; READ(A,s)

s := s\*2

WRITE(A,s);  $U_2(A)$ ;

$L_2(B)$ ; DENIED...

...GRANTED; READ(B,s)

s := s\*2

WRITE(B,s);  $U_2(B)$ ;

Scheduler has ensured a conflict-serializable schedule

T1

$L_1(A)$ ; READ(A, t)

t := t+100

WRITE(A, t);  $U_1(A)$ ;

$L_1(B)$ ; READ(B, t)

t := t+100

WRITE(B,t);  $U_1(B)$ ;

T2

$L_2(A)$ ; READ(A,s)

s := s\*2

WRITE(A,s);  $U_2(A)$ ;

$L_2(B)$ ; READ(B,s)

s := s\*2

WRITE(B,s);  $U_2(B)$ ;

Locks did not enforce conflict-serializability !!! What's wrong ?



# Two Phase Locking (2PL)

The 2PL rule:

- In every transaction, all lock requests must precede all unlock requests
- This ensures conflict serializability ! (will prove this shortly)

# Example: 2PL transactions

T1

$L_1(A)$ ;  $L_1(B)$ ; READ(A, t)  
t := t+100  
WRITE(A, t);  $U_1(A)$

READ(B, t)  
t := t+100  
WRITE(B,t);  $U_1(B)$ ;


T2

$L_2(A)$ ; READ(A,s)  
s := s\*2  
WRITE(A,s);  
 $L_2(B)$ ; DENIED...

...GRANTED; READ(B,s)  
s := s\*2  
WRITE(B,s);  $U_2(A)$ ;  $U_2(B)$ ;

Now it is conflict-serializable

# Example with Multiple Transactions



Equivalent to each transaction executing entirely the moment it enters shrinking phase


# Two Phase Locking (2PL)

**Theorem: 2PL ensures conflict serializability**

# Two Phase Locking (2PL)

**Theorem:** 2PL ensures conflict serializability


**Proof.** Suppose not: then there exists a cycle in the precedence graph.



# Two Phase Locking (2PL)

**Theorem:** 2PL ensures conflict serializability

**Proof.** Suppose not: then there exists a cycle in the precedence graph.




Then there is the following temporal cycle in the schedule:

# Two Phase Locking (2PL)

**Theorem:** 2PL ensures conflict serializability

**Proof.** Suppose not: then there exists a cycle in the precedence graph.




Then there is the following temporal cycle in the schedule:

$U_1(A) \rightarrow L_2(A)$  why?

# Two Phase Locking (2PL)

**Theorem:** 2PL ensures conflict serializability

**Proof.** Suppose not: then there exists a cycle in the precedence graph.



Then there is the following temporal cycle in the schedule:

$U_1(A) \rightarrow L_2(A)$


$L_2(A) \rightarrow U_2(B)$       why?



# Two Phase Locking (2PL)

**Theorem:** 2PL ensures conflict serializability

**Proof.** Suppose not: then there exists a cycle in the precedence graph.



Then there is the following temporal cycle in the schedule:

$U_1(A) \rightarrow L_2(A)$

$L_2(A) \rightarrow U_2(B)$

$U_2(B) \rightarrow L_3(B)$

$L_3(B) \rightarrow U_3(C)$

$U_3(C) \rightarrow L_1(C)$

$L_1(C) \rightarrow U_1(A)$

Contradiction

# A New Problem:

T1

$L_1(A)$ ;  $L_1(B)$ ; READ(A, t)

t := t+100

WRITE(A, t);  $U_1(A)$

READ(B, t)

t := t+100

WRITE(B,t);  $U_1(B)$ ;

**Abort**

T2

$L_2(A)$ ; READ(A,s)

s := s\*2

WRITE(A,s);

$L_2(B)$ ; **DENIED...**

**...GRANTED**; READ(B,s)

s := s\*2

WRITE(B,s);  $U_2(A)$ ;  $U_2(B)$ ;

**Commit**

# Strict 2PL

- **Strict 2PL:** All locks held by a transaction are released when the transaction is completed; release happens at the time of COMMIT or ROLLBACK
- Schedule is **recoverable**
- Schedule **avoids cascading aborts**

T1

$L_1(A)$ ; READ(A)

A := A+100

WRITE(A);

$L_1(B)$ ; READ(B)

B := B+100

WRITE(B);

$U_1(A), U_1(B)$ ; Rollback

T2

$L_2(A)$ ; DENIED...

...GRANTED; READ(A)

A := A\*2

WRITE(A);

$L_2(B)$ ; READ(B)

B := B\*2

WRITE(B);

$U_2(A); U_2(B)$ ; Commit

# Terminology Needed For Lab 3

- **STEAL or NO-STEAL**

- When can we evict dirty pages from the buffer pool?

- **FORCE or NO-FORCE**

- When do we need to synchronize updates made by a transaction relative to commit time?

# Terminology Needed For Lab 3

- **STEAL or NO-STEAL**

- When can we evict dirty pages from the buffer pool?

- **FORCE or NO-FORCE**

- When do we need to synchronize updates made by a transaction relative to commit time?

- Easiest for recovery: NO-STEAL/FORCE (lab 3)

# Summary of Strict 2PL

- Ensures serializability, recoverability, and avoids cascading aborts
  
- Issues?

# Summary of Strict 2PL

- Ensures serializability, recoverability, and avoids cascading aborts
- Issues: implementation, lock modes, granularity, deadlocks, performance



# The Locking Scheduler

Task 1: -- act on behalf of the transaction

Add lock/unlock requests to transactions

- Examine all READ(A) or WRITE(A) actions
- Add appropriate lock requests
- On COMMIT/ROLLBACK release all locks
- Ensures Strict 2PL !

# The Locking Scheduler

Task 2: -- act on behalf of the system

Execute the locks accordingly

- Lock table: a big, critical data structure in a DBMS !
- When a lock is requested, check the lock table
  - Grant, or add the transaction to the element's wait list
- When a lock is released, re-activate a transaction from its wait list
- When a transaction aborts, release all its locks
- Check for deadlocks occasionally

# Lock Modes

- **S** = shared lock (for READ)
- **X** = exclusive lock (for WRITE)

Lock compatibility matrix:

	None	S	X
None	OK	OK	OK
S	OK	OK	Conflict
X	OK	Conflict	Conflict

# Lock Granularity

- **Fine granularity locking** (e.g., tuples)
  - 
  -
- **Coarse grain locking** (e.g., tables, predicate locks)
  - 
  -

# Lock Granularity

- **Fine granularity locking** (e.g., tuples)
  - High concurrency
  - High overhead in managing locks
  
- **Coarse grain locking** (e.g., tables, predicate locks)
  - 
  -


# Lock Granularity

- **Fine granularity locking** (e.g., tuples)
  - High concurrency
  - High overhead in managing locks
  
- **Coarse grain locking** (e.g., tables, predicate locks)
  - Many false conflicts
  - Less overhead in managing locks

# Deadlocks

- **Cycle in the wait-for graph:**
  - T1 waits for T2
  - T2 waits for T3
  - T3 waits for T1
- **Deadlock detection**
  - Timeouts
  - Wait-for graph
- **Deadlock avoidance**
  - Acquire locks in pre-defined order
  - Acquire all locks at once before starting

# Lock Performance





# Phantom Problem

- So far we have assumed the database to be a *static* collection of elements (=tuples)
- If tuples are inserted/deleted then the *phantom problem* appears

# Phantom Problem

T1

```
SELECT *  
FROM Product  
WHERE color='blue'
```

```
SELECT *  
FROM Product  
WHERE color='blue'
```

T2

```
INSERT INTO Product(name, color)  
VALUES ('gizmo','blue')
```

Is this schedule serializable ?

# Phantom Problem

T1

```
SELECT *  
FROM Product  
WHERE color='blue'
```

T2

```
INSERT INTO Product(name, color)  
VALUES ('gizmo','blue')
```

```
SELECT *  
FROM Product  
WHERE color='blue'
```

Suppose there are two blue products, X1, X2:

R1(X1),R1(X2),W2(X3),R1(X1),R1(X2),R1(X3)

# Phantom Problem

T1

```
SELECT *  
FROM Product  
WHERE color='blue'
```

```
SELECT *  
FROM Product  
WHERE color='blue'
```

T2

```
INSERT INTO Product(name, color)  
VALUES ('gizmo','blue')
```

Suppose there are two blue products, X1, X2:

R1(X1),R1(X2),W2(X3),R1(X1),R1(X2),R1(X3)

This is conflict serializable ! What's wrong ??

# Phantom Problem

T1

```
SELECT *  
FROM Product  
WHERE color='blue'
```

```
SELECT *  
FROM Product  
WHERE color='blue'
```

T2

```
INSERT INTO Product(name, color)  
VALUES ('gizmo','blue')
```

Suppose there are two blue products, X1, X2:

R1(X1),R1(X2),W2(X3),R1(X1),R1(X2),R1(X3)

Not serializable due to **phantoms**

# Phantom Problem

- A “phantom” is a tuple that is invisible during **part** of a transaction execution but not invisible during the **entire** execution
- In our example:
  - T1: reads list of products
  - T2: inserts a new product
  - T1: re-reads: a new product appears !

# Phantom Problem

- In a **static** database:
  - Conflict serializability implies serializability
- In a **dynamic** database, this may fail due to phantoms
- Strict 2PL guarantees conflict serializability, but not serializability

# Dealing With Phantoms

- Lock the entire table, or
- Lock the index entry for 'blue'
  - If index is available
- Or use predicate locks
  - A lock on an arbitrary predicate

Dealing with phantoms is expensive !



# Isolation Levels in SQL

1. “Dirty reads”

SET TRANSACTION ISOLATION LEVEL READ UNCOMMITTED

2. “Committed reads”

SET TRANSACTION ISOLATION LEVEL READ COMMITTED

3. “Repeatable reads”

SET TRANSACTION ISOLATION LEVEL REPEATABLE READ

4. Serializable transactions

SET TRANSACTION ISOLATION LEVEL SERIALIZABLE



ACID

# 1. Isolation Level: Dirty Reads

- “Long duration” WRITE locks
  - Strict 2PL
- No READ locks
  - Read-only transactions are never delayed

Possible problems:  
dirty and inconsistent reads

## 2. Isolation Level: Read Committed

- “Long duration” WRITE locks
  - Strict 2PL
- “Short duration” READ locks
  - Only acquire lock while reading (not 2PL)

Unrepeatable reads

When reading same element twice,  
may get two different values

## 3. Isolation Level: Repeatable Read

- “Long duration” WRITE locks
  - Strict 2PL
- “Long duration” READ locks
  - Strict 2PL

This is not serializable yet !!!



Why ?

## 4. Isolation Level Serializable

- “Long duration” WRITE locks
  - Strict 2PL
- “Long duration” READ locks
  - Strict 2PL
- Predicate locking
  - To deal with phantoms

# READ-ONLY Transactions

```
Client 1: START TRANSACTION
INSERT INTO SmallProduct(name, price)
SELECT pname, price
FROM Product
WHERE price <= 0.99

DELETE FROM Product
WHERE price <=0.99
COMMIT
```

```
Client 2: SET TRANSACTION READ ONLY
START TRANSACTION
SELECT count(*)
FROM Product

SELECT count(*)
FROM SmallProduct
COMMIT
```



May improve performance

# Commercial Systems

Always check documentation!

- **DB2**: Strict 2PL
- **SQL Server**:
  - Strict 2PL for standard 4 levels of isolation
  - Multiversion concurrency control for snapshot isolation
- **PostgreSQL**: Snapshot isolation; recently: serializable Snapshot isolation (!)
- **Oracle**: Snapshot isolation