




Trees

W

Trees


$$f(x) = \sum_{m=1}^M c_m I(x \in R_m).$$

Build a binary tree, splitting along axes



Learning decision trees

- > Start from empty decision tree
- > Split on next best attribute (feature)
 - Use, for example, information gain to select attribute
 - Split on $\arg \max_i IG(X_i) = \arg \max_i H(Y) - H(Y | X_i)$
- > Recurse
- > Prune




$$f(x) = \sum_{m=1}^M c_m I(x \in R_m).$$



Trees

$$f(x) = \sum_{m=1}^M c_m I(x \in R_m).$$



- Trees
 - **have low bias, high variance**
 - deal with categorical variables well
 - intuitive, interpretable
 - good software exists
 - Some theoretical guarantees

Random Forests




Random Forests

Tree methods have **low bias** but **high variance**.

One way to reduce variance is to construct a lot of “lightly correlated” trees and average them:

“Bagging:” Bootstrap aggregating



Random Forests

Algorithm 15.1 *Random Forest for Regression or Classification.*

1. For $b = 1$ to B :
 - (a) Draw a bootstrap sample \mathbf{Z}^* of size N from the training data.
 - (b) Grow a random-forest tree T_b to the bootstrapped data, by recursively repeating the following steps for each terminal node of the tree, until the minimum node size n_{min} is reached.
 - i. Select m variables at random from the p variables.
 - ii. Pick the best variable/split-point among the m .
 - iii. Split the node into two daughter nodes.
2. Output the ensemble of trees $\{T_b\}_1^B$.

To make a prediction at a new point x :

Regression: $\hat{f}_{\text{rf}}^B(x) = \frac{1}{B} \sum_{b=1}^B T_b(x)$. m~p/3

Classification: Let $\hat{C}_b(x)$ be the class prediction of the b th random-forest tree. Then $\hat{C}_{\text{rf}}^B(x) = \text{majority vote } \{\hat{C}_b(x)\}_1^B$. m~sqrt(p)

Random Forests

- Random Forests
 - **have low bias, low variance**
 - deal with categorical variables well
 - not that intuitive or interpretable
 - Notion of confidence estimates
 - good software exists
 - Some theoretical guarantees
 - **works well with default hyperparameters**

Boosting and Additive Models



Boosting

- 1988 Kearns and Valiant: “Can **weak learners** be combined to create a **strong learner**?”

Weak learner definition (informal):

An algorithm \mathcal{A} is a *weak learner* for a hypothesis class \mathcal{H} that maps \mathcal{X} to $\{-1, 1\}$ if for all input distributions over \mathcal{X} and $h \in \mathcal{H}$, we have that \mathcal{A} correctly classifies h with error at most $1/2 - \gamma$

- 1990 Robert Schapire: “Yup!”
- 1995 Schapire and Freund: “Practical for 0/1 loss” AdaBoost
- 2001 Friedman: “Practical for arbitrary losses”
- 2014 Tianqi Chen: “Scale it up!” XGBoost

Additive models

- Given: $\{(x_i, y_i)\}_{i=1}^n \quad x_i \in \mathbb{R}^d, y_i \in \{-1, 1\}$
- Generate **random** functions: $\phi_t : \mathbb{R}^d \rightarrow \mathbb{R} \quad t = 1, \dots, p$
- Learn some weights: $\hat{w} = \arg \min_w \sum_{i=1}^n \text{Loss} \left(y_i, \sum_{t=1}^p w_t \phi_t(x_i) \right)$
- Classify new data: $f(x) = \text{sign} \left(\sum_{t=1}^p \hat{w}_t \phi_t(x) \right)$

Additive models

- Given: $\{(x_i, y_i)\}_{i=1}^n \quad x_i \in \mathbb{R}^d, y_i \in \{-1, 1\}$
- Generate **random** functions: $\phi_t : \mathbb{R}^d \rightarrow \mathbb{R} \quad t = 1, \dots, p$
- Learn some weights: $\hat{w} = \arg \min_w \sum_{i=1}^n \text{Loss} \left(y_i, \sum_{t=1}^p w_t \phi_t(x_i) \right)$
- Classify new data: $f(x) = \text{sign} \left(\sum_{t=1}^p \hat{w}_t \phi_t(x) \right)$

An interpretation:

Each $\phi_t(x)$ is a classification rule that we are assigning some weight \hat{w}_t

$$\hat{w}, \hat{\phi}_1, \dots, \hat{\phi}_p = \arg \min_{w, \phi_1, \dots, \phi_p} \sum_{i=1}^n \text{Loss} \left(y_i, \sum_{t=1}^p w_t \phi_t(x_i) \right)$$

is in general computationally hard

Forward Stagewise Additive models

$b(x, \gamma)$ is a function with parameters γ

Examples: $b(x, \gamma) = \frac{1}{1 + e^{-\gamma^T x}}$

Algorithm 10.2 *Forward Stagewise Additive Modeling.*

1. Initialize $f_0(x) = 0$.

2. For $m = 1$ to M :

(a) Compute

$$(\beta_m, \gamma_m) = \arg \min_{\beta, \gamma} \sum_{i=1}^N L(y_i, f_{m-1}(x_i) + \beta b(x_i; \gamma)).$$

(b) Set $f_m(x) = f_{m-1}(x) + \beta_m b(x; \gamma_m)$.

$$b(x, \gamma) = \gamma_1 \mathbf{1}\{x_3 \leq \gamma_2\}$$

Idea: greedily add one function at a time

Forward Stagewise Additive models

$b(x, \gamma)$ is a function with parameters γ

Examples: $b(x, \gamma) = \frac{1}{1 + e^{-\gamma^T x}}$

Algorithm 10.2 *Forward Stagewise Additive Modeling.*

1. Initialize $f_0(x) = 0$.

2. For $m = 1$ to M :

(a) Compute

$$(\beta_m, \gamma_m) = \arg \min_{\beta, \gamma} \sum_{i=1}^N L(y_i, f_{m-1}(x_i) + \beta b(x_i; \gamma)).$$

(b) Set $f_m(x) = f_{m-1}(x) + \beta_m b(x; \gamma_m)$.

Idea: greedily add one function at a time

AdaBoost: $b(x, \gamma)$: classifiers to $\{-1, 1\}$

$$L(y, f(x)) = \exp(-yf(x))$$

Forward Stagewise Additive models

$b(x, \gamma)$ is a function with parameters γ

Examples: $b(x, \gamma) = \frac{1}{1 + e^{-\gamma^T x}}$

$b(x, \gamma) = \gamma_1 \mathbf{1}\{x_3 \leq \gamma_2\}$

Algorithm 10.2 *Forward Stagewise Additive Modeling.*

1. Initialize $f_0(x) = 0$.
2. For $m = 1$ to M :
 - (a) Compute

$$(\beta_m, \gamma_m) = \arg \min_{\beta, \gamma} \sum_{i=1}^N L(y_i, f_{m-1}(x_i) + \beta b(x_i; \gamma)).$$

- (b) Set $f_m(x) = f_{m-1}(x) + \beta_m b(x; \gamma_m)$.

Idea: greedily add one function at a time

Boosted Regression Trees: $L(y, f(x)) = (y - f(x))^2$

$b(x, \gamma)$: regression trees

Forward Stagewise Additive models

$b(x, \gamma)$ is a function with parameters γ Examples: $b(x, \gamma) = \frac{1}{1 + e^{-\gamma^T x}}$
 $b(x, \gamma) = \gamma_1 \mathbf{1}\{x_3 \leq \gamma_2\}$

Algorithm 10.2 *Forward Stagewise Additive Modeling.*

1. Initialize $f_0(x) = 0$.

2. For $m = 1$ to M :

 (a) Compute

$$(\beta_m, \gamma_m) = \arg \min_{\beta, \gamma} \sum_{i=1}^N L(y_i, f_{m-1}(x_i) + \beta b(x_i; \gamma)).$$

 (b) Set $f_m(x) = f_{m-1}(x) + \beta_m b(x; \gamma_m)$.

Idea: greedily add one function at a time

Boosted Regression Trees: $L(y, f(x)) = (y - f(x))^2$

$$\begin{aligned} L(y_i, f_{m-1}(x_i) + \beta b(x_i; \gamma)) &= (y_i - f_{m-1}(x_i) - \beta b(x_i; \gamma))^2 \\ &= (r_{im} - \beta b(x_i; \gamma))^2, \quad r_{im} = y_i - f_{m-1}(x_i) \end{aligned}$$

Efficient: No harder than learning regression trees!

Additive models

- Boosting is popular at parties: Invented by theorists, heavily adopted by practitioners.
- Computationally efficient with “weak” learners. But can also use trees! Boosting can scale.
- Gradient boosting generalization with good software packages (e.g., *XGBoost*). Effective on Kaggle

Bagging versus Boosting

- Bagging *averages* many **low-bias, lightly dependent** classifiers to reduce the variance
- Boosting *learns* linear combination of **high-bias, highly dependent** classifiers to reduce error

Which algorithm do I use?

TABLE 10.1. *Some characteristics of different learning methods. Key: ▲ = good, ◆ = fair, and ▼ = poor.*

Characteristic	Neural Nets	SVM	Trees	MARS	k-NN, Kernels
Natural handling of data of “mixed” type	▼	▼	▲	▲	▼
Handling of missing values	▼	▼	▲	▲	▲
Robustness to outliers in input space	▼	▼	▲	▼	▲
Insensitive to monotone transformations of inputs	▼	▼	▲	▼	▼
Computational scalability (large N)	▼	▼	▲	▲	▼
Ability to deal with irrelevant inputs	▼	▼	▲	▲	▼
Ability to extract linear combinations of features	▲	▲	▼	▼	◆
Interpretability	▼	▼	◆	▲	▼
Predictive power	▲	▲	▼	◆	▲