

CSE 451: Operating Systems Winter 2001

Lecture 17 Two-phase commit

Steve Gribble
gribble@cs.washington.edu
323B Sieg Hall

A fundamental problem

- Consider a client/server architecture
 - what happens to the service if a server crashes?
 - software failure, OS failure, hardware failure, power outage, earthquake, ...
- **Replication** to the rescue
 - key idea: instead of having one server providing service to clients, have multiple servers providing the same service
 - each of the servers are called replicas
 - given N replicas, if one crashes, N-1 can still provide service
 - this assumes independent failures
 - replication therefore improves availability
 - however, it introduces a new problem: keeping replicas **consistent** with each other in the face of updates

Some quick math for the curious

- assume N replicas
 - assume a specified mean time between failure (MTBF)
 - with exponentially distributed failure arrivals
 - (in other words, a completely random process)
 - assume a specified mean time to repair (MTTR)
- what is the reliability of the overall system?

$$\text{MTBF}_{\text{system}} \propto \frac{\text{MTBF}_{\text{replica}}^N}{\text{MTTR}_{\text{replica}}}$$

- note that repair is a crucial part of the system!


2/25/2001

© 2001 Steve Gribble

3

The Replica Consistency problem

- Imagine we have two “bank” servers, and a client that updates its bank account
 - naïve replication strategy: client updates a random server. After update, the randomly chosen server propagates change to other server.
 - master/slave replication



- what are all the things that can go wrong?


2/25/2001

© 2001 Steve Gribble

4

What are we to do?

- One (of many) problems is that servers can have different views of the data at the same time
 - this is the very definition of inconsistency!
 - even worse, simultaneous updates can stomp on each other
 - inconsistency is never resolved
- Idea: update both servers at once?




2/25/2001

© 2001 Steve Gribble

5

But there are races...

- Two clients issuing updates at same time
 - messages may arrive in different orders at different servers
 - e.g. message #1 = "turn on light", message #2 = "turn off light"
 - what's the state of the light switch at each server?
- How did we deal with races in multithreaded code?
 - critical sections, mutual exclusion via locks:



2/25/2001

© 2001 Steve Gribble

6

More problems...

- But what about:
 - network failure
 - client failure
 - server failure
 - deadlock
- Seems insurmountable...
 - a generalized protocol (two-phase commit) was devised to deal with all of these difficulties
 - a key observation:
 - give servers (replicas) a chance to say “no”
 - if any replica says no, client “aborts” the operation

2/25/2001

© 2001 Steve Gribble

7

Two-phase commit

- Assumptions:
 - no byzantine failures (fail-stop)
 - goal: update all replicas atomically
 - either everybody **commits** update, or everybody **aborts**
 - no inconsistencies (including races from multiple clients)
 - even in the face of network and host failures
- Definitions:
 - coordinator: software entity that shepherds process
 - client in our example, not necessarily always so
 - replica: software entity to be updated by coordinator
 - ready to commit: side-effects of update are safely stored on durable, secondary storage
 - in other words, if a replica is ready to commit, then even if it crashes it can continue with two-phase commit

2/25/2001

© 2001 Steve Gribble

8

The Protocol


- Phase 1:
 - coordinator sends a PREPARE message to each replica
 - coordinator waits for all participants to vote
 - each participant:
 - votes PREPARED if it is ready to commit
 - also locks data item(s) being updated
 - votes NO for any reason
 - including inability to grab a lock
 - may delay voting arbitrarily...
- Phase 2:
 - if coordinator receives PREPARED from all replicas, it decides to commit. if not, it decides to abort.
 - at this point, the “transaction” or update is over
 - coordinator sends its decision to all participants
 - COMMIT or ABORT
 - participant marks decision, releases lock
 - participants acknowledge receipt with DONE

2/25/2001

© 2001 Steve Gribble

9

Outcome #1: COMMIT




2/25/2001

© 2001 Steve Gribble

10

Outcome #2: ABORT



2/25/2001

© 2001 Steve Gribble

11

Performance

- In the absence of failures, 2PC makes a total of 1.5 round-trips of messages before decision is made
 - prepare
 - vote to prepare
 - commit/abort
 - (note that the “DONE” is just for bookkeeping, it doesn’t affect response time)


2/25/2001

© 2001 Steve Gribble

12

Uncertainty

- Before it votes, a replica can unilaterally abort
- After it votes PREPARED and before it receives the coordinator's decision, a replica is in an **uncertain** condition.
 - it can't either commit or abort until it hears from coordinator



2/25/2001

© 2001 Steve Gribble

13

More uncertainty

- Note that the coordinator is never uncertain
 - it can always unilaterally abort, until it sends out a COMMIT
- If a participant fails or is partitioned during uncertain period...
 - it must contact coordinator to discover decision after recovery or network repair
 - implies coordinator must keep track of decisions
 - for how long?

2/25/2001

© 2001 Steve Gribble

14

Failure handling

- Failure is detected with timeouts
 - must eventually rely on timeouts in a distributed system
- If participant times out waiting for PREPARE
 - it can simply abort
- If coordinator times out waiting for a vote
 - it can simply abort
- If participant times out waiting for a decision
 - it becomes “blocked”
 - punt to some other resolution protocol
 - simplest one: wait for coordinator to recover
- If coordinator times out waiting for a done
 - ?