CSE 451: Operating Systems Autumn 2013

Module 16 BSD UNIX Fast File System

Ed Lazowska lazowska@cs.washington.edu Allen Center 570

© 2013 Gribble, Lazowska, Levy, Zahorian

File system implementations

- · We've looked at disks
- · We've looked at file systems generically
- We've looked in detail at the implementation of the original Bell Labs UNIX file system
 - a great simple yet practical design
 - exemplifies engineering tradeoffs that are pervasive in system design
- Now we'll look at some more advanced file systems
 - First, the Berkeley Software Distribution (BSD) UNIX Fast File System (FFS)
 - · enhanced performance for the UNIX file system
 - at the heart of most UNIX file systems today

© 2013 Gribble, Lazowska, Levy, Zahorian

BSD UNIX FFS

- Original (1970) UNIX file system was elegant but slow
 - poor disk throughput
 - · far too many seeks, on average
- · Berkeley UNIX project did a redesign in the mid '80's
 - McKusick, Joy, Fabry, and Leffler
 - improved disk throughput, decreased average request response time
 - principal idea is that FFS is aware of disk structure
 - $\ensuremath{\bullet}$ it places related things on nearby cylinders to reduce seeks

© 2013 Gribble, Lazowska, Levy, Zahorjan

3

Recall the UNIX disk layout


- · Boot block
 - can boot the system by loading from this block
- Superblock
 - specifies boundaries of next 3 areas, and contains head of freelists of inodes and file blocks
- i-node area
 - contains descriptors (i-nodes) for each file on the disk; all i-nodes are the same size; head of freelist is in the superblock
- File contents area
 - fixed-size blocks; head of freelist is in the superblock
- · Swap area
 - holds processes that have been swapped out of memory

© 2013 Gribble, Lazowska, Levy, Zahorjan

.

Recall the UNIX block list / file content structure

- · directory entries point to i-nodes file headers
- each i-node contains a bunch of stuff including 13 block pointers
 - first 10 point to file blocks (i.e., 512B blocks of file data)
 - then single, double, and triple indirect indexes



UNIX FS data and i-node placement

- Original UNIX FS had three major performance problems:
 - data blocks are allocated randomly in aging file systems
 - blocks for the same file allocated sequentially when FS is new $\,$
 - as FS "ages" and fills, it needs to allocate blocks freed up when other files are deleted
 - deleted files are essentially randomly placed
 - so, blocks for new files become scattered across the disk!
 data blocks are relatively small
 - reduces fragmentation, but exacerbates the problem above
 i-nodes are allocated far from blocks
 - all i-nodes at beginning of disk, far from data
 - traversing file name paths, manipulating files, directories requires going back and forth from i-nodes to data blocks
- · All three of these generate many long seeks!
 - gets worse as disks get bigger

© 2013 Gribble, Lazowska, Levy, Zahorjan

6

FFS: Cylinder groups

- · FFS addressed the first and third problems using the notion of a cylinder group
 - disk is partitioned into groups of cylinders
 - data blocks from a file are all placed in the same cylinder group
 - files in same directory are placed in the same cylinder group
 - i-node for file placed in same cylinder group as file's data
- · Introduces a free space requirement
 - to be able to allocate according to cylinder group, the disk must have free space scattered across all cylinders
 - in FFS, 10% of the disk is reserved just for this purpose!
 - · good insight: keep disk partially free at all times!
 - this is why it may be possible for df to report >100% full!

© 2013 Gribble, Lazowska, Levy, Zahorian

9

FFS: Increased block size, fragments

- · The original UNIX FS had 512B blocks
 - even more seeking
 - small maximum file size (~1GB maximum file size)
- Then a version had 1KB blocks
 - still pretty puny
- FFS uses a 4KB blocksize
 - big improvement in disk throughput fewer seeks when transferring
 - allows for very large files (4TB) exponential impact of indirect
 - but, introduces internal fragmentation

 on average, each file wastes 2K!

 - worse, the average Unix file size is only about 1K!
 why?
 - fix: introduce "fragments"
 - 1KB pieces of a block

© 2013 Gribble, Lazowska, Levy, Zahorian

FFS: Aggressive File Buffer Cache

- · Exploit locality by caching file blocks in memory
 - the cache is system wide, shared by all processes
 - even a small (4MB) cache can be very effective (why?)
 - many FS's "read-ahead" into buffer cache
- What about writes?
 - some apps assume data is on disk after write
 - · either "write-through" the buffer cache
 - · or "write-behind"
 - Write-Definit
 maintain queue of uncommitted blocks, periodically flush. Unreliable!
 NVRAM: write into battery-backed RAM. Expensive!
 LFS, JFS: we'll talk about this soon!
- · Buffer cache issues:
 - competes with VM for physical frames
 - integrated VM/buffer cache?
 - need replacement algorithms here
 - LRU usually

© 2013 Gribble, Lazowska, Levy, Zahorjan

FFS: Awareness of hardware characteristics

- · Original UNIX FS was unaware of disk parameters
- · FFS parameterizes the FS according to disk and CPU characteristics
 - e.g., account for CPU interrupt and processing time, plus disk characteristics, in deciding where to lay out sequential blocks of a file, to reduce rotational latency

© 2013 Gribble, Lazowska, Levy, Zahorjan

10

FFS: Performance

This was a long time ago - look at the relative

Typ	e of	Processor and		Read		
File S	ystem	Bus Measured	Speed	Bandwidth	% CPU	
old l	024	750/UNIBUS	29 Kbytes/sec	29/983 3%	11%	
new 409	06/1024	750/UNIBUS	221 Kbytes/sec	221/983 22%	43%	(983KB/s is
new 819	02/1024	750/UNIBUS	233 Kbytes/sec	233/983 24%	29%	theoretical disk
new 409	06/1024	750/MASSBUS	466 Kbytes/sec	466/983 47%	73%	throughput)
new 819		750/MASSBUS	466 Kbytes/sec	466/983 47%	54%	
ck size / frag			466 Kbytes/sec ing rates of the old			
ck size / frag	ment size	Table 2a – Read		and new UNIX f		
ck size / frag	ment size e of ystem	Table 2a – Read	ing rates of the old	and new UNIX f	ile systems	
ck size / frag Typ File S	ment size e of ystem	Processor and Bus Measured	ing rates of the old	and new UNIX f Write Bandwidth	ile systems.	
Typ File S	ment size e of ystem 1024 26/1024	Processor and Bus Measured 750/UNIBUS	Speed 48 Kbytes/sec	and new UNIX f Write Bandwidth 48/983 5%	% CPU	
Typ File S old I new 409	ment size e of ystem 1024 06/1024 02/1024	Processor and Bus Measured 750/UNIBUS 750/UNIBUS	Speed 48 Kbytes/sec 142 Kbytes/sec	and new UNIX f Write Bandwidth 48/983 5% 142/983 14%	% CPU 29% 43%	

© 2013 Gribble, Lazowska, Levy, Zahorian

FFS: Faster, but less elegant (warts make it faster but ugly)

- · Multiple cylinder groups
 - effectively, treat a single big disk as multiple small disks
 - additional free space requirement (this is cheap, though)
- Bigger blocks
 - but fragments, to avoid excessive fragmentation
- · Aggressive File Buffer Cache
- Aware of hardware characteristics
 - ugh!

© 2013 Gribble, Lazowska, Levy, Zahorian

12