Operating Systems: Principles and Practice

Tom Anderson

How This Course Fits in the UW CSE Curriculum

- CSE 333: Systems Programming
 - Project experience in C/C++
 - How to use the operating system interface
- CSE 451: Operating Systems
 - How to make a single computer work reliably
 - How an operating system works internally
- CSE 452: Distributed Systems (winter 2015)
 - How to make a set of computers work reliably, despite failures of some nodes

Project: OS/161

- Build an operating system
 - That can boot on a multiprocessor
- We give you some basic building blocks
 - Three assignments, that build on each other
 - Threads, user programs, virtual memory
 - Work in groups of 2-3 (recommend 3!)
- Instructions on web page
 - Download and browse code before section
 - Bring laptop or smartphone to section
- Assignment 0 due next Friday

Problem Sets

- Three assignments spread over quarter
 - Practice for final
 - Done individually

Main Points (for today)

- Operating system definition
 - Software to manage a computer's resources for its users and applications
- OS challenges
 - Reliability, security, responsiveness, portability, ...
- OS history
 - How are OS X, Windows 8, and Linux related?


Users

What is an operating system?

 Software to manage a computer's resources for its users and applications

Kernel-mode

Hardware



Operating System Roles

• Referee:

- Resource allocation among users, applications
- Isolation of different users, applications from each other
- Communication between users, applications

Illusionist

- Each application appears to have the entire machine to itself
- Infinite number of processors, (near) infinite amount of memory, reliable storage, reliable network transport

Glue

Libraries, user interface widgets, ...

Example: File Systems

Referee

- Prevent users from accessing each other's files without permission
- Even after a file is deleting and its space re-used

Illusionist

- Files can grow (nearly) arbitrarily large
- Files persist even when the machine crashes in the middle of a save

Glue

Named directories, printf, ...


Question

 What (hardware, software) do you need to be able to run an untrustworthy application?

Question

- How should an operating system allocate processing time between competing uses?
 - Give the CPU to the first to arrive?
 - To the one that needs the least resources to complete? To the one that needs the most resources?

Example: web service



- How does the server manage many simultaneous client requests?
- How do we keep the client safe from spyware embedded in scripts on a web site?
- How do make updates to the web site so that clients always see a consistent view?

OS Challenges

- Reliability
 - Does the system do what it was designed to do?
- Availability
 - What portion of the time is the system working?
 - Mean Time To Failure (MTTF), Mean Time to Repair
- Security
 - Can the system be compromised by an attacker?
- Privacy
 - Data is accessible only to authorized users

OS Challenges

Users






User-mode


- Portability
 - For programs:

Kernel-mode

- Application programming interface (API)
- Abstract virtual machine (AVM)
- For the operating system
 - Hardware abstraction layer

Hardware






Graphics Processor

Network

OS Challenges

- Performance
 - Latency/response time
 - How long does an operation take to complete?
 - Throughput
 - How many operations can be done per unit of time?
 - Overhead
 - How much extra work is done by the OS?
 - Fairness
 - How equal is the performance received by different users?
 - Predictability
 - How consistent is the performance over time?

OS History



Computer Performance Over Time

	1981	1997	2014	Factor (2014/1981)
Uniprocessor speed (MIPS)	1	200	2500	2.5K
CPUs per computer	1	1	10+	10+
Processor MIPS/\$	\$100K	\$25	\$0.20	500K
DRAM Capacity (MiB)/\$	0.002	2	1K	500K
Disk Capacity (GiB)/\$	0.003	7	25K	10M
Home Internet	300 bps	256 Kbps	20 Mbps	100K
Machine room network	10 Mbps (shared)	100 Mbps (switched)	10 Gbps (switched)	1000
Ratio of users to computers	100:1	1:1	1:several	100+

Early Operating Systems: Computers Very Expensive

- One application at a time
 - Had complete control of hardware
 - OS was runtime library
 - Users would stand in line to use the computer
- Batch systems
 - Keep CPU busy by having a queue of jobs
 - OS would load next job while current one runs
 - Users would submit jobs, and wait, and wait, and

Time-Sharing Operating Systems: Computers and People Expensive

- Multiple users on computer at same time
 - Multiprogramming: run multiple programs at same time
 - Interactive performance: try to complete everyone's tasks quickly
 - As computers became cheaper, more important to optimize for user time, not computer time

Today's Operating Systems: Computers Cheap

- Smartphones
- Embedded systems
- Laptops
- Tablets
- Virtual machines
- Data center servers

Tomorrow's Operating Systems

- Giant-scale data centers
- Increasing numbers of processors per computer
- Increasing numbers of computers per user
- Very large scale storage

Textbook

 Lazowska, Spring 2012: "The text is quite sophisticated. You won't get it all on the first pass. The right approach is to [read each chapter before class and] re-read each chapter once we've covered the corresponding material... more of it will make sense then. Don't save this re-reading until right before the mid-term or final – keep up."