




# CSE 451: Section 1

---

C, GDB, Lab 1 intro  
9/26/24



# Overview

---

- 1) Logistics
- 2) Review of C
- 3) Tools for Debugging
- 4) Lab 1 intro



# Course Logistics

---

# Welcome to 451!

---

Course Website can be found here:

<https://courses.cs.washington.edu/courses/cse451/24au/>

Please take the time to read the syllabus carefully

# Office hours

---

There are a *lot* of strange ways you can introduce bugs in the kernel

- Please do preliminary debugging as far as you can before office hours, so we can give useful advice
  - Identify the failing test case + specific scenario
  - if a function returns a different value than expected, figure out what line caused the issue (is a strcmp failing? is a NULL ptr check failing?)
- We may ask you to find out some information about your error before getting back to you

# Discussion Board

---

If you've tried debugging and have come up against a wall that would take too long for office hours, consider posting on the discussion board.

Include DETAILS:

- What is the problem (What did you expect to see? What actually happened?)
- Can you reproduce the problem? Is it non-deterministic?
- What does work?
- What debugging have you tried so far, & what did you find?

# What you need to do

---

- Find a lab partner and fill out the [form](#) by Sunday, 11:59pm
- Read through lab 1 handout and other relevant docs

# Review of C

---



# Pointers & Addresses

---

- **&:** Gets the address of where something is stored in (virtual) memory
  - a 64 bit (8 byte) number
  - you can do arbitrary math to a pointer value (might end up with an invalid address.....)
    - `ptr++` Increments address by the size of the pointed to type
    - no pointer arithmetic on a void pointer!
- **\***: Dereferencing, “give me whatever is stored in memory at *this* address”.
  - dereferencing invalid addresses (nullptr, random address) causes a segfault!

**\*\* A decent chunk of bugs are basically passing pointers when you shouldn't and vice versa\*\***

# Pointers & Addresses

---

```
void increment(int* ptr) {  
    *ptr = *ptr + 1;  
}  
  
void example() {  
    int x = 3;  
    increment(&x); // value of x?  
}
```

← Pass in a pointer

ptr = address of an int

\*ptr = value stored at the address ptr

← Gets the address at which 'x' resides in memory

# Pointers & Addresses

---

```
void class_string(char** strptr) {
    *strptr = "class";
}

void example() {
    char* str = "hello"; // what would strlen(str) return?
    char* str2 = str;
    class_string(&str2); // what would printf(str2) output?
}
```

# Find the bug

---

```
struct elem {
    int value;
    struct elem *next;
};

int example(struct elem* e) {
    if (e != NULL) {
        return e->next->value;
    }
    return -1;
}
```

# Find the bug

---

```
struct elem {
    int value;
    struct elem *next;
};

void increment(struct elem *e) {
    if (e != NULL) {
        e->value += 1;
    }
}

void example() {
    struct elem *e;
    increment(e);
}
```

# Find the bug



```
struct elem {
    int value;
    struct elem *next;
};

struct elem* alloc_elem() {
    struct elem e;
    return &e;
}

void example() {
    struct elem* e = alloc_elem();
    if (e != NULL) {
        e->value = 0;
    }
    // ...
}
```

# Tools For Debugging

---

# Old Friend: Printf

---

Prints are very useful for simple debugging:

- How far have we reached in a function?
- How many times did we meet a condition?
- Function invocations & its parameters

However, sometimes prints are not enough:

- printf's may affect bugs in your code in unexpected ways
- printf grabs a console lock that may make the bug difficult to reproduce
- printf uses a buffer internally, so prints might be interleaved
- can't print in assembly



# New (or Old) Friend:

---

# GDB

This is a systems class and you'll be doing a LOT of debugging  
Also lots of pointers.  
Really, the pointers are the main reason for the debugging

# GDB commands to know: a non-exhaustive list

---

- run: start execution of the given executable
- n: run the next line of code. If it's a function, execute it entirely.
  - ni: Same behavior, but goes one *assembly instruction* at a time instead.
- s: run the next line of code. If it's a function, *step* into it
  - si: Same as "s", but goes *one assembly instruction* at a time instead.
- c: run the rest of the program until it hits a breakpoint or exits

# GDB commands to know: a non-exhaustive list

---

- `b _____`: set a breakpoint for the given function or line (e.g. “`b file.c:foo`”)
- `bt`: get the stack trace till the current point
- `up/down`: go up/down function stack frames in the backtrace
- `(r)watch _____`: set a breakpoint for the given thing being accessed
- `p _____`: print the value of the given thing
  - understands C-style variable syntax, e.g.: `p *((struct my_struct*) ptr)` interprets the memory pointed to by `ptr` as a ``struct my_struct``.
- `x _____`: examine the memory at an address, many flags

# GDB Example

```
1  #include <stdio.h>
2
3  void increment(int *ptr) {
4      if (ptr == NULL) {
5          exit(1);
6      }
7      *ptr += 1;
8  }
9
10 int main() {
11     int a, b, c;
12
13     printf("starting value for a: %d, b: %d, c: %d\n", a, b, c);
14     increment(a);
15     increment(a);
16
17     increment(NULL);
18     return 0; // never reaches here
19 }
20
```

```
Reading symbols from a.out...done.
(gdb) b main
Breakpoint 1 at 0x40060d: file example.c, line 13.
(gdb) b 5
Breakpoint 2 at 0x4005e9: file example.c, line 5.
(gdb) run
Starting program: /homes/iws/jlli/a.out

Breakpoint 1, main () at example.c:13
13     printf("starting value for a: %d, b: %d, c: %d\n", a, b, c);
(gdb) print a
$1 = 0
(gdb) print b
$2 = 0
(gdb) print c
$3 = 32767
(gdb) n
starting value for a: 0, b: 0, c: 32767
14     increment(a);
(gdb) c
Continuing.

Breakpoint 2, increment (ptr=0x0) at example.c:5
5     exit(1);
(gdb) bt
#0  increment (ptr=0x0) at example.c:5
#1  0x0000000000400634 in main () at example.c:14
(gdb)
```

# GDB Cheatsheet

---

See this GDB [cheatsheet](#) for a good overview of what's possible!

# Lab 1 Intro

---

# What is xk?

---

- xk stands for “**e**xperimental **k**ernel”
  - the teaching OS you will be extending throughout the quarter
  - needs to understand different parts of the codebase for each lab
- we will run it on QEMU (hw emulator)
- a simpler version of the early linux kernel

# Summary of Lab 1

---

- learn to run xk and debug using GDB
- read existing code and understand existing design decisions
- implement file syscalls
  - parsing and validating syscall arguments
    - see implemented syscalls for reference (sysfile.c)
    - argptr, argstr, argint, what do these functions do?
  - create open file (I/O) abstraction
    - user: file descriptor
    - kernel: file\_info, file\_\* functions
  - perform the requested file operations
    - use the existing xk filesystem (kernel/fs.c)



# List of Syscalls To Support

---

`open (filename)`

returns a per-process handle (file descriptor) to be used in subsequent calls

`dup (fd)`

allocates a new file descriptor for the open file mapped by the `fd`

`close (fd)`

closes/deallocates a file descriptor

`read/write (fd, buffer, bytes_requested)`

reads or writes bytes into/out of buffer, advances position in file

`fstat (fd, stat)`

populates `stat` struct with information of the open file mapped by the `fd`

# File Descriptors - User View

---

- implemented as an integer
- used for all I/Os
  - network sockets
  - pipes for interprocess communication
  - applications can use read/write regardless of what it is reading/writing to
- per-process construct
  - the same fd can map to different open files in different processes
- Kernel *should not* trust file descriptors passed by user
  - what could go wrong?

# File Descriptors - Kernel View

---

- kernel allocates a file descriptor upon an open or dup
  - must be give out the smallest available fd
  - need to manage fd allocation
    - where might you store fd => open file mappings?
  - there's a max number (`NOFILE`) of open files for each process
    - what should happen if a process try to open more files?
- kernel deallocates file descriptors upon close
  - `close(1)` means that fd 1 is now available to be recycled and given out via open

# The Open File Abstraction: File Info Struct

---

Needed to support richer semantics than what the `xk` filesystem currently provides:

- the same file can be opened in different modes
- implicit file position advancement
- multiple `fds` can map to the same open file
- allocation & deallocation of the open file



File Info Struct

# The Open File Abstraction: File Info Struct

---

What info do we need to support these semantics?

- reference count of the struct
  - how many fds points to this open file (why is this important?)
- a pointer to the inode of the file
- current offset of the open file
- access mode (check out `inc/fcntl.h`)
- anything else?



File Info Struct

# Allocation of File Structs

After defining the file struct, you can pre-allocate `NFILE` amount of file info struct as a static array, and then actually allocate the struct when needed.



# File\_\* Functions

---

Should implement a file\_\* for each of the file syscalls

File\_\* functions should take care of changes to the file info struct  
advancing the offset  
manage open file (file info struct) reference count  
allocate & deallocate struct when needed  
checking whether an operation is allowed given the access mode

# The xk Filesys: Inode Layer

---

`iopen`

looks up a file using a given path, returns inode for the file  
increments the inode's reference count

`irelease`

decrements this inode's reference count

`concurrent_readi`

read data using this inode

`concurrent_writei`

write data using this inode

File layer provides “policy” for accessing files, inode layer provides “mechanism” for reading/writing

**Note: For Lab 1, don't worry about what inode is, just need to invoke the corresponding func.**



# Lab 1: Start Early!

---

- It takes time to set up and navigate the code base
- Compile Time Issues
- Getting comfortable with gdb

# Git Resources

---

- Git manual: <https://git-scm.com/docs/user-manual>
- Git tutorial: [https://learngitbranching.js.org/?locale=en\\_US](https://learngitbranching.js.org/?locale=en_US)