


# Sampling and the Nyquist rate



# **Aliasing** can arise when you sample a continuous signal or image

- occurs when your sampling rate is not high enough to capture the amount of detail in your image
- Can give you the wrong signal/image—an alias
- formally, the image contains structure at different scales
   called "frequencies" in the Fourier domain
- the sampling rate must be high enough to capture the highest frequency in the image

### To avoid aliasing:

• sampling rate  $\geq$  2 \* max frequency in the image

# 2D example Good sampling Good sampling Bad sampling

# Subsampling with Gaussian pre-filtering









G 1/4


Gaussian 1/2


Solution: filter the image, then subsample

• Filter size should double for each ½ size reduction. Why?









# Image resampling

So far, we considered only power-of-two subsampling

- · What about arbitrary scale reduction?
- · How can we increase the size of the image?



d = 1 in this example

### Recall how a digital image is formed

$$F[x, y] = quantize\{f(xd, yd)\}$$

- · It is a discrete point-sampling of a continuous function
- If we could somehow reconstruct the original function, any new image could be generated, at any resolution and scale

## Image resampling

So far, we considered only power-of-two subsampling

- · What about arbitrary scale reduction?
- · How can we increase the size of the image?



d = 1 in this example

### Recall how a digital image is formed


$$F[x, y] = quantize\{f(xd, yd)\}$$

- · It is a discrete point-sampling of a continuous function
- If we could somehow reconstruct the original function, any new image could be generated, at any resolution and scale

# Image resampling

So what to do if we don't know f

- Answer: guess an approximation  $\bar{f}$
- · Can be done in a principled way: filtering



d = 1 in this example

Image reconstruction

- Convert F to a continuous function  $f_F(x) = F(\frac{x}{d}) \text{ when } \frac{x}{d} \text{ is an integer, 0 otherwise}$
- Reconstruct by cross-correlation:

$$\tilde{f} = h \otimes f_F$$

# Resampling filters

What does the 2D version of this hat function look like?



performs linear interpolation




(tent function) performs bilinear interpolation

### Better filters give better resampled images

- · Bicubic is common choice
  - fit 3rd degree polynomial surface to pixels in neighborhood
  - can also be implemented by a convolution

# Bilinear interpolation

### A simple method for resampling images





Moire patterns in real-world images. Here are comparison images by Dave Etchells of Imaging Resource using the Canon D60 (with an antialias filter) and the Sigma SD-9 (which has no antialias filter). The bands below the fur in the image at right are the kinds of artifacts that appear in images when no antialias filter is used. Sigma chose to eliminate the filter to get more sharpness, but the resulting apparent detail may or may not reflect features in the image.

# Things to take away from this lecture

Things to take away from filtering lectures

- An image as a function
- Digital vs. continuous images
- Image transformation: range vs. domain
- · Types of noise
- · LSI filters
  - cross-correlation and convolution
  - properties of LSI filters
- mean, Gaussian, bilinear filters
- · Median filtering
- Image scaling
- Image resampling
- Aliasing
- Gaussian pyramids
- Bilinear interpolation