

Modeler Help Session

Due: Thursday, May 2nd, 11:59 pm

TA: Mason Remy

Help Session Overview

- Checking out, building, and using the sample solution
- Part 1: Surface of Revolution
- Part 2: Hierarchical Modeling
- Part 3: Blinn-Phong Shader
- Part 4: Custom Shader(s)

Checking Out Your Code

- Go to the Modeler course page for detailed check-out directions.
- Repository path:
 - `svn+ssh://Your CSE NetID@attu.cs.washington.edu/projects/instr/11sp/cse457/modeler/Your Group ID/source`


Building in Visual Studio

- Go to your project folder
- Double-click the .vcxproj file
- Configuration menu next to green arrow
 - Debug – lets you set breakpoints
 - Release – for turn-in
- Pick **Debug**, then click the green arrow next to it to build and run your project (Hotkey: F5)
- Let us know if it doesn't build!

Introducing Modeler

Control
Groups

List of
Controls




Dividing Up The Work

- Partner A: Modeling
 - Part 1: Surface of revolution
 - Part 2: Hierarchical Modeling
- Partner B: Shading
 - Part 3: Blinn-Phong Shader
 - Part 4: Custom Shader(s)
- NOTE: this division of labor is just a suggestion!


Part 1: Surface of Revolution

- You will write OpenGL code to draw a surface by rotating a curve.
- Each vertex must have an appropriate:
 - Texture coordinate pair
 - Vertex normal
 - Position
- Replace code for `drawRevolution()` in `modelerdraw.cpp`
 - The **divisions** variable determines number of slices
- Load new curve with File->"Load Revolution Curve File"



How to start


- Drawing a curve
 - Using the curve editor tool
 - Start by left click with ctrl key on
 - Save dense point samples into .apts file
 - Load point samples in modeler



Curve file format


- A curve file is basically a .txt file with a list of x,y coordinates for control points
- .apts
 - Densely sampled points on a curve

- .cfg: curve configuration file
 - Row 1: sample density
 - Row 2: curve interpolation method



File Edit Tools Syntax B

```
-0.01 1.5296  
0.05936 1.548994375  
0.14788 1.576855  
0.25322 1.611948125  
0.37304 1.65304  
0.505 1.698896875  
0.64676 1.748285  
0.79598 1.799970625  
0.95032 1.85272  
1.10744 1.905299375  
1.265 1.956475  
1.42066 2.005013125  
1.57208 2.04968  
1.71692 2.089241875
```




File Edit Tools

```
9  
CatmullRom  
~
```


Slicing it into Triangle Strips

- Divide the surface into “bands” by longitude
- Compute vertex positions and normals
 - Using $\sin()$, $\cos()$ in c++ code
 - See lecture notes for normal computation
- Connect the dots with OpenGL triangles



Connecting dots in a modern way

- Use `glDrawElements` with `GL_TRIANGLES` (required!)
- The order of vertices matters
 - Right-hand rule




Connecting dots

- It's okay to use `glBegin()`, `glEnd()` for testing shapes, but don't use them in the final submitted code
- Don't use `GL_QUAD_STRIP` or `GL_TRIANGLE_STRIP` in the final submission, either.
- In the submitted code, you need to build a triangle mesh and send it to OpenGL
 - Using `glDrawElements` with `GL_TRIANGLES`

An Example

This is an overly simplified example of drawing a plane using `glDrawElements`. The plane consists of two connecting triangles and the normal vectors of all vertices are pointing up.




```
// preparing the data for the vertices positions
GLfloat vertices[12] = { 0,0,0, 0,0,-1, 1,0,0, 1,0,-1 };
// normal directions
GLfloat normals[12] = { 0,1,0, 0,1,0, 0,1,0, 0,1,0 };
// texture coordinate
GLfloat texture_uv[8] = { 0,0, 0,1, 1,0, 1,1 };
// vertex indices to form triangles, the order of the
vertices follows the right hand rule
GLuint indices[6] = { 1,0,2, 1,2,3 }
int indices_length = 6;
```

```
glEnableClientState(GL_VERTEX_ARRAY);
glEnableClientState(GL_NORMAL_ARRAY);
glEnableClientState(GL_TEXTURE_COORD_ARRAY);
glVertexPointer(3, GL_FLOAT, 0, vertices);
glNormalPointer(GL_FLOAT, 0, normals);
glTexCoordPointer(2, GL_FLOAT, 0, texture_uv);
glDrawElements(GL_TRIANGLES, indices_length
, GL_UNSIGNED_INT, indices);
glDisableClientState(GL_TEXTURE_COORD_ARRAY);
glDisableClientState(GL_NORMAL_ARRAY);
glDisableClientState(GL_VERTEX_ARRAY);
```

Texture Mapping

- See lecture slides for texture mapping
 - Basic idea: use longitude and arc length (curve distance) as texture coordinates
- Each vertex must have an appropriate:
 - Vertex normal
 - Position
 - Texture Coordinate Pair
 - $u, v \in [0, 1]$



Part 2: Hierarchical Modeling


- You must make a **character** with:
 - 2 levels of branching
 - Something drawn at each level
 - Meaningful controls
 - Otherwise, you will be overwhelmed when you animate it!
- You will need to:
 - Extend the Model class
 - Override the draw() method
 - Add properties that Modeler users can control
 - Give an instance of your class to ModelerUserInterface in the main() function

Building a Scene of your own

- In `sample.cpp`, the Scene class extends Model
 - `draw()` method draws the green floor, sphere, and cylinder, etc.
 - Add and replace drawing commands of your own
- You can use these draw commands as OpenGL references
 - `Modelerdraw.cpp`
 - `drawBox`
 - `drawCylinder`
 - `drawRevolution`


Add a radio button for your scene

- Add a new radio button for your scene at the end of the list



Add Properties to Control It

- Kinds of properties (in properties.h):
 - BooleanProperty = checkbox
 - RangeProperty = slider
 - RGBProperty = color
 - ChoiceProperty = radio buttons
- Need to add it to:
 1. Class definition
 2. Constructor
 3. Property list
- See sample.cpp for example



OpenGL Is A State Machine

- `glEnable()/glDisable()` changes state
- Once you change something, it stays that way until you change it to something new
- OpenGL's state includes:
 - Current color
 - Transformation matrices
 - Drawing modes
 - Light sources

OpenGL's Transformation Matrix


- Just two of them: `projection` and `modelview`. We'll modify `modelview`.
- Matrix applied to all vertices and normals
- These functions multiply transformations: `glRotated()`, `glTranslated()`, `glScaled()`
- Applies transformations in REVERSE order from the order in which they are called.
- Transformations are `cumulative`. Since they're all "squashed" into one matrix, you can't "undo" a transformation.

Transformations: Going “Back”

- How do we get back to an earlier transformation matrix?
- We can “remember” it
 - OpenGL maintains a `stack` of matrices.
 - To store the current matrix, call `glPushMatrix()`.
 - To restore the last matrix you stored, call `glPopMatrix()`.


Hierarchical Modeling in OpenGL

- Draw the body
- Use `glPushMatrix()` to remember the current matrix.
- Imagine that a matrix corresponds to a set of coordinate axes:
 - By changing your matrix, you can move, rotate, and scale the axes OpenGL uses.




Hierarchical Modeling in OpenGL

- Apply a transform:
 - `glRotated()`
 - `glTranslated()`
 - `glScaled()`
- Here, we apply `glTranslated(1.5, 2, 0)`
 - All points translated 1.5 units left and 2 units up
 - It's as if we moved our coordinate axes!




Hierarchical Modeling in OpenGL

- Draw an ear.
 - This ear thinks it was drawn at the origin.
- Transformations let us transform objects without changing their geometry!
 - We didn't have to edit that ear's drawing commands to transform it




Hierarchical Modeling in OpenGL

- Call `glPopMatrix()` to return to the body's coordinate axes.
- To draw the other ear, call `glPushMatrix()` again...




Hierarchical Modeling in OpenGL

- Apply another transform...
 - Where will the ear be drawn now?




Hierarchical Modeling in OpenGL

- Draw the other ear



Hierarchical Modeling in OpenGL

- Then, call `glPopMatrix()` to return to the body's "axes"
 - Technically, you don't need to if that second ear is the last thing you draw.
 - But what if you wanted to add something else to the body?




Rule: A Pop For Every Push

- Make sure there's a `glPopMatrix()` for every `glPushMatrix()`!
 - You can divide your `draw()` function into a series of nested methods, each with a push at the beginning and a pop at the end.

Levels of Branching

- Your scene must have two levels of branching like in this diagram.
 - Circles are objects
 - Arrows are transformations
- Call `glPushMatrix()` for green, so you can draw orange after drawing red
 - Do the same for orange
- You must draw something at each level.



Multiple-Joint Slider

- Needs to control **multiple aspects** of your model.
 - Example: Rotate multiple joints at once
- Don't get too complicated!
 - Wait for Animator in four weeks!


Part 3. Blinn-Phong Shader

- We provide a directional light shader in OpenGL Shading Language (GLSL)
- You must extend it to support point lights.
- Files to edit:
 - `shader.frag` – your fragment shader
 - `shader.vert` – your vertex shader

Compare with the Sample Solution

- `modeler_solution.exe` in your project folder
 - Loads your `shader.frag` and `shader.vert`.
 - Also contains our sample shaders.
- Use radio buttons to compare with sample solution

Choose shader here



Useful GLSL Variables





- `gl_LightSource[i].position.xyz` – the position of light source `i`.
- `gl_FrontLightProduct[i]` – object that stores the product of a light's properties with the current surface's material properties:
 - Example: `gl_FrontLightProduct[i].diffuse == gl_FrontMaterial.diffuse * gl_LightSource[i].diffuse`

Part 4. Your Custom Shader

- Anything you want!
- Can earn extra credit!
- Ask TA's for estimated extra credit value of an option.
- See the **OpenGL orange book** in the lab for details + code.
- Can still use sample solution to test (depending on complexity)

- Warnings
 - Don't modify any files except your model file and the required modifications
 - Or, your model might not work in Animator (project 4)

Part 4. Your Custom Shader



Preparing Your Work Environment

- Make sure that your repository works by:
 - Checking it out
 - Building it
 - Tweaking something
 - Committing
- Do this on each work environment you plan to use, even if you aren't going to start work yet:
 - Lab machines
 - Your home computer
 - The sooner we know of a problem, the sooner we can fix it.

Avoiding SVN Conflicts

- In general, **never** put anything besides source code into source control:
 - Debug and Release folders
 - Modeler.suo
 - Modeler.ncb
 - *.user files
- DO put **source files** (*.cpp, *.h, *.vcproj, image files, etc.) in the repository
 - Make sure you both **add AND commit** the files.
 - TortoiseSVN: when you commit, make sure all the files you added have a checkmark.

Quick Summary

THINGS TO DO

- Partner A: Modeling
 - Part 1: Surface of revolution
 - Part 2: Hierarchical Modeling
- Partner B: Shading
 - Part 3: Blinn-Phong Shader
 - Part 4: Custom Shader(s)
- You don't *have* to divide work up this way!

WARNINGS

- Don't modify any files except your model file and the required modifications
 - Or, your model might not work in Animator
- Make sure you can check out, commit, and build!

Before You Leave

- Try adjusting the sample model
 - Let us know if you have problems
- COMMIT BEFORE LOGOFF!
 - Your files in C:\User\... will go away when you log out, due to Deep Freeze!