

Out-of-Order Execution

Several implementations

- **out-of-order completion**
 - CDC 6600 with **scoreboarding**
 - IBM 360/91 with **Tomasulo's algorithm based on reservation stations**
 - out-of-order completion leads to:
 - imprecise interrupts
 - WAR hazards
 - WAW hazards
- **in-order completion**
 - MIPS R10000/R12000 & Alpha 21264/21364 with **large physical register file & register renaming**
 - Intel Pentium Pro/Pentium III with the **reorder buffer**

Out-of-order Hardware

In order to compute correct results, need to keep track of:

- which instruction is in which stage of the pipeline
- which registers are being used for reading/writing & by which instructions
- which operands are available
- which instructions have completed

Each scheme has different hardware structures & different algorithms to do this

Tomasulo's Algorithm

Tomasulo's Algorithm (IBM 360/91)

- out-of-order execution capability plus register renaming

Motivation


- long FP delays
- only 4 FP registers
- wanted common compiler for all implementations

Tomasulo's Algorithm

Key features & hardware structures

- reservation stations
- distributed hazard detection & execution control
 - forwarding to eliminate RAW hazards
 - register renaming to eliminate WAR & WAW hazards
 - deciding which instruction to execute next
- common data bus
- dynamic memory disambiguation

Hardware for Tomasulo's Algorithm



Tomasulo's Algorithm: Key Features

Reservation stations

- buffers for functional units that hold instructions stalled for RAW hazards & their operands
- source operands can be *values* or *names of other reservation station entries* or *load buffer entries* that will produce the value
 - both operands don't have to be available at the same time
 - when both operand values have been computed, an instruction can be dispatched to its functional unit

Reservation Stations

RAW hazards eliminated by **forwarding**

- source operand values that are computed after the registers are read are known by the functional unit or load buffer that will produce them
- results are immediately forwarded to functional units on the common data bus
- don't have to wait until for value to be written into the register file

Eliminate WAR & WAW hazards by **register renaming**

- name-dependent instructions refer to reservation station or load buffer locations for their sources, not the registers (as above)
- the last writer to the register updates it
- more reservation stations than registers, so eliminates more name dependences than a compiler can & exploit more parallelism
- examples on next slide

Reservation Stations

Register renaming eliminates WAR & WAW hazards

- **Tag** in the reservation station/register file/store buffer indicates where the result will come from

Handling WAW hazards

addf **F1**, F0, F8 **F1**'s tag *originally* specifies **addf**'s entry in the reservation station

...

subf **F1**, F8, F14 **F1**'s tag *now* specifies **subf**'s entry in the reservation station

no register will claim the **addf** result if it completes last

Reservation Stations

Handling WAR hazards

ld F1 , _	register F1 's tag <i>originally</i> specifies the entry in the load buffer for the ld
addf _, F1 , _	addf 's reservation station entry specifies ld 's entry in the load buffer for source operand 1
subf F1 , _	register F1 's tag <i>now</i> specifies the registration station entry that holds subf

Does not matter if **ld** finishes after **subf**; **F1** will no longer claim it & **addf** will use its tag to get the loaded value

Tomasulo's Algorithm: More Key Features

Common data bus (CDB)

- connects functional units & load buffer to reservations stations, registers, store buffer
- ships results to **all** hardware that could want an updated value
- eliminates RAW hazards: not have to wait until registers are written before consuming a value

Distributed hazard detection & execution control

- each reservation station decides when to dispatch instructions to its function unit
- each hardware data structure entry that needs values grabs the values itself: **snooping**
 - reservation stations, store buffer entries & registers have a tag saying where their data should come from
 - when it matches the data producer's tag on the bus, reservation stations, store buffer entries & registers grab the data

Tomasulo's Algorithm: More Key Features

Dynamic memory disambiguation

- **the issue:** don't want loads to bypass stores to the same location
- **the solution:**
 - loads associatively check addresses in store buffer
 - if an address match, grab the value

Tomasulo's Algorithm: Execution Steps

Tomasulo functions

(assume the instruction has been fetched)

- **issue & read**
 - structural hazard detection for reservation stations & load/store buffers
 - issue if no hazard
 - stall if hazard
 - read registers for source operands
 - put into reservation stations if values are in them
 - put tag of producing functional unit or load buffer if not
(renaming the registers to eliminate WAR & WAW hazards)

Tomasulo's Algorithm: Execution Steps

- **execute**
 - RAW hazard detection
 - snoop on common data bus for missing operands
 - dispatch instruction to a functional unit when obtain both operand values
 - execute the operation
 - calculate effective address & start memory operation
- **write**
 - broadcast result & reservation station id (tag) on the common data bus
 - reservation stations, registers & store buffer entries obtain the value through snooping

Tomasulo's Algorithm: State

Tomasulo state: the information that the hardware needs to control distributed execution

- **operation** of the issued instructions waiting for execution (Op)
 - located in reservation stations
- **tags** that indicate the producer for a source operand (Q)
 - located in reservation stations, registers, store buffer entries
 - what unit (reservation station or load buffer) will produce the operand
 - special value (blank for us) if value already there
- **operand values** in reservation stations & load/store buffers (V)
- reservation station & load/store buffer **busy fields** (Busy)
- **addresses** in load/store buffers (for memory disambiguation)

Example in the Book: 1

Instruction Status Table

Instruction	Issue	Execute	Write Result	Which Cycle
ld F6, 34(R2)	yes	yes	yes	first load has executed
ld F2, 45(R3)	yes	yes		
multd F0, F2, F4	yes			
subd F8, F6, F2	yes			
divd F10, F0, F6	yes			
addd F6, F8, F2	yes			

Reservation Stations

Name	Busy	Op	V _j	V _k	Q _j	Q _k
Add1	yes	subd	(Load1)			Load2
Add2	yes	addd			Add1	Load2
Add3	no					
Mult1	yes	multd		(F4)	Load2	
Mult2	yes	divd		(Load1)	Mult1	

Register Status (Q_i)

F0	F2	F4	F6	F8	F10	F12...
Mult1	Load2		Add2	Add1	Mult2	

Example in the Book: 2

Instruction Status Table

Instruction	Issue	Execute	Write Result	Which Cycle
ld F6, 34(R2)	yes	yes	yes	second load has executed
ld F2, 45(R3)	yes	yes	yes	
multd F0, F2, F4	yes	yes		
subd F8, F6, F2	yes	yes		
divd F10, F0, F6	yes			
addd F6, F8, F2	yes			

Reservation Stations

Name	Busy	Op	V _j	V _k	Q _j	Q _k
Add1	yes	subd	(Load1)	(Load2)		
Add2	yes	addd		(Load2)	Add1	
Add3	no					
Mult1	yes	multd	(Load2)	(F4)		
Mult2	yes	divd		(Load1)	Mult1	

Register Status (Q_i)

F0	F2	F4	F6	F8	F10	F12...
Mult1	0		Add2	Add1	Mult2	

Example in the Book: 3

Instruction Status Table

Instruction	Issue	Execute	Write Result	Which Cycle
ld F6, 34(R2)	yes	yes	yes	subtract has executed
ld F2, 45(R3)	yes	yes	yes	
multd F0, F2, F4	yes	yes		
subd F8, F6, F2	yes	yes	yes	
divd F10, F0, F6	yes			
addd F6, F8, F2	yes	yes		

Reservation Stations

Name	Busy	Op	V _j	V _k	Q _j	Q _k
Add1	no					
Add2	yes	addd	(add1)	(Load2)		
Add3	no					
Mult1	yes	multd	(Load2)	(F4)		
Mult2	yes	divd		(Load1)	Mult1	

Register Status (Q_i)

F0	F2	F4	F6	F8	F10	F12...
Mult1	0		Add2	0	Mult2	

Example in the Book: 4

Instruction Status Table

Instruction	Issue	Execute	Write Result	Which Cycle
ld F6, 34(R2)	yes	yes	yes	add has executed
ld F2, 45(R3)	yes	yes	yes	
multd F0, F2, F4	yes	yes		
subd F8, F6, F2	yes	yes	yes	
divd F10, F0, F6	yes			
addd F6, F8, F2	yes	yes	yes	

Reservation Stations

Name	Busy	Op	V _j	V _k	Q _j	Q _k
Add1	no					
Add2	no					
Add3	no					
Mult1	yes	multd	(Load2)	(F4)		
Mult2	yes	divd		(Load1)	Mult1	

Register Status (Q_j)

F0	F2	F4	F6	F8	F10	F12...
Mult1	0		0	0	Mult2	

Example in the Book: 5

Instruction Status Table

Instruction	Issue	Execute	Write Result	Which Cycle
ld F6, 34(R2)	yes	yes	yes	multiply has executed
ld F2, 45(R3)	yes	yes	yes	
multd F0, F2, F4	yes	yes	yes	
subd F8, F6, F2	yes	yes	yes	
divd F10, F0, F6	yes	yes		
addd F6, F8, F2	yes	yes	yes	

Reservation Stations

Name	Busy	Op	V _j	V _k	Q _j	Q _k
Add1	no					
Add2	no					
Add3	no					
Mult1	no					
Mult2	yes	divd	(mult1)	(Load1)		

Register Status (Q_i)

F0	F2	F4	F6	F8	F10	F12...
0	0		0	0	Mult2	

Tomasulo's Algorithm

Dynamic loop unrolling

- addf and st in each iteration has a different tag for the F0 value
- only the last iteration writes to F0
- effectively completely unrolling the loop

```
LOOP:  ld  F0, 0(R1)
       addf F0, F0, F1
       st  F0, 0(R1)
       sub R1, R1, #8
       bnez R1, LOOP
```

Tomasulo's Algorithm

Dynamic loop unrolling

Nice features relative to static loop unrolling

- effectively increases number of registers (# reservations stations, load buffer entries, registers) but without register pressure
- dynamic memory disambiguation to prevent loads after stores with the same address from getting old data if they execute first
- simpler compiler

Downside

- loop control instructions still executed
- much more complex hardware

Dynamic Scheduling

Advantages over static scheduling

- more places to hold register values
- makes dispatch decisions dynamically, based on when instructions actually complete & operands are available
- can *completely* disambiguate memory references

Effects of these advantages

- ⇒ more effective at exploiting parallelism (especially given compiler technology at the time)
 - increased instruction throughput
 - increased functional unit utilization
- ⇒ efficient execution of code compiled for a different pipeline
- ⇒ simpler compiler in theory

Use both!