

Introduction to Artificial Intelligence

First-order logic

Chapter 7

Dieter Fox

Outline

- ◇ Syntax and semantics of FOL
- ◇ Fun with sentences
- ◇ Wumpus world in FOL

Syntax of FOI: Basic elements

Constants	<i>KingJohn, 2, UCB, ...</i>
Predicates	<i>Brother, >, ...</i>
Functions	<i>Sqrt, LeftLegOf, ...</i>
Variables	<i>x, y, a, b, ...</i>
Connectives	$\wedge \vee \neg \Rightarrow \Leftrightarrow$
Equality	$=$
Quantifiers	$\forall \exists$

Atomic sentences

Atomic sentence = *predicate*(*term*₁, ..., *term*_{*n*})
OR *term*₁ = *term*₂

Term = *function*(*term*₁, ..., *term*_{*n*})
OR *constant* OR *variable*

E.g., *Brother*(*KingJohn*, *RichardTheLionheart*)
> (*Length*(*LeftLegOf*(*Richard*)), *Length*(*LeftLegOf*(*KingJohn*)))

Complex sentences

Complex sentences are made from atomic sentences using connectives

$$\neg S, \quad S_1 \wedge S_2, \quad S_1 \vee S_2, \quad S_1 \Rightarrow S_2, \quad S_1 \Leftrightarrow S_2$$

E.g. $Sibling(KingJohn, Richard) \Rightarrow Sibling(Richard, KingJohn)$

$$\begin{array}{l} >(1,2) & \vee & \leq(1,2) \\ >(1,2) & \wedge & \neg >(1,2) \end{array}$$

Truth in first-order logic

Sentences are true with respect to a **model** and an **interpretation**

Model contains objects and relations among them

Interpretation specifies referents for


constant symbols → **objects**

predicate symbols → **relations**


function symbols → **functional relations**

An atomic sentence $\text{predicate}(term_1, \dots, term_n)$ is true iff the **objects** referred to by $term_1, \dots, term_n$ are in the **relation** referred to by predicate


Models for FOI: Example



relations: sets of tuples of objects



functional relations: all tuples of objects + "value" object



Universal quantification

\forall *(variables)* *(sentence)*

Everyone at UW is smart:

$\forall x \text{ At}(x, UW) \Rightarrow \text{Smart}(x)$

$\forall x P$ is equivalent to the **conjunction of instantiations** of P

$\text{At}(\text{KingJohn}, UW) \Rightarrow \text{Smart}(\text{KingJohn})$
 $\wedge \text{At}(\text{Richard}, UW) \Rightarrow \text{Smart}(\text{Richard})$
 $\wedge \text{At}(UW, UW) \Rightarrow \text{Smart}(UW)$
 $\wedge \dots$

Typically, \Rightarrow is the main connective with \forall .

Common mistake: using \wedge as the main connective with \forall :

$\forall x \text{ At}(x, UW) \wedge \text{Smart}(x)$

Universal quantification

\forall *(variables)* *(sentence)*

Everyone at UW is smart:

$\forall x \text{ At}(x, UW) \Rightarrow \text{Smart}(x)$

$\forall x P$ is equivalent to the **conjunction of instantiations** of P

$$\begin{aligned} & \text{At}(\text{KingJohn}, UW) \Rightarrow \text{Smart}(\text{KingJohn}) \\ & \wedge \text{At}(\text{Richard}, UW) \Rightarrow \text{Smart}(\text{Richard}) \\ & \wedge \text{At}(UW, UW) \Rightarrow \text{Smart}(UW) \\ & \wedge \dots \end{aligned}$$

Typically, \Rightarrow is the main connective with \forall .

Common mistake: using \wedge as the main connective with \forall :

$\forall x \text{ At}(x, UW) \wedge \text{Smart}(x)$

means “Everyone is at UW and everyone is smart”

Existential quantification

\exists *<variables>* *<sentence>*

Someone at Berkeley is smart:

$\exists x \text{ At}(x, \text{Berkeley}) \wedge \text{Smart}(x)$

$\exists x P$ is equivalent to the **disjunction of instantiations** of P

$\text{At}(\text{KingJohn}, \text{Berkeley}) \wedge \text{Smart}(\text{KingJohn})$
 $\vee \text{At}(\text{Richard}, \text{Berkeley}) \wedge \text{Smart}(\text{Richard})$
 $\vee \text{At}(\text{Berkeley}, \text{Berkeley}) \wedge \text{Smart}(\text{Berkeley})$
 $\vee \dots$

Typically, \wedge is the main connective with \exists .

Common mistake: using \Rightarrow as the main connective with \exists :

$\exists x \text{ At}(x, \text{Berkeley}) \Rightarrow \text{Smart}(x)$

Existential quantification

\exists *<variables>* *<sentence>*

Someone at Berkeley is smart:

$\exists x \text{ At}(x, \text{Berkeley}) \wedge \text{Smart}(x)$

$\exists x P$ is equivalent to the **disjunction of instantiations** of P

$\text{At}(\text{KingJohn}, \text{Berkeley}) \wedge \text{Smart}(\text{KingJohn})$
 $\vee \text{At}(\text{Richard}, \text{Berkeley}) \wedge \text{Smart}(\text{Richard})$
 $\vee \text{At}(\text{Berkeley}, \text{Berkeley}) \wedge \text{Smart}(\text{Berkeley})$
 $\vee \dots$

Typically, \wedge is the main connective with \exists .

Common mistake: using \Rightarrow as the main connective with \exists :

$\exists x \text{ At}(x, \text{Berkeley}) \Rightarrow \text{Smart}(x)$

is true if there is anyone who is not at Berkeley!

Properties of quantifiers

$\forall x \forall y$ is the same as $\forall y \forall x$ (**why??**)

$\exists x \exists y$ is the same as $\exists y \exists x$ (**why??**)

$\exists x \forall y$ is **not** the same as $\forall y \exists x$

$\exists x \forall y \text{ Loves}(x, y)$

“There is a person who loves everyone in the world”

$\forall y \exists x \text{ Loves}(x, y)$

“Everyone in the world is loved by at least one person”

Quantifier duality: each can be expressed using the other

$\forall x \text{ Likes}(x, \text{IceCream})??$

$\exists x \text{ Likes}(x, \text{Broccoli})??$

Properties of quantifiers

$\forall x \forall y$ is the same as $\forall y \forall x$ (**why??**)

$\exists x \exists y$ is the same as $\exists y \exists x$ (**why??**)

$\exists x \forall y$ is **not** the same as $\forall y \exists x$

$\exists x \forall y \text{ Loves}(x, y)$

“There is a person who loves everyone in the world”

$\forall y \exists x \text{ Loves}(x, y)$

“Everyone in the world is loved by at least one person”

Quantifier duality: each can be expressed using the other

$\forall x \text{ Likes}(x, \text{IceCream})$: $\neg \exists x \neg \text{Likes}(x, \text{IceCream})$

$\exists x \text{ Likes}(x, \text{Broccoli})$: $\neg \forall x \neg \text{Likes}(x, \text{Broccoli})$

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$$

“Sibling” is reflexive

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x)$$

One’s mother is one’s female parent

$$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y))$$

A first cousin is a child of a parent’s sibling

$$\forall x, y \text{ FirstCousin}(x, y) \Leftrightarrow \exists p, ps \text{ Parent}(p, x) \wedge \text{Sibling}(ps, p) \wedge \text{Parent}(ps, y)$$

Equality

$term_1 = term_2$ is true under a given interpretation
if and only if $term_1$ and $term_2$ refer to the same object

E.g., $1 = 2$ and $\forall x \times(Sqrt(x), Sqrt(x)) = x$ are satisfiable
 $2 = 2$ is valid

E.g., definition of (full) *Sibling* in terms of *Parent*:

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow [\neg(x = y) \wedge \exists m, f \neg(m = f) \wedge \\ \text{Parent}(m, x) \wedge \text{Parent}(f, x) \wedge \text{Parent}(m, y) \wedge \text{Parent}(f, y)]$$

Interacting with FOL KBs

Suppose a wumpus-world agent is using an FOL KB and perceives a smell and a breeze (but no glitter) at $t = 5$:

Tell($KB, Percept([Smell, Breeze, None], 5)$)

Ask($KB, \exists a Action(a, 5)$)

I.e., does the KB entail any particular actions at $t = 5$?

Answer: *Yes*, $\{a/Shoot\}$ ← **substitution** (binding list)

Given a sentence S and a substitution σ ,

$S\sigma$ denotes the result of plugging σ into S ; e.g.,

$S = Smarter(x, y)$

$\sigma = \{x/Hillary, y/Bill\}$

$S\sigma = Smarter(Hillary, Bill)$

Ask(KB, S) returns some/all σ such that $KB \models S\sigma$

Knowledge base for the wumpus world

“Perception”

$\forall b, g, t \text{ Percept}([Smell, b, g], t) \Rightarrow Smelt(t)$

$\forall s, b, t \text{ Percept}([s, b, Glitter], t) \Rightarrow AtGold(t)$

Reflex: $\forall t \text{ AtGold}(t) \Rightarrow \text{Action}(\text{Grab}, t)$

Reflex with internal state: do we have the gold already?

$\forall t \text{ AtGold}(t) \wedge \neg \text{Holding}(\text{Gold}, t) \Rightarrow \text{Action}(\text{Grab}, t)$

Holding(Gold, *t*) cannot be observed

⇒ keeping track of change is essential

Deducing hidden properties

Properties of locations:

$\forall l, t \text{ } At(\textit{Agent}, l, t) \wedge \textit{Smelt}(t) \Rightarrow \textit{Smelly}(l)$

$\forall l, t \text{ } At(\textit{Agent}, l, t) \wedge \textit{Breeze}(t) \Rightarrow \textit{Breezy}(l)$

Squares are breezy near a pit:

Diagnostic rule—infer cause from effect

$\forall y \text{ } \textit{Breezy}(y) \Rightarrow \exists x \text{ } \textit{Pit}(x) \wedge \textit{Adjacent}(x, y)$

Causal rule—infer effect from cause

$\forall x, y \text{ } \textit{Pit}(x) \wedge \textit{Adjacent}(x, y) \Rightarrow \textit{Breezy}(y)$

Neither of these is complete—e.g., the causal rule doesn't say whether squares far away from pits can be breezy

Definition for the *Breezy* predicate:

$\forall y \text{ } \textit{Breezy}(y) \Leftrightarrow [\exists x \text{ } \textit{Pit}(x) \wedge \textit{Adjacent}(x, y)]$

Keeping track of change

Facts hold in **situations**, rather than eternally

E.g., $Holding(Gold, Now)$ rather than just $Holding(Gold)$


Situation calculus is one way to represent change in FOL:

Adds a situation argument to each non-eternal predicate

E.g., Now in $Holding(Gold, Now)$ denotes a situation

Situations are connected by the $Result$ function

$Result(a, s)$ is the situation that results from doing a in s



Describing actions I

“Effect” axiom—describe changes due to action

$\forall s \text{ AtGold}(s) \Rightarrow \text{Holding}(\text{Gold}, \text{Result}(\text{Grab}, s))$

“Frame” axiom—describe **non-changes** due to action

$\forall s \text{ HaveArrow}(s) \Rightarrow \text{HaveArrow}(\text{Result}(\text{Grab}, s))$

Frame problem: find an elegant way to handle non-change

- (a) representation—avoid frame axioms
- (b) inference—avoid repeated “copy-overs” to keep track of state

Qualification problem: true descriptions of real actions require endless caveats—what if gold is slippery or nailed down or ...

Ramification problem: real actions have many secondary consequences—what about the dust on the gold, wear and tear on gloves, ...

Describing actions II

Successor-state axioms solve the representational frame problem

Each axiom is “about” a **predicate** (not an action per se):

$$\begin{aligned} \text{P true afterwards} &\iff [\text{an action made P true} \\ &\vee \text{ P true already and no action made P false}] \end{aligned}$$

For holding the gold:

$$\begin{aligned} \forall a, s \text{ Holding}(Gold, Result(a, s)) &\iff \\ &[(a = Grab \wedge AtGold(s)) \\ &\vee (Holding(Gold, s) \wedge a \neq Release)] \end{aligned}$$

Making plans

Initial condition in KB:

$At(Agent, [1, 1], S_0)$
 $At(Gold, [1, 2], S_0)$

Query: $Ask(KB, \exists s \text{ Holding}(Gold, s))$

i.e., in what situation will I be holding the gold?

Answer: $\{s / Result(Grab, Result(Forward, S_0))\}$

i.e., go forward and then grab the gold

This assumes that the agent is interested in plans starting at S_0 and that S_0 is the only situation described in the KB

Making plans: A better way

Represent **plans** as action sequences $[a_1, a_2, \dots, a_n]$

$PlanResult(p, s)$ is the result of executing p in s

Then the query $Ask(KB, \exists p Holding(Gold, PlanResult(p, S_0)))$ has the solution $\{p/[Forward, Grab]\}$

Definition of $PlanResult$ in terms of $Result$:

$$\forall s \ PlanResult([], s) = s$$

$$\forall a, p, s \ PlanResult([a|p], s) = PlanResult(p, Result(a, s))$$

Planning systems are special-purpose reasoners designed to do this type of inference more efficiently than a general-purpose reasoner

Summary

First-order logic:

- objects and relations are semantic primitives
- syntax: constants, functions, predicates, equality, quantifiers

Increased expressive power: sufficient to define wumpus world

Situation calculus:

- conventions for describing actions and change in FOL
- can formulate planning as inference on a situation calculus KB