

Informed search algorithms

CHAPTER 4, SECTIONS 1–2, 4


Review: General search

```

function GENERAL-SEARCH(problem, QUEUING-FN) returns a solution, or failure
  nodes ← MAKE-QUEUE(MAKE-NODE(INITIAL-STATE[problem]))
  loop do
    if nodes is empty then return failure
    node ← REMOVE-FRONT(nodes)
    if GOAL-TEST[problem] applied to STATE(node) succeeds then return node
    nodes ← QUEUING-FN(nodes, EXPAND(node, OPERATORS[problem]))
  end
  
```

A strategy is defined by picking the *order of node expansion*

Romania with step costs in km



Outline

- ◇ Best-first search
- ◇ A* search
- ◇ Heuristics
- ◇ Hill-climbing
- ◇ Simulated annealing

Best-first search

Idea: use an *evaluation function* for each node
 – estimate of “desirability”

⇒ Expand most desirable unexpanded node

Implementation:

QUEUINGFN = insert successors in decreasing order of desirability

Special cases:

- greedy search
- A* search




Greedy search

Evaluation function $h(n)$ (heuristic)
 = estimate of cost from n to goal

E.g., $h_{SLD}(n)$ = straight-line distance from n to Bucharest

Greedy search expands the node that *appears* to be closest to goal

Greedy search example



Properties of greedy search

- Complete??
- Time??
- Space??
- Optimal??

Properties of greedy search

- Complete?? No—can get stuck in loops, e.g.,
 lasi → Neamt → lasi → Neamt →
- Complete in finite space with repeated-state checking
- Time?? $O(b^m)$, but a good heuristic can give dramatic improvement
- Space?? $O(b^m)$ —keeps all nodes in memory
- Optimal?? No

A* search

Idea: avoid expanding paths that are already expensive

Evaluation function $f(n) = g(n) + h(n)$

$g(n)$ = cost so far to reach n

$h(n)$ = estimated cost to goal from n

$f(n)$ = estimated total cost of path through n to goal





A* search uses an *admissible* heuristic

i.e., $h(n) \leq h^*(n)$ where $h^*(n)$ is the *true* cost from n .

E.g., $h_{SLD}(n)$ never overestimates the actual road distance


Theorem: A* search is optimal

A* search example




Optimality of A* (standard proof)

Suppose some suboptimal goal G_2 has been generated and is in the queue. Let n be an unexpanded node on a shortest path to an optimal goal G_1 .



$$\begin{aligned}
 f(G_2) &= g(G_2) && \text{since } h(G_2) = 0 \\
 &> g(G_1) && \text{since } G_2 \text{ is suboptimal} \\
 &\geq f(n) && \text{since } h \text{ is admissible}
 \end{aligned}$$


Since $f(G_2) > f(n)$, A* will never select G_2 for expansion



Optimality of A* (more useful)

Lemma: A* expands nodes in order of increasing f value


Gradually adds " f -contours" of nodes (cf. breadth-first adds layers)
Contour i has all nodes with $f = f_i$, where $f_i < f_{i+1}$



Proof of lemma: Pathmax

For some admissible heuristics, f may decrease along a path

E.g., suppose n' is a successor of n



But this throws away information!

$f(n) = 9 \Rightarrow$ true cost of a path through $n \geq 9$

Hence true cost of a path through n' is ≥ 9 also

Pathmax modification to A*:

Instead of $f(n') = g(n') + h(n')$, use $f(n') = \max(g(n') + h(n'), f(n))$

With pathmax, f is always nondecreasing along any path

Properties of A*

Complete?? Yes, unless there are infinitely many nodes with $f \leq f(G)$

Time?? Exponential in [relative error in $h \times$ length of soln.]

Space?? Keeps all nodes in memory

Optimal?? Yes—cannot expand f_{i+1} until f_i is finished


Admissible heuristics

E.g., for the 8-puzzle:


$h_1(n)$ = number of misplaced tiles

$h_2(n)$ = total Manhattan distance

(i.e., no. of squares from desired location of each tile)



Start State



Goal State

$h_1(S) = ??$

$h_2(S) = ??$


Admissible heuristics

E.g., for the 8-puzzle:

$h_1(n)$ = number of misplaced tiles

$h_2(n)$ = total Manhattan distance

(i.e., no. of squares from desired location of each tile)



$h_1(S) = ??$ 7

$h_2(S) = ??$ $2+3+3+2+4+2+0+2 = 18$

Dominance

If $h_2(n) \geq h_1(n)$ for all n (both admissible)
then h_2 dominates h_1 and is better for search

Typical search costs:

$d = 14$ IDS = 3,473,941 nodes

$A^*(h_1) = 539$ nodes

$A^*(h_2) = 113$ nodes

$d = 14$ IDS = too many nodes

$A^*(h_1) = 39,135$ nodes

$A^*(h_2) = 1,641$ nodes

Relaxed problems

Admissible heuristics can be derived from the *exact* solution cost of a *relaxed* version of the problem

If the rules of the 8-puzzle are relaxed so that a tile can move *anywhere*, then $h_1(n)$ gives the shortest solution

If the rules are relaxed so that a tile can move to *any adjacent square*, then $h_2(n)$ gives the shortest solution

For TSP: let path be *any* structure that connects all cities
⇒ minimum spanning tree heuristic

Iterative improvement algorithms

In many optimization problems, *path* is irrelevant; the goal state itself is the solution

Then state space = set of "complete" configurations;
find *optimal* configuration, e.g., TSP


or, find configuration satisfying constraints, e.g., n-queens

In such cases, can use *iterative improvement* algorithms; keep a single "current" state, try to improve it

Constant space, suitable for online as well as offline search


Example: Travelling Salesperson Problem

Find the shortest tour that visits each city exactly once



Example: n-queens

Put n queens on an $n \times n$ board with no two queens on the same row, column, or diagonal




Hill-climbing (or gradient ascent/descent)

"Like climbing Everest in thick fog with amnesia"

```
function HILL-CLIMBING(problem) returns a solution state
  inputs: problem, a problem
  local variables: current, a node
                  next, a node
  current ← MAKE-NODE(INITIAL-STATE[problem])
  loop do
    next ← a highest-valued successor of current
    if VALUE[next] < VALUE[current] then return current
    current ← next
  end
```

Hill-climbing contd.

Problem: depending on initial state, can get stuck on local maxima



Simulated annealing

Idea: escape local maxima by allowing some "bad" moves
but gradually decrease their size and frequency

```
function SIMULATED-ANNEALING(problem, schedule) returns a solution state
  inputs: problem, a problem
         schedule, a mapping from time to "temperature"
  local variables: current, a node
                  next, a node
                  T, a "temperature" controlling the probability of downward steps
  current ← MAKE-NODE(INITIAL-STATE[problem])
  for t ← 1 to ∞ do
    T ← schedule[t]
    if T = 0 then return current
    next ← a randomly selected successor of current
    ΔE ← VALUE[next] - VALUE[current]
    if ΔE > 0 then current ← next
    else current ← next only with probability  $e^{\Delta E/T}$ 
```

Properties of simulated annealing

At fixed "temperature" T , state occupation probability reaches Boltzman distribution

$$p(x) = \alpha e^{\frac{E(x)}{kT}}$$

T decreased slowly enough \implies always reach best state

Is this necessarily an interesting guarantee??

Devised by Metropolis et al., 1953, for physical process modelling

Widely used in VLSI layout, airline scheduling, etc.