


CSE 473: Artificial Intelligence

Bayes' Nets




Dieter Fox

[Most slides were created by Dan Klein and Pieter Abbeel for CS188 intro to AI at UC Berkeley. All CS188 materials are available at <http://ai.berkeley.edu>.]


Bayes' Nets: Big Picture

- Two problems with using full joint distribution tables as our probabilistic models:
 - Unless there are only a few variables, the joint is WAY too big to represent explicitly
 - Hard to learn (estimate) anything empirically about more than a few variables at a time
- Bayes' nets: a technique for describing complex joint distributions (models) using simple, local distributions (conditional probabilities)
 - More properly called **graphical models**
 - We describe how variables locally interact
 - Local interactions chain together to give global, indirect interactions
 - For about 10 min, we'll be vague about how these interactions are specified




Graphical Model Notation

- Nodes: variables (with domains)**
 - Can be assigned (observed) or unassigned (unobserved)
- Arcs: interactions**
 - Similar to CSP constraints
 - Indicate "direct influence" between variables.
 - Formally: encode conditional independence (more later)
- For now: imagine that arrows mean direct causation (in general, they don't!)



Example: Coin Flips

- N independent coin flips



- No interactions between variables: **absolute independence**


Example: Traffic

- Variables:**
 - R: It rains
 - T: There is traffic

- Model 1: independence



- Model 2: rain causes traffic




- Why is an agent using model 2 better?

Example: Traffic II

- Let's build a causal graphical model!



- Variables**
 - T: Traffic
 - R: It rains
 - L: Low pressure
 - D: Roof drips
 - B: Ballgame
 - C: Cavity



Example: Alarm Network

Variables

- B: Burglary
- A: Alarm goes off
- M: Mary calls
- J: John calls
- E: Earthquake!



Bayes' Net Semantics




Bayes' Net Semantics

- A set of nodes, one per variable X
- A directed, acyclic graph
- A conditional distribution for each node

- A collection of distributions over X , one for each combination of parents' values

$$P(X|a_1 \dots a_n)$$

- CPT: conditional probability table
- Description of a noisy "causal" process



A Bayes net = Topology (graph) + Local Conditional Probabilities


Probabilities in BNs

- Bayes' nets **implicitly** encode joint distributions

- As a product of local conditional distributions
- To see what probability a BN gives to a full assignment, multiply all the relevant conditionals together:

$$P(x_1, x_2, \dots, x_n) = \prod_{i=1}^n P(x_i | \text{parents}(X_i))$$

- Example:



$$P(+cavity, +catch, -toothache)$$

Probabilities in BNs

- Why are we guaranteed that setting

$$P(x_1, x_2, \dots, x_n) = \prod_{i=1}^n P(x_i | \text{parents}(X_i))$$


results in a proper joint distribution?

- Chain rule (valid for all distributions): $P(x_1, x_2, \dots, x_n) = \prod_{i=1}^n P(x_i | x_1 \dots x_{i-1})$
- Assume conditional independences: $P(x_i | x_1, \dots, x_{i-1}) = P(x_i | \text{parents}(X_i))$

→ Consequence: $P(x_1, x_2, \dots, x_n) = \prod_{i=1}^n P(x_i | \text{parents}(X_i))$

- Not every BN can represent every joint distribution
 - The topology enforces certain conditional independencies


Example: Coin Flips




$$P(h, h, t, h) =$$

Only distributions whose variables are absolutely independent can be represented by a Bayes' net with no arcs.

Example: Traffic





Example: Alarm Network




Example: Traffic

Causal direction



Example: Reverse Traffic

Reverse causality?



Causality?

- When Bayes' nets reflect the true causal patterns:
 - Often simpler (nodes have fewer parents)
 - Often easier to think about
 - Often easier to elicit from experts


BNs need not actually be causal

- Sometimes no causal net exists over the domain (especially if variables are missing)
- E.g. consider the variables *Traffic* and *Drips*
- End up with arrows that reflect correlation, not causation

What do the arrows really mean?

- Topology may happen to encode causal structure
- Topology really encodes conditional independence

$$P(x_i|x_1, \dots, x_{i-1}) = P(x_i|\text{parents}(X_i))$$



Size of a Bayes' Net

- How big is a joint distribution over N Boolean variables?

$$2^N$$

- How big is an N-node net if nodes have up to k parents?

$$O(N * 2^{k+1})$$


- Both give you the power to calculate

$$P(X_1, X_2, \dots, X_n)$$

- BNs: Huge space savings!

- Also easier to elicit local CPTs

- Also faster to answer queries (coming)



Bayes' Nets

- So far: how a Bayes' net encodes a joint distribution
- Next: how to answer queries about that distribution
 - Today:
 - First assembled BNs using an intuitive notion of conditional independence as causality
 - Then saw that key property is conditional independence
 - Main goal: answer queries about conditional independence and influence
- After that: how to answer numerical queries (inference)

