

CSE 473: Artificial Intelligence

Hanna Hajishirzi

Search

(Un-informed, Informed Search)



slides adapted from
Dan Klein, Pieter Abbeel ai.berkeley.edu
And Dan Weld, Luke Zettlemoyer

Announcements



- PS1
 - Due Oct 20th
- Office hours:
 - Check the website
- HW1 will be released soon.
 - Release: Oct 7, Due: Oct. 13th -> Oct 16th

Recap: General Tree Search

```
function TREE-SEARCH(problem, strategy) returns a solution, or failure
  initialize the search tree using the initial state of problem
  loop do
    if there are no candidates for expansion then return failure
    choose a leaf node for expansion according to strategy
    if the node contains a goal state then return the corresponding solution
    else expand the node and add the resulting nodes to the search tree
  end
```

Uniform Cost Issues


- Remember: UCS explores increasing cost contours
- The good: UCS is complete and optimal!
- The bad:
 - Explores options in every “direction”
 - No information about goal location
- We'll fix that soon!



Up next: Informed Search

- Uninformed Search

- DFS
- BFS
- UCS






- Informed Search

- Heuristics
- Greedy Search
- A* Search
- Graph Search




Search Heuristics

- A heuristic is:
 - A function that *estimates* how close a state is to a goal
 - Designed for a particular search problem
 - **Pathing?**
 - Examples: Manhattan distance, Euclidean distance for pathing



Example: Heuristic Function



| Straight-line distance to Bucharest | |
|-------------------------------------|-----|
| Arad | 366 |
| Bucharest | 0 |
| Craiova | 160 |
| Dobreta | 242 |
| Eforie | 161 |
| Fagaras | 178 |
| Giurgiu | 77 |
| Hirsova | 151 |
| Iasi | 226 |
| Lugoj | 244 |
| Mehadia | 241 |
| Neamt | 234 |
| Oradea | 380 |
| Pitesti | 98 |
| Rimnicu Vilcea | 193 |
| Sibiu | 253 |
| Timisoara | 329 |
| Urziceni | 80 |
| Vaslui | 199 |
| Zerind | 374 |




$h(x)$

Greedy Search



Greedy Search

- Expand the node that seems closest...





- Is it optimal?


- No. Resulting path to Bucharest is not the shortest!

Greedy Search


- Strategy: expand a node that you think is closest to a goal state
 - Heuristic: estimate of distance to nearest goal for each state
- A common case:
 - Best-first takes you straight to the (wrong) goal
- Worst-case: like a badly-guided DFS



Video of Demo Contours Greedy (Empty)



Video of Demo Contours Greedy (Pacman Small Maze)





A* Search



A* Search

Combining UCS and Greedy


- **Uniform-cost** orders by path cost, or *backward cost* $g(n)$
- **Greedy** orders by goal proximity, or *forward cost* $h(n)$



- **A* Search** orders by the sum: $f(n) = g(n) + h(n)$

When should A* terminate?


- Should we stop when we enqueue a goal?



- No: only stop when we dequeue a goal

| | g | h | + |
|----------------------|--------------|--------------|--------------|
| S | 0 | 3 | 3 |
| S->A | 2 | 2 | 4 |
| S->B | 2 | 1 | 3 |
| S->B->G | 5 | 0 | 5 |
| S->A->G | 4 | 0 | 4 |


Is A* Optimal?




| | g | h | + |
|--------------|--------------|--------------|--------------|
| S | 0 | 7 | 7 |
| S->A | 1 | 6 | 7 |
| S->G | 5 | 0 | 5 |

- What went wrong?
- Actual bad goal cost < estimated good goal cost
- We need estimates to be less than actual costs!

Idea: Admissibility



Inadmissible (pessimistic) heuristics
break optimality by trapping
good plans on the fringe



Admissible (optimistic) heuristics
slow down bad plans but
never outweigh true costs



Admissible Heuristics

- A heuristic h is *admissible* (optimistic) if:

$$0 \leq h(n) \leq h^*(n)$$

where $h^*(n)$ is the true cost to a nearest goal

- Examples:




0.0


- Coming up with admissible heuristics is most of what's involved in using A^* in practice.

Properties of A^*

Uniform-Cost





A^*



UCS vs A* Contours

- Uniform-cost expands equally in all “directions”
- A* expands mainly toward the goal, but does hedge its bets to ensure optimality



Comparison



Greedy




Uniform Cost




A*


Video of Demo Contours (Empty) -- UCS



Video of Demo Contours (Empty) -- Greedy



Video of Demo Contours (Empty) – A*




A*: Summary




A*: Summary


- A* uses both backward costs and (estimates of) forward costs
- A* is optimal with admissible (optimistic) heuristics
- Heuristic design is key: often use relaxed problems



Video of Demo Empty Water Shallow/Deep – Guess Algorithm





Creating Heuristics



Creating Admissible Heuristics

- Most of the work in solving hard search problems optimally is in coming up with admissible heuristics
- Often, admissible heuristics are solutions to *relaxed problems*, where new actions are available




- Inadmissible heuristics are often useful too

Example: 8 Puzzle

| | | |
|---|---|---|
| 7 | 2 | 4 |
| 5 | | 6 |
| 8 | 3 | 1 |

Start State



Actions

| | | |
|---|---|---|
| | 1 | 2 |
| 3 | 4 | 5 |
| 6 | 7 | 8 |


Goal State

- What are the states?
- How many states?
- What are the actions?
- How many successors from the start state?
- What should the costs be?


Admissible heuristics?

8 Puzzle I


- Heuristic: Number of tiles misplaced
- Why is it admissible?
- $h(\text{start}) = 8$
- This is a *relaxed-problem* heuristic



Start State




Goal State




| Average nodes expanded when the optimal path has... | | | |
|---|------------|------------|-------------------|
| | ...4 steps | ...8 steps | ...12 steps |
| UCS | 112 | 6,300 | 3.6×10^6 |
| TILES | 13 | 39 | 227 |

8 Puzzle II

- What if we had an easier 8-puzzle where any tile could slide any direction at any time, ignoring other tiles?
- Total *Manhattan* distance
- Why is it admissible?
- $h(\text{start}) = 3 + 1 + 2 + \dots = 18$



Start State





Goal State

| Average nodes expanded when the optimal path has... | | | |
|---|------------|------------|-------------|
| | ...4 steps | ...8 steps | ...12 steps |
| TILES | 13 | 39 | 227 |
| MANHATTAN | 12 | 25 | 73 |

8 Puzzle III

- How about using the *actual cost* as a heuristic?


- Would it be admissible?
- Would we save on nodes expanded?
- What's wrong with it?



- With A^* : a trade-off between quality of estimate and work per node

- As heuristics get closer to the true cost, you will expand fewer nodes but usually do more work per node to compute the heuristic itself

Example: Pancake Problem



Cost: Number of pancakes flipped

Example: Pancake Problem

BOUNDS FOR SORTING BY PREFIX REVERSAL

William H. GATES

Microsoft, Albuquerque, New Mexico

Christos H. PAPANIMITRIOU*†

Department of Electrical Engineering, University of California, Berkeley, CA 94720, U.S.A.


Received 18 January 1978

Revised 28 August 1978

For a permutation σ of the integers from 1 to n , let $f(\sigma)$ be the smallest number of prefix reversals that will transform σ to the identity permutation, and let $f(n)$ be the largest such $f(\sigma)$ for all σ in (the symmetric group) S_n . We show that $f(n) \leq (5n+5)/3$, and that $f(n) \geq 17n/16$ for n a multiple of 16. If, furthermore, each integer is required to participate in an even number of reversed prefixes, the corresponding function $g(n)$ is shown to obey $3n/2 - 1 \leq g(n) \leq 2n + 3$.


Example: Pancake Problem

State space graph with costs as weights



Example: Heuristic Function

Heuristic: the number of the largest pancake that is still out of place



Semi-Lattice of Heuristics

Trivial Heuristics, Dominance

- Dominance: $h_a \geq h_c$ if

$$\forall n : h_a(n) \geq h_c(n)$$

- Heuristics form a semi-lattice:


- Max of admissible heuristics is admissible

$$h(n) = \max(h_a(n), h_b(n))$$


- Trivial heuristics

- Bottom of lattice is the zero heuristic (what does this give us?)

- Top of lattice is the exact heuristic



Optimality of A* Tree Search




Optimality of A* Tree Search

Assume:

- A is an optimal goal node
- B is a suboptimal goal node
- h is admissible

Claim:


- A will exit the fringe before B



Optimality of A* Tree Search: Blocking

Proof:

- Imagine B is on the fringe
- Some ancestor n of A is on the fringe, too (maybe A!)
- Claim: n will be expanded before B
 1. $f(n)$ is less or equal to $f(A)$



$$f(n) = g(n) + h(n)$$

$$f(n) \leq g(A)$$

$$g(A) = f(A)$$

Definition of f-cost


Admissibility of h

$h = 0$ at a goal

Optimality of A* Tree Search: Blocking

Proof:

- Imagine B is on the fringe
- Some ancestor n of A is on the fringe, too (maybe A!)
- Claim: n will be expanded before B
 1. $f(n)$ is less or equal to $f(A)$
 2. $f(A)$ is less than $f(B)$



$$g(A) < g(B)$$

$$f(A) < f(B)$$


B is suboptimal

$h = 0$ at a goal

Optimality of A* Tree Search: Blocking


Proof:

- Imagine B is on the fringe
- Some ancestor n of A is on the fringe, too (maybe A!)
- Claim: n will be expanded before B
 1. $f(n)$ is less or equal to $f(A)$
 2. $f(A)$ is less than $f(B)$
 3. n expands before B
- All ancestors of A expand before B
- A expands before B
- A* search is optimal





$$f(n) \leq f(A) < f(B)$$

Graph Search




Tree Search: Extra Work!

- Failure to detect repeated states can cause exponentially more work



Graph Search

- In BFS, for example, we shouldn't bother expanding the circled nodes (why?)




Graph Search


- Idea: never **expand** a state twice
- How to implement:
 - Tree search + set of expanded states (“closed set”)
 - Expand the search tree node-by-node, but...
 - Before expanding a node, check to make sure its state has never been expanded before
 - If not new, skip it, if new add to closed set
- Important: **store the closed set as a set**, not a list
- Can graph search wreck completeness? Why/why not?
- How about optimality?

A* Graph Search Gone Wrong?

State space graph




Search tree



Closed Set S B C A


Consistency of Heuristics



- Main idea: estimated heuristic costs \leq actual costs
 - Admissibility: heuristic cost \leq actual cost to goal
$$h(A) \leq \text{actual cost from A to G}$$
 - Consistency: heuristic “arc” cost \leq actual cost for each arc
$$h(A) - h(C) \leq \text{cost}(A \text{ to } C)$$
- Consequences of consistency:
 - The f value along a path never decreases
$$h(A) \leq \text{cost}(A \text{ to } C) + h(C)$$
 - A* graph search is optimal

A* Graph Search

- Sketch: consider what A* does with a consistent heuristic:
 - Fact 1: In tree search, A* expands nodes in increasing total f value (f-contours)
 - Fact 2: For every state s, nodes that reach s optimally are expanded before nodes that reach s suboptimally
 - Result: A* graph search is optimal



Optimality of A* Search

- With a admissible heuristic, Tree A* is optimal.
- With a consistent heuristic, Graph A* is optimal.
- With $h=0$, the same proof shows that UCS is optimal.

Pseudo-Code

```
function TREE-SEARCH(problem, fringe) return a solution, or failure
  fringe ← INSERT(MAKE-NODE(INITIAL-STATE[problem]), fringe)
  loop do
    if fringe is empty then return failure
    node ← REMOVE-FRONT(fringe)
    if GOAL-TEST(problem, STATE[node]) then return node
    for child-node in EXPAND(STATE[node], problem) do
      fringe ← INSERT(child-node, fringe)
    end
  end
```


```
function GRAPH-SEARCH(problem, fringe) return a solution, or failure
  closed ← an empty set
  fringe ← INSERT(MAKE-NODE(INITIAL-STATE[problem]), fringe)
  loop do
    if fringe is empty then return failure
    node ← REMOVE-FRONT(fringe)
    if GOAL-TEST(problem, STATE[node]) then return node
    if STATE[node] is not in closed then
      add STATE[node] to closed
      for child-node in EXPAND(STATE[node], problem) do
        fringe ← INSERT(child-node, fringe)
      end
    end
  end
```

A* Applications


- Video games
- Pathing / routing problems
- Resource planning problems
- Robot motion planning
- Language analysis
- Machine translation
- Speech recognition
- ...

A* in Recent Literature

- Joint A* CCG Parsing and Semantic Role Labeling (EMLN'15)




- Diagram Understanding (ECCV'17)



- NeuroLogic Decoding (NAACL'22)


The One Queue

- All these search algorithms are the same except for fringe strategies
 - Conceptually, all fringes are priority queues (i.e. collections of nodes with attached priorities)
 - Practically, for DFS and BFS, you can avoid the $\log(n)$ overhead from an actual priority queue, by using stacks and queues
 - Can even code one implementation that takes a variable queuing object





Search and Models

- Search operates over models of the world
 - The agent doesn't actually try all the plans out in the real world!
 - Planning is all “in simulation”
 - Your search is only as good as your models...



Search Gone Wrong?



Microsoft® MapPoint®


Start: Haugesund, Rogaland, Norway
End: Trondheim, Sør-Trøndelag, Norway
Total Distance: 2713.2 Kilometers
Estimated Total Time: 47 hours, 31 minutes

Legend Zoom on map click


nrk.no/alltidmoro

The screenshot shows a Microsoft MapPoint navigation interface. It features a map of Europe with a route highlighted in green from Haugesund, Norway to Trondheim, Norway. The interface includes a scale bar (0-1000 km, 0-600 mi), a legend, and a "Zoom on map click" checkbox. The map shows various countries and cities, including Sweden, Finland, Russia, Poland, Czech Republic, Hungary, Romania, and Ukraine.


Video of Demo Empty UCS



Video of Demo Maze with Deep/Shallow Water --- DFS, BFS, or UCS? (part 1)



Video of Demo Maze with Deep/Shallow Water --- DFS, BFS, or UCS? (part 2)



Video of Demo Maze with Deep/Shallow Water --- DFS, BFS, or UCS? (part 3)

