

CSE 490 G
Introduction to Data Compression
Winter 2006

Predictive Coding
Burrows-Wheeler Transform

Predictive Coding

- The next symbol can be statistically predicted from the past.
 - Code with context
 - Code the difference
 - Move to front, then code
- Goal of prediction
 - The prediction should make the distribution of probabilities of the next symbol as skewed as possible
 - After prediction there is no way to predict more so we are in the first order entropy model

CSE 490g - Lecture 10 - Winter 2006

2

Bad and Good Prediction

- From information theory – The lower the information the fewer bits are needed to code the symbol.

$$\text{inf}(a) = \log_2\left(\frac{1}{P(a)}\right)$$

- Examples:
 - $P(a) = 1023/1024$, $\text{inf}(a) = .000977$
 - $P(a) = 1/2$, $\text{inf}(a) = 1$
 - $P(a) = 1/1024$, $\text{inf}(a) = 10$

CSE 490g - Lecture 10 - Winter 2006

3

Entropy

- Entropy is the expected number of bit to code a symbol in the model with a_i having probability $P(a_i)$.

$$H = \sum_{i=1}^m P(a_i) \log_2\left(\frac{1}{P(a_i)}\right)$$

- Good coders should be close to this bound.
 - Arithmetic
 - Huffman
 - Golomb
 - Tunstall

CSE 490g - Lecture 10 - Winter 2006

4

PPM

- Prediction with Partial Matching
 - Cleary and Witten (1984)
 - Tries to find a good context to code the next symbol

good context	a	.	e	.	i	.	r	.	s	.	y
the	0	0	5	7	4	7					
he	10	1	7	10	9	7					
e	12	2	10	15	10	10					
<nil>	50	70	30	35	40	13					

- Uses adaptive arithmetic coding for each context

CSE 490g - Lecture 10 - Winter 2006

5

JBIG

- Coder for binary images
 - documents
 - graphics
- Codes in scan line order using context from the same and previous scan lines.




- Uses adaptive arithmetic coding with context

CSE 490g - Lecture 10 - Winter 2006


6

JBIG Example



next bit	0	1
frequency	100	10

$$H = \frac{10}{110} \log\left(\frac{110}{10}\right) + \frac{100}{110} \log\left(\frac{110}{100}\right) = .44$$



next bit	0	1
frequency	15	50

$$H = \frac{15}{65} \log\left(\frac{65}{15}\right) + \frac{50}{65} \log\left(\frac{65}{50}\right) = .78$$

CSE 490g - Lecture 10 - Winter 2006

7

Issues with Context


- Context dilution
 - If there are too many contexts then too few symbols are coded in each context, making them ineffective because of the zero-frequency problem.
- Context saturation
 - If there are too few contexts then the contexts might not be good as having more contexts.
- Wrong context
 - Again poor predictors.

CSE 490g - Lecture 10 - Winter 2006

8

Prediction by Differencing

- Used for Numerical Data
- Example: 2 3 4 5 6 7 8 7 6 5 4 3 2



- Transform to 2 1 1 1 1 1 1 -1 -1 -1 -1 -1
- much lower first-order entropy

CSE 490g - Lecture 10 - Winter 2006

9

General Differencing

- Let x_1, x_2, \dots, x_n be some numerical data that is correlated, that is x_i is near x_{i+1}
- Better compression can result from coding $x_1, x_2 - x_1, x_3 - x_2, \dots, x_n - x_{n-1}$
- This idea is used in
 - signal coding
 - audio coding
 - video coding
- There are fancier prediction methods based on linear combinations of previous data, but these may require training.

CSE 490g - Lecture 10 - Winter 2006

10

Move to Front Coding

- Non-numerical data
- The data have a relatively small working set that changes over the sequence.
- Example: a b a b a b c c b b c c c b d b c c
- Move to Front algorithm
 - Symbols are kept in a list indexed 0 to m-1
 - To code a symbol output its index and move the symbol to the front of the list

CSE 490g - Lecture 10 - Winter 2006

11

Example

- Example: a b a b a b c c b b c c c b d b c c

0	1	2	3
a	b	c	d

CSE 490g - Lecture 10 - Winter 2006

12

Example

- Example: a b a b a a b c c b b c c c b d b c c
0 1

```
0 1 2 3
a b c d
  ↓
0 1 2 3
b a c d
```

CSE 490g - Lecture 10 - Winter 2006

13

Example

- Example: a b a b a a b c c b b c c c b d b c c
0 1 1

```
0 1 2 3
b a c d
  ↓
0 1 2 3
a b c d
```

CSE 490g - Lecture 10 - Winter 2006

14

Example

- Example: a b a b a a b c c b b c c c b d b c c
0 1 1 1

```
0 1 2 3
a b c d
  ↓
0 1 2 3
b a c d
```

CSE 490g - Lecture 10 - Winter 2006

15

Example

- Example: a b a b a a b c c b b c c c b d b c c
0 1 1 1 1

```
0 1 2 3
b a c d
  ↓
0 1 2 3
a b c d
```

CSE 490g - Lecture 10 - Winter 2006

16

Example

- Example: a b a b a a b c c b b c c c b d b c c
0 1 1 1 1 0

```
0 1 2 3
a b c d
```

CSE 490g - Lecture 10 - Winter 2006

17

Example

- Example: a b a b a a b c c b b c c c b d b c c
0 1 1 1 1 0 1

```
0 1 2 3
a b c d
  ↓
0 1 2 3
b a c d
```

CSE 490g - Lecture 10 - Winter 2006

18

Example

- Example: a b a b a a b c c b b c c c c b d b c c
0 1 1 1 1 0 1 2

```

0 1 2 3
b a c d
↓
0 1 2 3
c b a d
    
```

CSE 490g - Lecture 10 - Winter 2006

19

Example

- Example: a b a b a a b c c b b c c c c b d b c c
0 1 1 1 1 0 1 2 0 1 0 1 0 0 0 1 3 1 2 0

```

0 1 2 3
c b d a
    
```

CSE 490g - Lecture 10 - Winter 2006

20

Example

- Example: a b a b a a b c c b b c c c c b d b c c
0 1 1 1 1 0 1 2 0 1 0 1 0 0 0 1 3 1 2 0

```

Frequencies of {a, b, c, d}
a b c d
4 7 8 1

Frequencies of {0, 1, 2, 3}
0 1 2 3
8 9 2 1
    
```

CSE 490g - Lecture 10 - Winter 2006

21

Extreme Example

- Input:
aaaaaaaaabbbbbbbbbbcccccccccccccccccccccc
Output
000000000010000000002000000000030000000000

```

Frequencies of a b c d
a b c d
10 10 10 10

Frequencies of 0 1 2 3
0 1 2 3
37 1 1 1
    
```

CSE 490g - Lecture 10 - Winter 2006

22

Burrows-Wheeler Transform

- Burrows-Wheeler, 1994
- BW Transform creates a representation of the data which has a small working set.
- The transformed data is compressed with move to front compression.
- The decoder is quite different from the encoder.
- The algorithm requires processing the entire string at once (it is not on-line).
- It is a remarkably good compression method.

CSE 490g - Lecture 10 - Winter 2006

23

Encoding Example

- abracadabra
 1. Create all cyclic shifts of the string.

```

0  abracadabra
1  bracadabraa
2  racadabraab
3  acadabraabr
4  cadabraabra
5  adabraabrac
6  dabraabraca
7  abraabracad
8  braabracada
9  raabracadab
10 aabracadabr
    
```

CSE 490g - Lecture 10 - Winter 2006

24

Encoding Example

2. Sort the strings alphabetically in to array A

0	abracadabra	A	0	aabracadabr
1	bracadabraa	1	abraabracad	
2	racadabraab	2	abracadabra	
3	acadabraabr	3	acadabraabr	
4	cadabraabra	4	adabraabrac	
5	adabraabrac	5	braabracada	
6	dabraabraca	6	bracadabraa	
7	abraabracad	7	cadabraabra	
8	braabracada	8	dabraabraca	
9	raabracadab	9	raabracadab	
10	aabracadabr	10	racadabraab	

CSE 490g - Lecture 10 - Winter 2006

25

Encoding Example

3. L = the last column

A	0	aabracadabr	
	1	abraabracad	L = rdarcaaaabb
	2	abracadabra	
	3	acadabraabr	
	4	adabraabrac	
	5	braabracada	
	6	bracadabraa	
	7	cadabraabra	
	8	dabraabraca	
	9	raabracadab	
	10	racadabraab	

CSE 490g - Lecture 10 - Winter 2006

26

Encoding Example

4. Transmit X the index of the input in A and L (using move to front coding).

A	0	aabracadabr	
	1	abraabracad	L = rdarcaaaabb
	2	abracadabra	X = 2
	3	acadabraabr	
	4	adabraabrac	
	5	braabracada	
	6	bracadabraa	
	7	cadabraabra	
	8	dabraabraca	
	9	raabracadab	
	10	racadabraab	

CSE 490g - Lecture 10 - Winter 2006

27

Why BW Works

- Ignore decoding for the moment.
- The prefix of each shifted string is a context for the last symbol.
 - The last symbol appears just before the prefix in the original.
- By sorting similar contexts are adjacent.
 - This means that the predicted last symbols are similar.

CSE 490g - Lecture 10 - Winter 2006

28

Decoding Example

- We first decode assuming some information. We then show how compute the information.
- Let A^s be A shifted by 1

A	0	aabracadabr	A ^s	0	raabracadab
	1	abraabracad	1	dabraabraca	
	2	abracadabra	2	abraabracad	
	3	acadabraabr	3	racadabraab	
	4	adabraabrac	4	cadabraabra	
	5	braabracada	5	abraabracad	
	6	bracadabraa	6	abracadabra	
	7	cadabraabra	7	acadabraabr	
	8	dabraabraca	8	adabraabrac	
	9	raabracadab	9	braabracada	
	10	racadabraab	10	racadabraa	

CSE 490g - Lecture 10 - Winter 2006

29

Decoding Example

- Assume we know the mapping $T[i]$ is the index in A^s of the string i in A.
- $T = [2\ 5\ 6\ 7\ 8\ 9\ 10\ 4\ 1\ 0\ 3]$

A	0	aabracadabr	A ^s	0	raabracadab
	1	abraabracad	1	dabraabraca	
	2	abracadabra	2	aabracadabr	
	3	acadabraabr	3	racadabraab	
	4	adabraabrac	4	cadabraabra	
	5	braabracada	5	abraabracad	
	6	bracadabraa	6	abracadabra	
	7	cadabraabra	7	acadabraabr	
	8	dabraabraca	8	adabraabrac	
	9	raabracadab	9	braabracada	
	10	racadabraab	10	bracadabraa	

CSE 490g - Lecture 10 - Winter 2006

30

Decoding Example

- Let F be the first column of A, it is just L, sorted.

```
F = 0 1 2 3 4 5 6 7 8 9 10
    a a a a a b b c d r r
```

```
T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10 4 1 0 3
```

- Follow the pointers in T in F to recover the input starting with X.

Decoding Example

```
F = 0 1 2 3 4 5 6 7 8 9 10
    a a a a a b b c d r r
```

```
T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10 4 1 0 3
```

a

Decoding Example

```
F = 0 1 2 3 4 5 6 7 8 9 10
    a a a a a b b c d r r
```

```
T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10 4 1 0 3
```

ab

Decoding Example

```
F = 0 1 2 3 4 5 6 7 8 9 10
    a a a a a b b c d r r
```

```
T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10 4 1 0 3
```

abr

Decoding Example

- Why does this work?
- The first symbol of $A[T[i]]$ is the second symbol of $A[i]$ because $A^s[T[i]] = A[i]$.

A	0	a	a	b	r	a	a	b	r	a	a	
	1	a	b	r	a	a	b	r	a	a		
	2	a	b	r	a	a	b	r	a	a	6	
	3	a	c	a	d	a	b	r	a	a	7	
	4	a	d	a	b	r	a	a	b	r	8	
	5	b	r	a	a	b	r	a	a		9	
	6	b	r	a	a	b	r	a	a	10		
	7	c	a	d	a	b	r	a	a	4		
	8	d	a	b	r	a	a	b	r	1		
	9	r	a	a	b	r	a	a		0		
	10	r	a	a	b	r	a	a	3			

Decoding Example

- How do we compute F and T from L and X?
F is just L sorted

```
0 1 2 3 4 5 6 7 8 9 10
F = a a a a a b b c d r r
L = r d a r c a a a b b
```

Note that L is the first column of A^s and A^s is in the same order as A.

If i is the k -th x in F then $T[i]$ is the k -th x in L.

Decoding Example

```

0 1 2 3 4 5 6 7 8 9 10
F = a a a a a b b c d r r
    ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘
L = r d a r c a a a a b b

T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8

```

CSE 490g - Lecture 10 - Winter 2006

37

Decoding Example

```

0 1 2 3 4 5 6 7 8 9 10
F = a a a a a b b c d r r
    ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙
L = r d a r c a a a a b b

T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10

```

CSE 490g - Lecture 10 - Winter 2006

38

Decoding Example

```

0 1 2 3 4 5 6 7 8 9 10
F = a a a a a b b c d r r
    ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘
L = r d a r c a a a a b b

T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10 4

```

CSE 490g - Lecture 10 - Winter 2006

39

Decoding Example

```

0 1 2 3 4 5 6 7 8 9 10
F = a a a a a b b c d r r
    ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙
L = r d a r c a a a a b b

T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10 4 1

```

CSE 490g - Lecture 10 - Winter 2006

40

Decoding Example

```

0 1 2 3 4 5 6 7 8 9 10
F = a a a a a b b c d r r
    ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘ ↙ ↘
L = r d a r c a a a a b b

T = 0 1 2 3 4 5 6 7 8 9 10
    2 5 6 7 8 9 10 4 1 0 3

```

CSE 490g - Lecture 10 - Winter 2006

41

Notes on BW

- Alphabetic sorting does not need the entire cyclic shifted inputs.
 - Sort the indices of the string
 - Most significant symbols first radix sort works
- There are high quality practical implementations
 - Bzip
 - Bzip2 (seems to be w/o patents)

CSE 490g - Lecture 10 - Winter 2006

42

Encoding Exercise

Encode the string $abababababababab = (ab)^8$

1. Find L and X
2. Do move-to-front coding of L .
3. Estimate the length of the code using first order entropy.

Decoding Exercise

Decode $L = baaaaaba, X = 6$

1. First Compute F and T
2. Use those to decode.