

Often, when hoping to make even a small change to libraries or similar large software projects, it can be difficult to gain a robust understanding of the architecture, and how bits of code are tied together. Documentation can help with this problem, but many projects (particularly research driven projects) can lack significant documentation to work from. Even for small changes, it can be hard to find what piece of code is the correct one to modify (this is further complicated at times because of in-progress refactoring, and dead code). Once the correct spot is located, though, the lack of familiarity with the project, and overall understanding of its architecture can make it difficult to understand the (potential) side effects of the change, or non-obvious adjustments/call that need to be made with the addition. On top of this, there are often corresponding changes that need to be made elsewhere. Although the change can often be as simple as copy/paste in, or copy/paste with a small modification, but finding the locations where this change is necessary can be difficult, and even require attempting to compile or run the code, and seeing what errors result.

There are a number of tools that exist to attempt to avoid this problem. First, robust, up-to-date, and accurate documentation can allow developers to quickly understand bits and pieces of the code, when reading through them. This can include references to why things are done, which can assist in understanding how to make your change. However, maintaining this documentation, and keeping it up to date is oftentimes onerous, and different developers maintain different standards. Also, this documentation is often meant primarily for people who already understand the project as a whole, or even as a note for the developer who wrote it, for when they return to that bit of code. In these cases, there can be terminology used, and assumptions made of understanding that prevent casual outside developers from fully understanding this documentation. Higherlevel documentation, including code maps, and architecture diagrams can help with understanding how system link together. These, however, are also hard to create and maintain, and quickly get out of date. Automatic tooling that can generate both styles of documentation can help, potentially, by attempting to understand the code, and its architecture, and either annotating it, or allowing someone to inspect via the tool (build into an IDE, for example). While these can miss bits of the 'why', these tools could assist developers new to a project to understand <sup>5</sup> verall structure, and pinpoint where to make small changes. This could both assist people newly joining the project, and also people who simply wish to make a small change to contribute.

Another issue commonly found with people new to a software project, is a lack of understanding of the overall coding practices. This can mean everything from whether braces go after the statement or on a newline or either (and this may be different for different statements) to preferences towards more complex one-line operations (list comprehensions, etc.) versus more expanded coding style, as well as how they are presented. This can also include aspects of inline/infile documentation, or even organizational/architectural structure of the project. Some organizations have styleguides, or follow ones from external groups (such as PEP), and these even extend down to team level, at times. However, these are not always consistently followed, and oftentimes a team-level one may be lacking, but a standard may be followed. Also commonly the main standard will be followed, but a few exceptions are made with the

## Summary of Comments on response\_hw1

Page: 1		
Number: 1 Author: mernst	Subject: Sticky Note	e Date: 1/11/2016 9:10:05 PM
Every document deserves a title and y	ou should write your name	to claim authorship as well.
If you can't think of a good title, then	that means you don't under	rstand the document.
TNumber: 2 Author: mernst	Subject: Highlight	Date: 1/11/2016 9:10:42 PM
What is a robust understanding? How	is that different than other	understandings? When is it necessary?
Number: 3 Author: mernst	Subject: Highlight	Date: 1/11/2016 9:13:48 PM
This paragraph feels a bit all over the place. What is the specific problem that you want to address? Trying to cover every problem related to making a change to a program is too ambitious; you'll end up treating them all shallowly and readers won't get much of anything out of it.		
I would get much more out of focusing on specific problems (rather than software maintenance which is 90% of all programming effort) and going into them in a bit more detail.		
Number: 4 Author: mernst	Subject: Highlight	Date: 1/11/2016 9:15:22 PM
I believe that the topic of this paragra of what is currently there.	ph is a proposal for automa	tically generating documentation. In the case, make it the first sentence, and focus the paragraph around it. I think you can cut much
Number: 5 Author: mernst	Subject: Highlight	Date: 1/11/2016 9:15:53 PM
Can you give a concrete example?		
Number: 6 Author: mernst	Subject: Highlight	Date: 1/11/2016 9:21:04 PM
Old things you've mentioned up to th encourages or discourages design pat wrong whether data should be stored factoring. There also issues like what c	s point in the paragraph see terns such as callbacks, obse in a global data structure o components are supposed to	em like relatively uninteresting syntactic aspects of program structure to me. I think it's more interesting to know whether a project ervers, visitors, and more. Incorrect indentation or easier factoring's are not likely to be a huge obstacle, but if a programmer gets ir threaded through all procedure calls, then that can significantly degrade the architectural structure and can cause painful re- o communicate with other components.
I encourage you to think about these bigger lake level issues rather than merely about the low level or syntactic structure of the code.		
Number: 7 Author: mernst	Subject: Highlight	Date: 1/11/2016 9:17:12 PM
Tools exist to check informants of code with coding styles such as PEP. Could you just run them?		

Number: 8 Author: mernst Subject: Highlight Date: 1/11/2016 9:17:35 PM Is this desirable? Should the team just adopt standard coding conventions rather than having its own idiosyncratic dialect? team, but these are not documented anywhere. Much of the standards must be learned from team members, or more commonly, simply through working and gaining familiarity with the code. Documenting these can be onerous, and leading to the documents not existing, or quickly becoming out of date and obsolete. Also, given that different languages often have different standards, both inherent to the language, and because of general practice, the number of documents and things that would need to be documented can be barriers to this documentation existing/being accurate. This seems like a place where an automated system could monitor/analyze code, and using some stats/machine learning could build a rough understanding of certain coding standard choices (particularly easy cases might be binary (/trinary) options such as brace positions, etc.)

## Page: 2

Number: 1 Author: mernst Subject: Highlight Date: 1/11/2016 9:22:12 PM Most languages have coding conventions, and many organizations due to. So I'm not sure this is as big an obstacle as you make it out to be. However, it might be interesting to try to automatically generate, from an English style guide, a checker that would indicate violations of that style guide.