

CSE 505: Concepts of Programming Languages

Dan Grossman

Fall 2008

Lecture 16— Concurrency and Message Passing

Message Passing

- Threads communicate via *send* and *receive* along *channels* instead of *read* and *write* of references.
- Not so different? (can implement one on top of the other)
- *Synchronous* message-passing
 - *Block* until communication takes place
 - Encode asynchronous by “spawn someone who blocks”

Concurrent ML

- CML is synchronous message-passing with *first-class synchronization events*
 - Can wrap synchronization abstractions to make new ones
 - At run-time
- Originally done for ML and fits well with lambdas, type-system, and implementation techniques, but more widely applicable
 - Available in DrScheme, Caml, Haskell, ...
- In my opinion, very elegant and under-appreciated

The Basics

```
type 'a channel (* messages passed on channels *)
val new_channel : unit -> 'a channel
```

```
type 'a event (* when sync'ed on, get an 'a *)
val send      : 'a channel -> 'a -> unit event
val receive   : 'a channel -> 'a event
val sync      : 'a event -> 'a
```

- Send and receive return “events” immediately
- Sync blocks until “the event happens”
- Separating these is key in a few slides

Simple version

Can define helper functions by trivial composition:

```
let sendNow ch a = sync (send ch a) (* block *)
let recvNow ch = sync (receive ch) (* block *)
```

Terminology note:

- I am using the function names in Caml's Event library.
- In SML, the CML book, etc.:

send	\rightsquigarrow	sendEvt
receive	\rightsquigarrow	recvEvt
sendNow	\rightsquigarrow	send
recvNow	\rightsquigarrow	recv

Bank Account Example

- First version: In/out channels are only access to private reference
 - In channel of type `action channel`
 - Out channel of type `float channel`
- Second version: Makes functional programmers smile
 - State can be argument to a recursive function
 - “Loop-carried”
 - Hints at deep connection between references and channels
 - * Can implement the reference abstraction in CML

The Interface

The real point of the example is that you can abstract all the threading and communication away from clients:

```
type acct
val mkAcct : unit -> acct
val get : acct->float->float
val put : acct->float->float
```

Hidden thread communication:

- `mkAcct` makes a thread (the “this account server”)
- `get` and `put` make the server go around the loop once

Races naturally avoided: the server handles one request at a time.

- CML *implementation* has queues for waiting communications.

Streams

Another pattern/concept easy to code up in CML is a *stream*

- An infinite sequence of values, produced lazily (“on demand”)

Example in `lec16.ml`: square numbers

Standard more complicated example: A network of streams for producing prime numbers. One approach:

- First stream generates 2, 3, 4, ...
- When the last stream generates a number p , return it and *dynamically* add a stream as the new last stream
 - Draws input from old last stream but outputs only those that are not divisible by p

Streams also have deep connections to *circuits*.

Wanting choice

- So far just used `sendNow` and `recvNow`, hidden behind simple interfaces.
- But these *block* until the *rendezvous*, which is insufficient for many important communication patterns.
- Example: `add : int channel -> int channel -> int`
 - Must choose which to receive first; hurting performance if other provider ready earlier
- Example: `or : bool channel -> bool channel -> int`
 - Cannot short-circuit

This is why we split out `sync` and have other primitives.

Choose and Wrap

```
type 'a event (* when sync'ed on, get an 'a *)
val send : 'a channel -> 'a -> unit event
val receive : 'a channel -> 'a event
val sync : 'a event -> 'a
```

```
val choose : 'a event list -> 'a event
val wrap : 'a event -> ('a -> 'b) -> 'b event
```

- choose: when synchronized on, block until one of the event happens (cf. UNIX select, but more useful to have sync separate)
- wrap: an event with the function as post-processing
 - Can wrap as many times as you want

Note: Skipping a couple other key primitives (e.g., withNack for timeouts)

Circuits

To an electrical engineer:

- send and receive are ends of a gate
- wrap is combinational logic connected to a gate
- choose is a multiplexer

What can't you do

CML is by-design for point-to-point communication

- Provably impossible to do things like 3-way swap (without busy-waiting or higher-level protocols)
- Related to issues of common-knowledge, especially in a distributed setting
- Metamoral: Being a broad computer scientist is really useful

A note on implementation and paradigms

CML encourages using *lots* of threads

- Example: X Window library with one thread per widget

Threads should be cheap to support this paradigm

- SML N/J: about as expensive as making a closure! (See hw3)
- Caml: Not cheap

A thread responding to channels is a lot like an *asynchronous object* (cf. *actors*).

And OOP is next.