

Oct 19, 15 6:43

IMPSyntax.v

Page 1/1

```

(** * IMP Syntax *)

Require Import ZArith.
Require Import String.

Open Scope string_scope.
Open Scope Z_scope.

Inductive binop : Set :=
| Add
| Sub
| Mul
| Div
| Mod
| Lt
| Lte
| Conj
| Disj.

Inductive expr : Set :=
| Int : Z -> expr
| Var : string -> expr
| BinOp : binop -> expr -> expr.

Coercion Int : Z ->> expr.
Coercion Var : string ->> expr.

Notation "X[+]Y" := (BinOp Add X Y) (at level 51, left associativity).
Notation "X[-]Y" := (BinOp Sub X Y) (at level 51, left associativity).
Notation "X[*]Y" := (BinOp Mul X Y) (at level 50, left associativity).
Notation "X[/]Y" := (BinOp Div X Y) (at level 50, left associativity).
(** NOTE: get me to tell story of Div/Mod bug at end! *)
Notation "X[%]Y" := (BinOp Mod X Y) (at level 50, left associativity).
Notation "X[<]Y" := (BinOp Lt X Y) (at level 52).
Notation "X[<=]Y" := (BinOp Lte X Y) (at level 52).
Notation "X[&&]Y" := (BinOp Conj X Y) (at level 53, left associativity).
Notation "X[||]Y" := (BinOp Disj X Y) (at level 54, left associativity).

Inductive stmt : Set :=
| Nop : stmt
| Assign : string -> expr -> stmt
| Seq : stmt -> stmt -> stmt
| Cond : expr -> stmt -> stmt
| While : expr -> stmt -> stmt.

Notation "'nop'" := (Nop) (at level 60).
Notation "X<-Y" := (Assign X Y) (at level 60).
Notation "X;;Y" := (Seq X Y) (at level 61).
Notation "'if' X {{ Y }}" := (Cond X Y) (at level 60).
Notation "'while' X {{ Y }}" := (While X Y) (at level 60).

```