



CSE512 :: 23 Jan 2014

Graphical Perception



Jeffrey Heer University of Washington

Graphical Perception

The ability of viewers to interpret visual (graphical) encodings of information and thereby decode information in graphs.

Which best encodes quantities?

Position

Length

Area

Volume

Value (Brightness)

Color Hue

Orientation (Angle)

Shape

Mackinlay's ranking of encodings

QUANTITATIVE

Position
Length
Angle
Slope
Area (Size)
Volume
Density (Val)
Color Sat
Color Hue
Texture
Connection
Containment
Shape

ORDINAL

Position
Density (Val)
Color Sat
Color Hue
Texture
Connection
Containment
Length
Angle
Slope
Area (Size)
Volume
Shape

NOMINAL

Position
Color Hue
Texture
Connection
Containment
Density (Val)
Color Sat
Shape
Length
Angle
Slope
Area
Volume

Topics

Signal Detection

Magnitude Estimation

Pre-Attentive Visual Processing

Using Multiple Visual Encodings

Gestalt Grouping

Change Blindness

Detection

Detecting Brightness



Which is brighter?

Detecting Brightness

(128, 128, 128)



(144, 144, 144)



Which is brighter?


Detecting Brightness



Which is brighter?

Detecting Brightness

(134, 134, 134)



(128, 128, 128)



Which is brighter?


Just Noticeable Difference

JND (Weber's Law)

$$\Delta S = k \frac{\Delta I}{I}$$

Ratios more important than magnitude

Most continuous variation in stimuli perceived in discrete steps




Information in color and value

Value is perceived as ordered

∴ Encode ordinal variables (O)



∴ Encode continuous variables (Q) [not as well]



Hue is normally perceived as unordered

∴ Encode nominal variables (N) using color





Steps in font size



Sizes standardized in 16th century

a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a
6	7	8	9	10	11	12	14	16	18	21	24	36	48	60	72	

Estimating Magnitude




Compare area of circles



Compare length of bars

Steven's Power Law

$$S = I^p$$




[graph from Wilkinson 99, based on Stevens 61]

Exponents of power law

Sensation	Exponent
Loudness	0.6
Brightness	0.33
Smell	0.55 (Coffee) – 0.6 (Heptane)
Taste	0.6 (Saccharine) – 1.3 (Salt)
Temperature	1.0 (Cold) – 1.6 (Warm)
Vibration	0.6 (250 Hz) – 0.95 (60 Hz)
Duration	1.1
Pressure	1.1
Heaviness	1.45
Electric Shock	3.5

[Psychophysics of Sensory Function, Stevens 61]

Apparent magnitude scaling




[Cartography: Thematic Map Design, Figure 8.6, p. 170, Dent, 96]

$$S = 0.98A^{0.87} \text{ [from Flannery 71]}$$

Proportional symbol map

Newspaper Circulation



[Cartography: Thematic Map Design, Figure 8.8, p. 172, Dent, 96]

Graduated sphere map





FIGURE 7.4. An eye-catching map created using three-dimensional geometric symbols. (After Smith, 1928. First published in *The Geographical Review*, 18(3), plate 4. Reprinted with permission of the American Geographical Society.)

Steven's Power Law

$$S = I^p$$

The law predicts *bias*:
the deviation of
population-averaged
estimates from the
true values.

It doesn't necessarily
predict *error*! What if
length averages to the
true value but most
estimates exhibit high
deviation?



[graph from Wilkinson 99, based on Stevens 61]

Cleveland & McGill




Figure 4. Graphs from position-length experiment.

[Cleveland and McGill 84]




Figure 3. Graphs from position-angle experiment.

[Cleveland and McGill 84]




Figure 16. Log absolute error means and 95% confidence intervals for judgment types in position-length experiment (top) and position-angle experiment (bottom).

[Cleveland and McGill 84]

Relative magnitude estimation

Most accurate



Position (common) scale



Position (non-aligned) scale



Length



Slope



Angle



Area



Volume



Color hue-saturation-density

Least accurate

Mackinlay's ranking of encodings

QUANTITATIVE

Position
Length
Angle
Slope
Area (Size)
Volume
Density (Value)
Color Sat
Color Hue
Texture
Connection
Containment
Shape

ORDINAL

Position
Density (Value)
Color Sat
Color Hue
Texture
Connection
Containment
Length
Angle
Slope
Area (Size)
Volume
Shape

NOMINAL

Position
Color Hue
Texture
Connection
Containment
Density (Value)
Color Sat
Shape
Length
Angle
Slope
Area
Volume

Administrivia

Assignment 2: Visual Data Analysis

Use visualization software to form & answer questions

First steps:


- Step 1: Pick a domain
- Step 2: Pose questions
- Step 3: Find Data
- Iterate

Create visualizations

- Interact with data
- Refine your questions

Make wiki notebook

- Keep record of your analysis
- Prepare a final graphic and caption



Due by 5:00pm on
Monday, Jan 27

Pre-attentive vs. Attentive Visual Processing

How many 3's

1281768756138976546984506985604982826762
9809858458224509856458945098450980943585
9091030209905959595772564675050678904567
8845789809821677654876364908560912949686


[based on slide from Stasko]

How many 3's

1281768756138976546984506985604982826762
9809858458224509856458945098450980943585
9091030209905959595772564675050678904567
8845789809821677654876364908560912949686



[based on slide from Stasko]

Visual pop-out: Color





<http://www.csc.ncsu.edu/faculty/healey/PP/index.html>

Visual pop-out: Shape




<http://www.csc.ncsu.edu/faculty/healey/PP/index.html>

Feature Conjunctions



<http://www.csc.ncsu.edu/faculty/healey/PP/index.html>

Pre-Attentive features



[Information Visualization.
Figure 5.5 Ware 04]

More Pre-attentive Features

Line (blob) orientation	Julesz & Bergen [1983]; Wolfe et al. [1992]
Length	Triesman & Gormican [1988]
Width	Julesz [1985]
Size	Triesman & Gelade [1980]
Curvature	Triesman & Gormican [1988]
Number	Julesz [1985]; Trick & Pylyshyn [1994]
Terminators	Julesz & Bergen [1983]
Intersection	Julesz & Bergen [1983]
Closure	Enns [1986]; Triesman & Souther [1985]
Colour (hue)	Nagy & Sanchez [1990, 1992]; D'Zmura [1991]; Kawai et al. [1995]; Bauer et al. [1996]
Intensity	Beck et al. [1983]; Triesman & Gormican [1988]
Flicker	Julesz [1971]
Direction of motion	Nakayama & Silverman [1986]; Driver & McLeod [1992]
Binocular lustre	Wolfe & Franzel [1988]
Stereoscopic depth	Nakayama & Silverman [1986]
3-D depth cues	Enns [1990]
Lighting direction	Enns [1990]

<http://www.csc.ncsu.edu/faculty/healey/PP/index.html>



Pre-attentive conjunctions

Spatial conjunctions are often pre-attentive

- Motion and 3D disparity
- Motion and color
- Motion and shape
- 3D disparity and color
- 3D disparity and shape

Most conjunctions are **not** pre-attentive

Feature-integration theory



Feature maps for orientation & color [Green]

Treisman's feature integration model [Healey 04]

Multiple Attributes

One-dimensional: Lightness



White



White



Black



White



Black



White



Black



Black



White



White

One-dimensional: Shape



Square



Circle



Circle



Square



Circle



Circle



Circle



Square



Circle



Circle

Correlated dims: Shape or lightness



Circle



Square



Square



Circle



Square



Circle



Square



Square



Square



Circle

Orthogonal dims: Shape & lightness



Circle



Square



Square



Circle



Square

Speeded Classification


Redundancy Gain

Facilitation in reading one dimension when the other provides redundant information

Filtering Interference

Difficulty in ignoring one dimension while attending to the other

Speeded Classification



Types of Dimensions

Integral Filtering interference and redundancy gain


Separable No interference or gain

Configural Interference, “condensation”, no redundancy gain

Asymmetrical One dim separable from other, not vice versa

- Example: The Stroop effect – color naming is influenced by word identity, but word naming is not influenced by color

Size and Value



W. S. Dobson, Visual information processing and cartographic communication: The role of redundant stimulus dimensions, 1983 (reprinted in MacEachren, 1995)

Orientation and Size (Single Mark)




FIGURE 3.36. A map of temperature and precipitation using symbol size and orientation to represent data values on the two variables.

How well can you see temperature or precipitation?
Is there a correlation between the two?

[MacEachren 95]

Shape and Size (Single Mark)




FIGURE 3.40. The bivariate temperature–precipitation map of Figure 3.36, this time using point symbols that vary in shape and size to represent the two quantities.

Easier to see one shape across multiple sizes than one size of across multiple shapes?

[MacEachren 95]

Length and Length (Single Mark)




FIGURE 3.38. An example of the use of an ellipse as a map symbol in which the horizontal and vertical axes represent different (but presumably related) variables.

[MacEachren 95]


Angle and Angle (Composed Marks)



FIGURE 3.39. Bivariate map of NO₃ and SO₄ trends. The original Carr et al. version of this map used a wheel with eight spokes, rather than a simple dot, as the center of each glyph. When large enough, this added feature facilitates judgment of specific values. After Carr et al. (1992, Fig. 7a, p. 234). Adapted by permission of the American Congress on Surveying and Mapping.

[MacEachren 95]

Summary of Integral-Separable




[Figure 5.25,
Color Plate 10,
Ware 2000]

Set

Each card has 4 features:

- Color
- Symbol
- Number
- Shading/Texture

A set consists of 3 cards in which each feature is the SAME or DIFFERENT on each card.



Gestalt Grouping

Principles

Figure/Ground

Proximity

Similarity

Symmetry

Connectedness

Continuity

Closure


Common Fate

Transparency


Figure/Ground



Ambiguous



Principle of surroundedness



Principle of relative size

<http://www.aber.ac.uk/media/Modules/MC10220/visper07.html>

Figure/Ground






Ambiguous



Unambiguous (?)


<http://www.aber.ac.uk/media/Modules/MC10220/visper07.html>

Proximity




[Ware 00]

Similarity




Rows dominate due to similarity [from Ware 04]

Symmetry




Bilateral symmetry gives strong sense of figure [from Ware 04]

Connectedness




Connectedness overrules proximity, size, color shape [from Ware 04]

Continuity




We prefer smooth not abrupt changes [from Ware 04]




Connections are clearer with smooth contours [from Ware 04]


Continuity: Vector fields



Closure



We see a circle behind a rectangle, not a broken circle [from Ware 04]



Illusory contours [from Durand 02]

Common Fate



Dots moving together are grouped


Transparency




Requires continuity and proper color correspondence [from Ware 04]

Layering

Layering: Gridlines





Signal and background compete above, as an electrocardiogram trace-line becomes caught up in a thick grid. Below, the screened-down grid stays behind traces from each of 12 monitoring leads:⁴



Electrocardiogram tracelines [from Tufte 90]


Layering: Gridlines



Stravinsky score [from Tufte 90]

Setting Gridline Contrast

How light can gridlines be and remain visible?
How dark can gridlines be and not distract?




Safe setting:
20% Alpha

[Stone & Bartram 2009]

[Heer & Bostock 2010]

Layering: color and line width




IBM Series III Copier [from Tufte 90]

Change Blindness

Change detection



Change detection



Change detection



Change Blindness



[Example from Palmer 99, originally due to Rock]

Demonstrations

<http://www.psych.ubc.ca/~rensink/flicker/download/>
<http://www.youtube.com/watch?v=Ahg6qcgoay4>

Summary


Choosing effective visual encodings requires knowledge of visual perception

Visual features/attributes

- Individual attributes often pre-attentive
- Multiple attributes may be separable, often integral

Gestalt principles provide high-level guidelines

We don't always see everything that is there



Geography of rivers and mountains [from Tufte 90]

Visual pathways





Figure 4.4.1 A theory of separate functional pathways in the primate visual system. Livingstone and Hubel suggested that form, color, motion, and stereo information become increasingly

differentiated from retina to extrastriate visual cortex. (LGN = lateral geniculate nucleus; MT = medial temporal lobe; V4 = visual area 4.) (From Livingstone & Hubel, 1988.)

Neuroscientists have found evidence of multiple visual pathways into the brain. They suggest these channels could separately encode color, motion, orientation, size and stereoscopic depth. [from Livingstone and Hubel 88]

Attending to multiple attributes




Color & Gray

Color & Texture


Attending only to rows or columns is more difficult in left image than in right image.

[Information Visualization. Figure 6.5 Ware O4]

Integral vs. separable



Integral: Color & Gray




Separable: Color & Texture

[Information Visualization. Figure 6.5 Ware 04]

Orthogonal dims: Size and angle


Temperature and precipitation



[Figure 3.36, p. 86 MacEachren 95]


Orthogonal dims: Size and shape

Temperature and precipitation




[Figure 3.40, p. 92 MacEachren 95]

Feature-integration theory




Speeded classification

Reaction times [msec]







[redrawn from The Processing of Information and Structure, Figure 6.6, p. 140, Garner 74]

Small Multiples




Operating trains. Redrawn by Tufte to emphasize colored lights. [from Tufte 90]

Small multiples



Steps in line width



http://mappa.mundi.net/maps/maps_014/telegeography.html




FIG. 8.4. Psychophysical magnitude functions for three perceptual continua plotted on linear coordinates. Each function is a power function. The form of the function is greatly influenced by the size of the exponent. An exponent of 1.0 corresponds to a linear function. An exponent less than 1.0 corresponds to a concave downward function, and an exponent greater than 1.0 corresponds to a concave upward function.




FIG. 8.3. Psychophysical magnitude functions for three perceptual continua. The linearity of the functions on double logarithmic coordinates indicates that sensation magnitude is a power function of stimulus intensity. The slope of the line corresponds to the exponent of the power function. The exponents for electric shock to the fingertips, line length, and the brightness of relatively large stimuli lasting about 1 sec are 3.5, 1.0, and .33, respectively.