
CSE 512 - Data Visualization Interaction



Leilani Battle University of Washington

Learning Goals

What do we mean by "interaction"?

What role do interactions play in visualization?

What makes an interaction effective?

Exercise: What is an Interaction?


How would you define interactions in your own words?


[There is an] apparent challenge that computational artifacts pose to the longstanding distinction between the physical and the social, in the special sense of those things that one designs, builds, and uses, on the one hand, and those things with which one communicates, on the other.

"Interaction"- in a sense previously reserved for describing a uniquely interpersonal activity - seems appropriately to characterize what goes on between people and certain machines as well.

Lucy Suchman, Plans and Situated Actions


Interaction between people and machines requires *mutual intelligibility* or shared understanding.





Gulf of Execution _____

The difference between the user's intentions and the allowable actions.




Gulf of Execution _____


The difference between the user's intentions and the allowable actions.


Gulf of Evaluation +

The amount of effort that the person must exert to interpret the state of the system and to determine how well the expectations and intentions have been met.

[Norman 1986]







Gulf of Execution

Gulf

Execution

Conceptual model: Draw a scatterplot

Ø

D

0

0


م

1.0000

Move 90 30 Rotate 35 Pen down

• • •

Gulf of Execution



Ø


D

0

0

ہ 2 Gulf

Execution



Real world

vl.markCircle()
 .encode(
 vl.x().fieldQ(...),
 vl.y().fieldQ(...)
)

Gulf of Execution

Gulf

Execution

Conceptual model: Draw a scatterplot

Ø


D

0


0

5

0



. Real world



Gulf of Execution _____

The difference between the user's intentions and the allowable actions.

Gulf of Evaluation +

The amount of effort that the person must exert to interpret the state of the system and to determine how well the expectations and intentions have been met.

[Norman 1986]

Significance for Visualization

Good interactions:

- Enable users to answer their own questions about the data (execution)
- Generate results that are easy to interpret (evaluation)


Interactive Visualization

Interaction Techniques

Are there "essential" interactive operations for exploratory data visualization?

Data and View Specification Visualize, Filter, Sort, Derive











			Tableau - Book1									
		₩ <mark>₩</mark> ▼¶ ₹∂₹	; + 1 + 7 @	III Show Me								
Data	Analytics ‡	Pages	III Columns E Category F SUM(Sales)									
🕝 Sample – S	Superstore		Rows	Region	Segment							
Dimensions			E KOWS	Region	Segment							
🔻 🗁 Custon		Filters				Category						
	tomer Name		Region	Segment	Technology	Office Supplies	Furniture					
Abc Segr	ion Ict		Central	Consumer								
Order		Marks		Corporate								
▶ 爲 Locatio ▼ 爲 Produc				Home Office								
		Automatic ¢	East	Consumer								
	-Category			Corporate								
	ufacturer	Color Size Label		Home Office								
Abc Prod	luct Name	Detail Tooltip	South	Consumer								
ah! Profit (Corporate								
Abc Region				Home Office								
Abc Measul	re Names	😓 🖽 Category 📮	West	Consumer								
Measures				Corporate								
# Discount				Home Office								
# Prof		Category			\$0 \$50,000 \$100,000	\$0 \$50,000 \$100,000 \$0	\$50,000 \$100,000					
+# Prof Rati		Technology			Sales	Sales	Sales					
# Quantity		Office Supplies										
# Sales		Furniture										
	(generated)											
	e (generated)											
	of Records											
# Measure Values												
🗇 Data Sourc	ce Sheet 1	to to to										

36 marks 12 rows by 3 columns SUM(Sales): \$2,297,201

		Tabl							
$ \begin{array}{c} \Leftrightarrow \\ \bullet \\$									
Data Analytics +	Pages	Columns	E Category	SUM(Sales)					
Sample - Superstore		Rows	Region	Segment					
Dimensions III P 👻			Region	beginene					
Customer Abc Customer Name Abc Segment	Filters	Region Central	Segment Consumer	Technology	Category Office Supplies	Furniture			
 ▶ ■ Order ▶ ▲ Location 	Marks	Gentral	Corporate Home Office						
 ▼ [™] Abc Category Abc Sub-Category Ø Manufacturer 	Image: Automatic Image: Automatic Image: Automatic Image: Automatic Image: Color Image: Automatic Image: Automatic Image: Automatic Image: A	East	Consumer Corporate Home Office						
Abc Product Name III! Profit (bin) Abc Region Abc <i>Measure Names</i>		South	Consumer Corporate Home Office Consumer		E (
Measures # Discount	🌏 🗄 Category 📻	TIGSL	Corporate Home Office						
# Profit# Profit Ratio# Quantity	Category Technology Office Supplies Furniture		\$0	\$50,000 \$100,000 Sales	\$0 \$50,000 \$100,000 \$0 Sales	\$50,000 \$100,000 Sales			
 # Sales Latitude (generated) Longitude (generated) Number of Records # Measure Values 									
Data Source Sheet 1	tin 🖽 tin								
36 marks 12 rows by 3 columns	SUM(Sales): \$2,297,201								

Tableau - Book1															
$ \Leftrightarrow \ \leftarrow \ \Rightarrow \ \blacksquare \ \ \ \ \ \ \ \ \ \ \ \ $									Me						
Data Analytics	Pages	Columns E Category		ory	SUM(Sales)				SUM(Profit)						
Sample – Superstore		Rows	Region	egion Segment											
	ρ → Filters		j			J		_							
 Customer Abc Customer Name 	Filters									gory			-		
Abc Segment		Region Central	Segment Consumer		Techr	ology			Office S	Supplies	3		Furr	niture	
Order		Contrai	Corporate												
▶ 爲 Location	Marks		Home Office			-								10	
▼ La Product	All	East	Consumer												
Abc Category Abc Sub-Category	Automatic 🗘		Corporate											Lī.	
Manufacturer	Abc 123		Home Office		-										
Abc Product Name	Color Size Label	South	Consumer												
ah! Profit (bin)			Corporate												
Abc Region	Detail Tooltip		Home Office												
Abc Measure Names		West	Consumer												
Measures	😞 🖽 Category 📻		Corporate												
# Discount			Home Office		1		1 1		1		1 1				
# Profit	SUM(Sales)			\$0	\$100,000	\$0	\$20,000	\$0	\$100,000	\$0	\$20,000	\$0	\$100,000	\$0	\$20,000
 # Profit Ratio # Quantity 	SUM(Profit)			5	ales		Profit		Sales		Profit		Sales		Profit
# Sales	Category														
Latitude (generated)	Technology														
Longitude (generated)															
# Number of Records	Furniture														
# Measure Values															
Data Source Shee	t 1 ta ta ta														


72 marks 12 rows by 6 columns SUM(Profit): \$286,397




Data and View Specification Visualize, Filter, Sort, Derive

Data and View Specification Visualize, Filter, Sort, Derive

View Manipulation Select, Navigate, Coordinate, Organize





Data and View Specification Visualize, Filter, Sort, Derive


View Manipulation Select, Navigate, Coordinate, Organize

Data and View Specification Visualize, Filter, Sort, Derive


View Manipulation Select, Navigate, Coordinate, Organize

Process and Provenance Record, Annotate, Share, Guide

Hours of footage lost each month due to dropped frames



Hours of footage lost each month due to dropped frames




Data and View Specification Visualize, Filter, Sort, Derive


View Manipulation Select, Navigate, Coordinate, Organize

Process and Provenance Record, Annotate, Share, Guide

EXAMPLE: Bertin's Hotel Data

J	F	Μ	A	M	J	J	Α	S	0	Ν	D		
26	21	26	28	20	20	20	20	20	40	15	40	1	% CLIENTELE FEMALE
69	70	77	71	37	36	39	39	55	60	68	72	2	%
7	6	3	6	23	14	19	14	9	6	8	8	3	% — "— U.S.A.
0	С	0	0	8	6	6	4	2	12	0	0	4	% SOUTH AMERICA
20	15	14	15	23	27	22	30	27	19	19	17	5	% EUROPE
1	0	0	8	6	4	6	4	2	1	0	1	6	% M.EAST, AFRICA
3	10	6	0	3	13	8	9	5	2	5	2	7	% — "— ASIA
78	80	85	86	85	87	70	76	87	85	87	80	8	% BUSINESSMEN
22	20	15	14	15	13	30	24	13	15	13	20	9	% TOURISTS
70	70	75	74	69	68	74	75	68	68	64	75	10	% DIRECT RESERVATIONS
20	18	19	17	27	27	19	19	26	27	21	15	11	% AGENCY
10	12	6	9	4	5	7	6	6	5	15	10	12	% AIR CREWS
2	2	4	2	2	1	1	2	2	4	2	5	13	% CLIENTS UNDER 20 YEARS
25	27	37	35	25	25	27	28	24	30	24	30	14	%
48	49	42	48	54	55	53	57	55	46	55	43	15	%
25	22	17	15	19	19	19	19	19	20	19	22	16	%
163	167	166	174	152	155	145	170	157	174	165	156	17	PRICE OF ROOMS
1.65	1.71	7. 65	1.91	1. 90	2.	1.54	1.60	1.73	1.82	1.66	1.44	18	LENGTH OF STAY
67	82	70	83	74	77	56	62	90	92	78	55	19	% OCCUPANCY
			×	×	×			×	×	X	×	20	CONVENTIONS





J FMAMJ JASOND J FMAMJ JASOND		
10 % OCCUPANCY	ACTIVE AND	
TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	SLOW PERIODS	
20 CONVENTIONS BUSINESSMEN	DISCOVERY FACTORS	
11 AGENCY RESERVATIONS		
AIQ CREWS CUENTS UNDER 20 YEARS CUENTS MORE THAN 55 YEARS 14 CLIENTS FROM 20-35 YEARS	RECOVERY FACTORS	
	WINTER	
TOURISTS 10 DIRECT RESERVATION 10 DIRECT RESERVATION 17 PRICE OF ROOMS	WINTER-SUMMER	
MIDDLE EAST, AFRICA JU.S.A. SEUROPE 15 CLIENTS FROM 35-55 YEARS	SUMMER	

EXAMPLE: Tukey et al.'s PRIM-9



PRIM-9, Tukey, Fisherkeller, Friedman 1972








Selection

Basic Selection Methods

Point Selection Mouse Hover / Click Touch / Tap Select Nearby Element (e.g., Bubble Cursor)







Basic Selection Methods


Point Selection Mouse Hover / Click Touch / Tap Select Nearby Element (e.g., Bubble Cursor)

Region Selection Rubber-band (rectangular) or Lasso (freehand) Area cursors ("brushes")

Brushing & Linking

Brushing


Direct attention to a subset of data [Wills 95]



Brushing & Linking


Select ("**brush**") a subset of data See selected data in other views

The components must be **linked** by *tuple* (matching data points), or by *query* (matching range or values)





Brushing Scatterplots, Becker & Cleveland 1982


Brushing Scatterplots





Cross-Filtering


















Linking Assists to Positions



Dynamic Queries

Query & Results

SELECT house FROM seattle_homes WHERE price < 1,000,000 AND bedrooms > 2 ORDER BY price

		Dynamic Browser	: DC Home Finder
IdNumber	Dwelling	Address	City
2	House	5256 S. Capitol St.	Beltsville, MD
4	House	5536 S. Lincoln St.	Beltsville, MD
5	House	5165 Jones Street	Beltsville, MD
8	House	5007 Jones Street	Beltsville, MD
9	House	4872 Jones Street	Beltsville, MD
17	House	5408 S. Capitol St.	Beltsville, MD
20	House	5496 S. Capitol St.	Beltsville, MD
85	Condo	5459 S. Lincoln St.	Laurel, MD
86	Condo	5051 S. Lincoln St.	Laurel, MD
88	Condo	5159 Hamilton Street	Laurel, MD
92	Condo	5132 Hamilton Street	Laurel, MD
93	Condo	5221 S. Lincoln St.	Laurel, MD
94	Condo	5043 S. Lincoln St.	Laurel, MD
95	Condo	4970 Jones Street	Laurel, MD
97	Condo	4677 Jones Street	Laurel, MD
98	Condo	4896 S. Capitol St.	Laurel, MD
99	Condo	5048 S. Capitol St.	Laurel, MD
100	Condo	4597 31st Street	Laurel, MD
101	Condo	5306 S. Lincoln St.	Laurel, MD
103	Condo	5562 Glass Road	Laurel, MD
105	Condo	5546 Hamilton Street	Laurel, MD
152	House	7670 31st Street	Upper Marlboro, MD

Exercise: What are Some Drawbacks to Textual Queries?

What are some potential downsides to assuming a text-based query interface for data analysis?

Issues with Textual Queries

- 1. For programmers
- 2. Rigid syntax
- 3. Only shows exact matches
- 4. Too few or too many hits
- 5. No hint on how to reformulate the query
- 6. Slow question-answer loop
- 7. Results returned as table

HomeFinder





[Williamson and Shneiderman 92]

Direct Manipulation

- 1. Visual representation of objects and actions
- 2. Rapid, incremental and reversible actions
- 3. Selection by pointing (not typing)
- 4. Immediate and continuous display of results







Alphaslider (?)

Title : Moonstruck






A B C D F GHLM NPR S T WZ


[Ahlberg and Shneiderman 94]

Popularity



The Attribute Explorer

Zipdecode [Fry 04]




Hit the letter **z**, or click the word **zoom** to enable or disable zooming.

Hold down **shift** while typing a number to replace the previous number (U.S. keyboards only).


http://benfry.com/zipdecode/

NameVoyager [Wattenberg 06]




http://www.babynamewizard.com/voyager


DimpVis [Kondo 14]




Parallel Coordinates [Inselberg]




TimeSearcher [Hocheiser 02]





Builds on Wattenberg's [2001] idea for sketch-based queries of time-series data.




Qetch [Mannino 18]




Supports freehand sketching of temporal patterns to interactively query time series.

3D Dynamic Queries [Akers 04]



3D Dynamic Queries [Akers 04]



Pros & Cons

Pros

Controls useful for both novices and experts Quick way to explore data

Pros & Cons

Pros

Controls useful for both novices and experts Quick way to explore data

Cons Simple queries Lots of controls Amount of data shown limited by screen space

Who would use these kinds of tools?

Summary

Most visualizations are interactive

Even passive media elicit interactions **Good visualizations are task dependent** Pick the right interaction technique

Consider the semantics of the data domain **Fundamental interaction techniques** Selection / Annotation, Sorting, Navigation, Brushing & Linking, Dynamic Queries

Administrivia

A2: Deceptive Visualization

Design **two** static visualizations for a dataset: 1. An earnest visualization that faithfully conveys the data 2. A deceptive visualization that tries to mislead viewers Your two visualizations may address different questions. Try to design a deceptive visualization that appears to be earnest: can you trick your classmates and course staff? You are free to choose your own dataset, but we have also provided some preselected datasets for you. Submit two images and a brief write-up on Gradescope. Due by Fri 4/22 11:59pm.

A2 Peer Reviews

On Thursday 4/21 you will be assigned two peer A2 submissions to review. For each:

- Try to determine which is earnest and which is deceptive
- Share a rationale for how you made this determination
- Share feedback using the "I Like / I Wish / What If" rubric

Assigned reviews will be posted on the A2 Peer Review page on Canvas, along with a link to a Google Form. You should submit two forms: one for each A2 peer review.

Due by Fri 4/29 11:59pm.

I Like... / I Wish... / What If?

I LIKE...

Praise for design ideas and/or well-executed implementation details. *Example: "I like the navigation through time via the slider; the patterns observed as one moves forward are compelling!"*

I WISH...


Constructive statements on how the design might be improved or further refined. *Example: "I wish moving the slider caused the visualization to update immediately, rather than the current lag."*

WHAT IF?


Suggest alternative design directions, or even wacky half-baked ideas. Example: "What if we got rid of the slider and enabled direct manipulation navigation by dragging data points directly?" Break Time!

An Interaction Grammar (Vega-Lite Selections)


Satyanarayan, Moritz, Wongsuphasawat, Heer. TVCG'17




Vega-Lite: A Grammar of Graphics





Vega-Lite: A Grammar of Multi-View Graphics





Vega-Lite: A Grammar of Interactive Graphics

















markBar().encode(
 x().fieldQ('delay').bin(true),
 y().count()
).data('data/flights.json')



markBar().encode(
 x().fieldQ('delay').bin(true),
 y().count(),
 color().value('lightgrey')
).data('data/flights.json')



```
markBar().encode(
    x().fieldQ(repeat('row').bin(true),
    y().count(),
    color().value('lightgrey')
)
.repeat({
    row: ['delay', 'distance', 'hour']
  })
.data('data/flights.json')
```





brush = selectInterval().encodings('x')

```
1,000
layer(
                                                          500
  markBar().encode(
     x().fieldQ(repeat('row')).bin(true),
                                                            -35 -25
                                                                    -5
                                                                 -15
                                                                      5
                                                                         15
                                                                            25
                                                                                  45
                                                                                    55
                                                                                       65
                                                                                          75
                                                                                             85
                                                                                                  105
                                                                                                     115
                                                                                                       125
                                                                                                          135
                                                            delay (binned)
     y().count(),
                                                          800
     color().value('lightgrey')
                                                          600
  ).params(brush),
                                                          400
                                                          200
  markBar().encode(
                                                                 300
                                                                      500
                                                                                            1300
                                                                                                      1700
                                                                            700
                                                                                      1100
                                                                                                 1500
     x().fieldQ(repeat('row')).bin(true),
                                                                                 900
                                                            distance (binned)
     y().count()
                                                          400
                                                          300
                                                          200
                                                          100
.repeat({
                                                                           6
                                                                             ż
                                                                               8
                                                                                  ġ.
                                                                                    10
                                                                                      11 12 13 14 15 16 17 18
                                                                                                          19
                                                                 2
  row: ['delay', 'distance', 'hour']
                                                            hour (binned)
})
.data('data/flights.json')
```

145 155


1900

20 21


2100

2300

brush = selectInterval.encodings('x')



brush = selectInterval.encodings('x')



Multi-view interactive graphics in ~10 lines of code

What constitutes a selection?

Input handlers: click, shift-click, drag, zoom, ... Bindings


- Inputs: interactive brush, query widgets
- Axis scales: pan / zoom a scale domain
- Legends: interactive selection

Scale inversion: visual space → data space Predicate: test if a data record is selected


A selection can then *parameterize* data transformations and visual encodings.

Selections

Selections *invert* scales and *parameterize* graphics



Bind selection to scale domains: Synchronized Pan & Zoom! Overview + Detail



Parameterized Transformations