

# Generative Adversarial Nets

---



# Implicit Generative Model

---

- **Goal:** a sampler  $g(\cdot)$  to generate images
- A simple generator  $g(z; \theta)$ :
  - $z \sim N(0, I)$
  - $x = g(z; \theta)$  deterministic transformation
- Likelihood-free training:
  - Given a dataset from some distribution  $p_{data}$
  - Goal:  $g(z; \theta)$  defines a distribution, we want this distribution  $\approx p_{data}$
  - Training: minimize  $D(g(z; \theta), p_{data})$ 
    - $D$  is some distance metric (not likelihood)
  - Key idea: **Learn a differentiable  $D$**

# GAN (Goodfellow et al., '14)

- Parameterize the discriminator  $D(\cdot; \phi)$  with parameter  $\phi$
- **Goal:** learn  $\phi$  such that  $D(x; \phi)$  measures how likely  $x$  is from  $p_{data}$ 
  - $D(x, \phi) = 1$  if  $x \sim p_{data}$
  - $D(x, \phi) = 0$  if  $x \not\sim p_{data}$
  - a.k.a., a binary classifier
- GAN: use a neural network for  $D(\cdot; \phi)$
- **Training:** need both negative and positive samples
  - Positive samples: just the training data
  - Negative samples: use our sampler  $g(z; \theta)$  (can provide infinite samples).
- **Overall objectives:**
  - Generator:  $\theta^* = \max_{\theta} D(g(z; \theta); \phi)$
  - Discriminator uses MLE Training:  
$$\phi^* = \max_{\phi} \mathbb{E}_{x \sim p_{data}} [\log D(x; \phi)] + \mathbb{E}_{\hat{x} \sim g(\cdot)} [\log(1 - D(\hat{x}; \phi))]$$

# GAN (Goodfellow et al., '14)

- Generator  $g(z; \theta)$  where  $z \sim N(0, I)$ 
  - Generate realistic data

- Discriminator  $D(x; \phi)$ 
  - Classify whether the data is real (from  $p_{data}$ ) or fake (from  $g$ )

- Objective function:

$$L(\theta, \phi) = \min_{\theta} \max_{\phi} \mathbb{E}_{x \sim p_{data}} [\log D(x; \phi)] + \mathbb{E}_{\hat{x} \sim g(z, \theta)} [\log(1 - D(\hat{x}; \phi))]$$

- Training procedure:

- Collect dataset  $\{(x, 1) \mid x \sim p_{data}\} \cup \{(\hat{x}, 0) \sim g(z; \theta)\}$

- Train discriminator

$$D : L(\phi) = \mathbb{E}_{x \sim p_{data}} [\log D(x; \phi)] + \mathbb{E}_{\hat{x} \sim g(z, \theta)} [\log(1 - D(\hat{x}; \phi))]$$



- Train generator  $g : L(\theta) = \mathbb{E}_{z \sim N(0, I)} [\log D(g(z; \theta), \phi)]$

- Repeat

# GAN (Goodfellow et al., '14)

- Objective function:

$$L(\theta, \phi) = \min_{\theta} \max_{\phi} \mathbb{E}_{x \sim p_{data}} [\log D(x; \phi)] + \mathbb{E}_{\hat{x} \sim G} [\log(1 - D(\hat{x}; \phi))]$$




# Math Behind GAN

---

# Math Behind GAN

---

# KL-Divergence and JS-Divergence






# Math Behind GAN


---

# Evaluation of GAN


- No  $p(x)$  in GAN.
- Idea: use a trained classifier  $f(y | x)$ :
- If  $x \sim p_{data}$ ,  $f(y | x)$  should have low entropy
  - Otherwise,  $f(y | x)$  close to uniform.
- Samples from  $G$  should be diverse:
  - $p_f(y) = \mathbb{E}_{x \sim G}[f(y | x)]$  close to uniform.



Similar labels sum to give focussed distribution




Different labels sum to give uniform distribution



# Evaluation of GAN


- Inception Score (IS, Salimans et al. '16)
  - Use Inception V3 trained on ImageNet as  $f(y|x)$
  - $IS = \exp \left( \mathbb{E}_{x \sim G} \left[ KL(f(y|x) || p_f(y)) \right] \right)$
  - Higher the better

High KL divergence



Ideal situation

Medium KL divergence




Generated images are not distinctly one label

Low KL divergence



Generated images are not distinctly one label

Low KL divergence



Generator lacks diversity

Label distribution
Marginal distribution

# Comments on GAN

---

- Other evaluation metrics:
  - Fréchet Inception Distance (FID): Wasserstein distance between Gaussians
- Mode collapse:
  - The generator only generate a few type of samples.
  - Or keep oscillating over a few modes.
- Training instability:
  - Discriminator and generator may keep oscillating
  - Example:  $-xy$ , generator  $x$ , discriminatory. NE:  $x = y = 0$  but GD oscillates.
  - No stopping criteria.
  - Use Wasserstein GAN (Arjovsky et al. '17):
$$\min_G \max_{f: \text{Lip}(f) \leq 1} \mathbb{E}_{x \sim p_{data}} [f(x)] - \mathbb{E}_{\hat{x} \sim p_G} [f(\hat{x})]$$
  - And need many other tricks...

# Variational Autoencoder

---



# Architecture


- Auto-encoder:  $x \rightarrow z \rightarrow x$
- Encoder:  $q(z | x; \phi) : x \rightarrow z$
- Decoder:  $p(x | z; \theta) : z \rightarrow x$

- Isomorphic Gaussian:

$$q(z | x; \phi) = N(\mu(x; \phi), \text{diag}(\exp(\sigma(x; \phi))))$$

- Gaussian prior:  $p(z) = N(0, I)$
- Gaussian likelihood:  $p(x | z; \theta) \sim N(f(z; \theta), I)$

- Probabilistic model interpretation: latent variable model.



# VAE Training

- Training via optimizing ELBO

- $L(\phi, \theta; x) = \mathbb{E}_{z \sim q(z|x; \phi)} [\log p(z|x; \theta)] - KL(q(z|x; \phi) || p(z))$

- Likelihood term + KL penalty

- KL penalty for Gaussians has closed form.

- Likelihood term (reconstruction loss):

- Monte-Carlo estimation


- Draw samples from  $q(z|x; \phi)$

- Compute gradient of  $\theta$ :

- $x \sim N(f(z; \theta); I)$


- $p(x) = \frac{1}{\sqrt{2\pi}} \exp\left(-\frac{1}{2} \|x - f(z; \theta)\|_2^2\right)$

**No gradient!**



# VAE Training



- Likelihood term (reconstruction loss):
  - Gradient for  $\phi$ . Loss:  $L(\phi) = \mathbb{E}_{z \sim q(z; \phi)} [\log p(x | z)]$
  - Reparameterization trick:
    - $z \sim N(\mu, \Sigma) \Leftrightarrow z = \mu + \epsilon, \epsilon \sim N(0, \Sigma)$
  - $L(\phi) \propto \mathbb{E}_{z \sim q(z | \phi)} [\|f(z; \theta) - x\|_2^2]$   
 $\propto \mathbb{E}_{\epsilon \sim N(0, I)} [\|f(\mu(x; \phi) + \sigma(x; \phi) \cdot \epsilon; \theta) - x\|_2^2]$
  - Monte-Carlo estimate for  $\nabla L(\phi)$
- End-to-end training






# VAE vs. AE

- AE: classical unsupervised representation learning method.
- VAE: a probabilistic model of AE
  - AE + Gaussian noise on  $z$
  - KL penalty:  $L_2$  constraint on the latent vector  $z$



# Conditioned VAE

- Semi-supervised learning: some labels are also available



conditioned generation

# Comments on VAE

---

- Pros:
  - Flexible architecture
  - Stable training
- Cons:
  - Inaccurate probability evaluation (approximate inference)

# Energy-Based Models

---

W


# Energy-based Models

---

- Goal of generative models:
  - a probability distribution of data:  $P(x)$
- Requirements
  - $P(x) \geq 0$  (non-negative)
  - $\int_x P(x)dx = 1$
- Energy-based model:
  - Energy function:  $E(x; \theta)$ , parameterized by  $\theta$
  - $P(x) = \frac{1}{z} \exp(-E(x; \theta))$  (why exp?)
  - $z = \int_x \exp(-E(x; \theta))dx$

# Boltzmann Machine

- Generative model
  - $E(y) = \frac{1}{2} y^T W y$
  - $P(y) = \frac{1}{Z} \exp(-\frac{E(y)}{T})$ ,  $T$ : temperature hyper-parameter
  - $W$ : parameter to learn
- When  $y_i$  is binary, patterns are affecting each other through  $W$



$$z_i = \frac{1}{T} \sum_j w_{ji} s_j$$

$$P(s_i = 1 | s_{j \neq i}) = \frac{1}{1 + e^{-z_i}}$$

# Boltzmann Machine: Training

---

- Objective: maximum likelihood learning (assume  $T = 1$ ):
  - Probability of one sample:

$$P(y) = \frac{\exp(\frac{1}{2}y^T W y)}{\sum_{y'} \exp(y'^T W y')}$$

- Maximum log-likelihood:

$$L(W) = \frac{1}{N} \sum_{y \in D} \frac{1}{2} y^T W y - \log \sum_{y'} \exp(\frac{1}{2} y'^T W y')$$

# Boltzmann Machine: Training

---




# Boltzmann Machine: Sampling

---

# Restricted Boltzmann Machine

- A structured Boltzmann Machine
  - Hidden neurons are only connected to visible neurons
  - No intra-layer connections
  - Invented by Paul Smolensky in '89
  - Became more practical after Hinton invested fast learning algorithms in mid 2000




# Restricted Boltzmann Machine

- Computation Rules

- Iterative sampling


- Hidden neurons  $h_i$ :  $z_i = \sum_j w_{ij}v_j$ ,  $P(h_i | v) = \frac{1}{1 + \exp(-z_i)}$

- Visible neurons  $v_j$ :  $z_j = \sum_i w_{ij}h_i$ ,  $P(v_j | h) = \frac{1}{1 + \exp(-z_j)}$



# Restricted Boltzmann Machine

- Sampling:
  - Randomly initialize visible neurons  $v_0$
  - Iterative sampling between hidden neurons and visible neurons
  - Get final sample  $(v_\infty, h_\infty)$
- Training:
  - MLE
  - Sampling to approximate gradient




# Restricted Boltzmann Machine

- Maximum likelihood estimated:


- $$\nabla_{w_{ij}} L(W) = \frac{1}{N_p K} \sum_{v \in P} v_{0i} h_{0j} - \frac{1}{M} \sum v_{\infty i} h_{\infty j}$$

- No need to lift up the entire energy landscape!
  - Raising the neighborhood of desired patterns is sufficient




# Deep Boltzmann Machine

- Can we have a **deep** version of RBM?
  - Deep Belief Net ('06)
  - Deep Boltzmann Machine ('09)
- Sampling?
  - Forward pass: bottom-up
  - Backward pass: top-down
- Deep Boltzmann Machine
  - The very first deep generative model
  - Salakhudinov & Hinton




deep belief net




Deep Boltzmann Machine

# Deep Boltzmann Machine


## Deep Boltzmann Machine



Training Samples



Generated Samples



# Summary

---

- Pros: powerful and flexible

- An arbitrarily complex density function  $p(x) = \frac{1}{z} \exp(-E(x))$

- Cons: hard to sample / train

- Hard to sample:
    - MCMC sampling
  - Partition function
    - No closed-form calculation for likelihood
    - Cannot optimize MLE loss exactly
    - MCMC sampling