

Distributed Hash Tables

What is a DHT?

- Hash Table
 - data structure that maps "keys" to "values"
 - essential building block in software systems
- Distributed Hash Table (DHT)
 - similar, but spread across many hosts
- Interface
 - `insert(key, value)`
 - `lookup(key)`

How do DHTs work?


Every DHT node supports a single operation:

- Given key as input; route messages to node holding key
- DHTs are content-addressable

DHT: basic idea




DHT: basic idea




Neighboring nodes are "connected" at the application-level

DHT: basic idea




Operation: take *key* as input; route messages to node holding *key*

DHT: basic idea




Operation: take *key* as input; route messages to node holding *key*

DHT: basic idea




Operation: take *key* as input; route messages to node holding *key*

DHT: basic idea



Operation: take *key* as input; route messages to node holding *key*


DHT: basic idea



Operation: take *key* as input; route messages to node holding *key*

Fundamental Design Idea I

- Consistent Hashing
 - Map keys and nodes to an identifier space; implicit assignment of responsibility




Mapping performed using hash functions (e.g., SHA-1)

- What is the advantage of consistent hashing?

Fundamental Design Idea II


- Prefix / Hypercube routing



How to design a DHT?


- **State Assignment:**
 - what "(key, value) tables" does a node store?
- **Network Topology:**
 - how does a node select its neighbors?
- **Routing Algorithm:**
 - which neighbor to pick while routing to a destination?
- **Various DHT algorithms make different choices**
 - CAN, Chord, Pastry, Tapestry, Plaxton, Viceroy, Kademlia, Skipnet, Symphony, Koorde, Apocrypha, Land, ORDI ...

State Assignment in Chord



- Nodes are randomly chosen points on a clock-wise Ring of values
- Each node stores the id space (values) between itself and its predecessor

Chord Topology and Route Selection



- Neighbor selection: i^{th} neighbor at 2^i distance
- Route selection: pick neighbor closest to destination

Issues

- How do you characterize the performance of DHTs?

Issues

- How do you improve the performance of DHTs?

Issues

- What are the fault tolerance/correctness issues?

Issues

- What are the security issues?

Issues

- What are the load balance issues?