

# CSE-571

# Probabilistic Robotics

## **Probabilistic Robotics**

Probabilities  
Bayes rule  
Bayes filters

# Probabilistic Robotics

Key idea: Explicit representation of uncertainty

(using the calculus of probability theory)

- Perception = state estimation
- Action = utility optimization


# Discrete Random Variables

- $X$  denotes a random variable.
- $X$  can take on a countable number of values in  $\{x_1, x_2, \dots, x_n\}$ .
- $P(X=x_i)$ , or  $P(x_i)$ , is the probability that the random variable  $X$  takes on value  $x_i$ .
- $P(\cdot)$  is called probability mass function.
- E.g.  $P(Room) = \langle 0.7, 0.2, 0.08, 0.02 \rangle$

# Continuous Random Variables

- $X$  takes on values in the continuum.
- $p(X=x)$ , or  $p(x)$ , is a probability density function.

$$\Pr(x \in (a, b)) = \int_a^b p(x) dx$$



# Joint and Conditional Probability

- $P(X=x \text{ and } Y=y) = P(x,y)$
- If X and Y are independent then
$$P(x,y) = P(x) P(y)$$
- $P(x | y)$  is the probability of x given y
$$P(x | y) = P(x,y) / P(y)$$
$$P(x,y) = P(x | y) P(y)$$
- If X and Y are independent then
$$P(x | y) = P(x)$$

# Law of Total Probability, Marginals

## Discrete case

$$\sum_x P(x) = 1$$

$$P(x) = \sum_y P(x, y)$$

$$P(x) = \sum_y P(x | y) P(y)$$

## Continuous case

$$\int p(x) dx = 1$$

$$p(x) = \int p(x, y) dy$$

$$p(x) = \int p(x | y) p(y) dy$$

# Bayes Formula

$$P(x, y) = P(x | y)P(y) = P(y | x)P(x)$$

$\Rightarrow$

$$P(x | y) = \frac{P(y | x) P(x)}{P(y)} = \frac{\text{likelihood} \cdot \text{prior}}{\text{evidence}}$$

- Often **causal** knowledge is easier to obtain than **diagnostic** knowledge.
- Bayes rule allows us to use causal knowledge.


# Normalization

$$P(x \mid y) = \frac{P(y \mid x) P(x)}{P(y)} = \eta P(y \mid x) P(x)$$

$$\eta = P(y)^{-1} = \frac{1}{\sum_{x'} P(y \mid x') P(x')}$$

# Simple Example of State Estimation

- Suppose a robot obtains measurement  $z$
- What is  $P(\text{open}|z)$ ?



# Example

$$P(z | \text{open}) = 0.6 \quad P(z | \neg \text{open}) = 0.3$$

$$P(\text{open}) = P(\neg \text{open}) = 0.5$$

$$P(\text{open} | z) = \frac{P(z | \text{open})P(\text{open})}{P(z | \text{open})p(\text{open}) + P(z | \neg \text{open})p(\neg \text{open})}$$

$$P(\text{open} | z) = \frac{0.6 \cdot 0.5}{0.6 \cdot 0.5 + 0.3 \cdot 0.5} = \frac{2}{3} = 0.67$$

- $z$  raises the probability that the door is open.

# Normalization

$$P(x \mid y) = \frac{P(y \mid x) P(x)}{P(y)} = \eta P(y \mid x) P(x)$$

$$\eta = P(y)^{-1} = \frac{1}{\sum_{x'} P(y \mid x') P(x')}$$

Algorithm:

$$\forall x : \text{aux}_{x|y} = P(y \mid x) P(x)$$

$$\eta = \frac{1}{\sum_x \text{aux}_{x|y}}$$

$$\forall x : P(x \mid y) = \eta \text{ aux}_{x|y}$$

# Conditioning

- Bayes rule and background knowledge:

$$P(x \mid y, z) = \frac{P(y \mid x, z) P(x \mid z)}{P(y \mid z)}$$

$$P(x \mid y) \stackrel{?}{=} \int P(x \mid y, z) P(z) dz$$

$$\stackrel{?}{=} \int P(x \mid y, z) P(z \mid y) dz$$

$$\stackrel{?}{=} \int P(x \mid y, z) P(y \mid z) dz$$

# Conditioning

- Bayes rule and background knowledge:

$$P(x \mid y, z) = \frac{P(y \mid x, z) P(x \mid z)}{P(y \mid z)}$$

$$P(x \mid y) = \int P(x \mid y, z) P(z \mid y) dz$$

# Conditional Independence

$$P(x, y | z) = P(x | z)P(y | z)$$

- Equivalent to


$$P(x | z) = P(x | z, y)$$

and

$$P(y | z) = P(y | z, x)$$

# Simple Example of State Estimation

- Suppose our robot obtains another observation  $z_2$ .
- What is  $P(\text{open} | z_1, z_2)$ ?



# Recursive Bayesian Updating

$$P(x \mid z_1, \dots, z_n) = \frac{P(z_n \mid x, z_1, \dots, z_{n-1}) P(x \mid z_1, \dots, z_{n-1})}{P(z_n \mid z_1, \dots, z_{n-1})}$$

**Markov assumption:**  $z_n$  is conditionally independent of  $z_1, \dots, z_{n-1}$  given  $x$ .

$$\begin{aligned} P(x \mid z_1, \dots, z_n) &= \frac{P(z_n \mid x) P(x \mid z_1, \dots, z_{n-1})}{P(z_n \mid z_1, \dots, z_{n-1})} \\ &= \eta P(z_n \mid x) P(x \mid z_1, \dots, z_{n-1}) \\ &= \eta_{1\dots n} \prod_{i=1\dots n} P(z_i \mid x) P(x) \end{aligned}$$

# Example: Second Measurement

$$P(z_2 | \text{open}) = 0.5$$

$$P(z_2 | \neg\text{open}) = 0.6$$

$$P(\text{open} | z_1) = 2 / 3$$

$$P(\neg\text{open} | z_1) = 1 / 3$$

$$\begin{aligned} P(\text{open} | z_2, z_1) &= \frac{P(z_2 | \text{open}) P(\text{open} | z_1)}{P(z_2 | \text{open}) P(\text{open} | z_1) + P(z_2 | \neg\text{open}) P(\neg\text{open} | z_1)} \\ &= \frac{\frac{1}{2} \cdot \frac{2}{3}}{\frac{1}{2} \cdot \frac{2}{3} + \frac{3}{5} \cdot \frac{1}{3}} = \frac{5}{8} = 0.625 \end{aligned}$$

- $z_2$  lowers the probability that the door is open.

# Bayes Filters: Framework

- **Given:**
  - Stream of observations  $z$  and action data  $u$ :
$$d_t = \{u_1, z_2, \dots, u_{t-1}, z_t\}$$
  - Sensor model  $P(z|x)$ .
  - Action model  $P(x|u, x')$ .
  - Prior probability of the system state  $P(x)$ .
- **Wanted:**
  - Estimate of the state  $X$  of a **dynamical system**.
  - The posterior of the state is also called **Belief**:

$$Bel(x_t) = P(x_t | u_1, z_2, \dots, u_{t-1}, z_t)$$

$z$  = observation  
 $u$  = action  
 $x$  = state

# Bayes Filters

$$Bel(x_t) = P(x_t | u_1, z_1, \dots, u_t, z_t)$$

**Bayes**

$$= \eta P(z_t | x_t, u_1, z_1, \dots, u_t) P(x_t | u_1, z_1, \dots, u_t)$$

**Markov**

$$= \eta P(z_t | x_t) P(x_t | u_1, z_1, \dots, u_t)$$

**Total prob.**

$$= \eta P(z_t | x_t) \int P(x_t | u_1, z_1, \dots, u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$$

**Markov**


$$= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$$

$$= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

$$Bel(x_t) = \eta \int P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

1. Algorithm **Bayes\_filter**(  $Bel(x), d$  ):
2.  $h=0$
3. If  $d$  is a **perceptual** data item  $z$  then
  4. For all  $x$  do
    5.  $Bel'(x) = P(z | x)Bel(x)$
    6.  $\eta = \eta + Bel'(x)$
  7. For all  $x$  do
    8.  $Bel'(x) = \eta^{-1}Bel'(x)$
9. Else if  $d$  is an **action** data item  $u$  then
  10. For all  $x$  do
    11.  $Bel'(x) = \int P(x | u, x') Bel(x') dx'$
12. Return  $Bel'(x)$

# Markov Assumption



$$p(z_t \mid x_{0:t}, z_{1:t-1}, u_{1:t}) = p(z_t \mid x_t)$$


$$p(x_t \mid x_{1:t-1}, z_{1:t-1}, u_{1:t}) = p(x_t \mid x_{t-1}, u_t)$$

## Underlying Assumptions


- Static world
- Independent noise
- Perfect model, no approximation errors

# Dynamic Environments

- Two possible locations  $x_1$  and  $x_2$
- $P(x_1) = 0.99$
- $P(z|x_2) = 0.09$   $P(z|x_1) = 0.07$



# Bayes Filters for Robot Localization



# Representations for Bayesian Robot Localization

## Discrete approaches (' 95)

- Topological representation (' 95)
  - uncertainty handling (POMDPs)
  - occas. global localization, recovery
- Grid-based, metric representation (' 96)
  - global localization, recovery

AI

## Particle filters (' 99)

- sample-based representation
- global localization, recovery

## Kalman filters (late-80s?)

- Gaussians
- approximately linear models
- position tracking

Robotics

## Multi-hypothesis (' 00)

- multiple Kalman filters
- global localization, recovery

# Bayes Filters are Familiar!

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

- Kalman filters
- Particle filters
- Hidden Markov models
- Dynamic Bayesian networks
- Partially Observable Markov Decision Processes (POMDPs)

# Summary

- Bayes rule allows us to compute probabilities that are hard to assess otherwise.
- Under the Markov assumption, recursive Bayesian updating can be used to efficiently combine evidence.
- Bayes filters are a probabilistic tool for estimating the state of dynamic systems.