


CSE 573: Artificial Intelligence

Hanna Hajishirzi



HMMs Inference, Particle Filters

slides adapted from
Dan Klein, Pieter Abbeel ai.berkeley.edu
And Dan Weld, Luke Zettelmoyer




Recap: Reasoning Over Time

■ Markov models



■ Hidden Markov models




$P(E|X)$

X	E	P
rain	umbrella	0.9
rain	no umbrella	0.1
sun	umbrella	0.2
sun	no umbrella	0.8


Example: Ghostbusters HMM

- $P(X_1) = \text{uniform}$
- $P(X|X') = \text{usually move clockwise, but sometimes move in a random direction or stay in place}$
- $P(R_{ij}|X) = \text{same sensor model as before: red means close, green means far away.}$




1/9	1/9	1/9
1/9	1/9	1/9
1/9	1/9	1/9

$P(X_1)$




1/6	1/6	1/2
0	1/6	0
0	0	0

$P(X|X'=\langle 1,2 \rangle)$




Video of Demo Ghostbusters – Circular Dynamics -- HMM



Conditional Independence

- HMMs have two important independence properties:
 - Markov hidden process: future depends on past via the present
 - Current observation independent of all else given current state



- Does this mean that evidence variables are guaranteed to be independent?
 - [No, they tend to be correlated by the hidden state]

Real HMM Examples


- Robot tracking:
 - Observations are range readings (continuous)
 - States are positions on a map (continuous)
- Speech recognition HMMs:
 - Observations are acoustic signals (continuous valued)
 - States are specific positions in specific words (so, tens of thousands)
- Machine translation HMMs:
 - Observations are words (tens of thousands)
 - States are translation options

Filtering / Monitoring

- Filtering, or monitoring, is the task of tracking the distribution $B_t(X) = P_t(X_t \mid e_1, \dots, e_t)$ (the belief state) over time
- We start with $B_1(X)$ in an initial setting, usually uniform
- As time passes, or we get observations, we update $B(X)$
- The Kalman filter was invented in the 60's and first implemented as a method of trajectory estimation for the Apollo program

Example: Robot Localization


Example from
Michael Pfeiffer





$t=0$

Sensor model: can read in which directions there is a wall, never more than 1 mistake

Motion model: may not execute action with small prob.




Example: Robot Localization




Lighter grey: was possible to get the reading, but less likely b/c required 1 mistake


Example: Robot Localization




$t=2$




Example: Robot Localization




$t=3$




Example: Robot Localization




$t=4$



Example: Robot Localization



$t=5$



Inference: Find State Given Evidence

- We are given evidence at each time and want to know

$$B_t(X) = P(X_t | e_{1:t})$$

- Idea: start with $P(X_1)$ and derive B_t in terms of B_{t-1}
 - equivalently, derive B_{t+1} in terms of B_t

Background: Probabilistic Inference

- Probabilistic inference: compute a desired probability from other known probabilities (e.g. conditional from joint)
- We generally compute conditional probabilities
 - $P(\text{on time} \mid \text{no reported accidents}) = 0.90$
 - These represent the agent's *beliefs* given the evidence
- Probabilities change with new evidence:
 - $P(\text{on time} \mid \text{no accidents, 5 a.m.}) = 0.95$
 - $P(\text{on time} \mid \text{no accidents, 5 a.m., raining}) = 0.80$
 - Observing new evidence causes *beliefs to be updated*



Inference by Enumeration

- $P(W)$?

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W)$?

$$P(\text{sun}) = .3 + .1 + .1 + .15 = .65$$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W)$?

$$P(\text{sun}) = .3 + .1 + .1 + .15 = .65$$

$$P(\text{rain}) = 1 - .65 = .35$$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter})?$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter})?$

$$P(\text{sun}|\text{winter}) \sim .1 + .15 = .25$$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter})?$

$$P(\text{rain}|\text{winter}) \sim .05 + .2 = .25$$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter})?$

$P(\text{sun}|\text{winter}) \sim .25$

$P(\text{rain}|\text{winter}) \sim .25$

$P(\text{sun}|\text{winter}) = .5$

$P(\text{rain}|\text{winter}) = .5$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter, hot})?$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter, hot})?$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter, hot})?$

$P(\text{sun} \mid \text{winter, hot}) \sim .1$
 $P(\text{rain} \mid \text{winter, hot}) \sim .05$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

- $P(W \mid \text{winter, hot})?$

$P(\text{sun} \mid \text{winter, hot}) \sim .1$
 $P(\text{rain} \mid \text{winter, hot}) \sim .05$
 $P(\text{sun} \mid \text{winter, hot}) = 2/3$
 $P(\text{rain} \mid \text{winter, hot}) = 1/3$

S	T	W	P
summer	hot	sun	0.30
summer	hot	rain	0.05
summer	cold	sun	0.10
summer	cold	rain	0.05
winter	hot	sun	0.10
winter	hot	rain	0.05
winter	cold	sun	0.15
winter	cold	rain	0.20

Inference by Enumeration

General case:


- Evidence variables: $E_1 \dots E_k = e_1 \dots e_k$
 - Query* variable: Q
 - Hidden variables: $H_1 \dots H_r$
- $\left. \begin{array}{l} E_1 \dots E_k = e_1 \dots e_k \\ Q \\ H_1 \dots H_r \end{array} \right\} \begin{array}{l} X_1, X_2, \dots X_n \\ \text{All variables} \end{array}$

We want:

** Works fine with multiple query variables, too*

$$P(Q|e_1 \dots e_k)$$


- Step 1: Select the entries consistent with the evidence



x	P(x)
-3	0.05
-1	0.25
0	0.07
1	0.2
5	0.01

2 0.15

- Step 2: Sum out H to get joint of Query and evidence



$$P(Q, e_1 \dots e_k) = \sum_{h_1 \dots h_r} \underbrace{P(Q, h_1 \dots h_r, e_1 \dots e_k)}_{X_1, X_2, \dots X_n}$$

- Step 3: Normalize

$$\times \frac{1}{Z}$$

$$Z = \sum_q P(Q, e_1 \dots e_k)$$



$$P(Q|e_1 \dots e_k) = \frac{1}{Z} P(Q, e_1 \dots e_k)$$


Inference by Enumeration

- Obvious problems:
 - Worst-case time complexity $O(d^n)$
 - Space complexity $O(d^n)$ to store the joint distribution


HMM Inference: Find State Given Evidence

- We are given evidence at each time and want to know




$$B_t(X) = P(X_t | e_{1:t})$$


- Idea: start with $P(X_1)$ and derive B_t in terms of B_{t-1}
 - equivalently, derive B_{t+1} in terms of B_t
- 


Inference: Base Cases



$$\begin{aligned} P(X_1|e_1) &= \frac{P(X_1, e_1)}{P(e_1)} \\ &\propto P(X_1, e_1) \\ &= P(X_1)P(E_1|X_1) \end{aligned}$$



Inference: Base Cases



$$\underline{P(X_2)}$$

$$P(x_2) = \sum_{x_1} P(x_1, x_2)$$

$$= \sum_{x_1} P(x_1) P(x_2 | x_1)$$

$$\downarrow$$
$$P(X_1 = x_1)$$

Passage of Time

- Assume we have current belief $P(X \mid \text{evidence to date})$


$$\boxed{B(X_t)} = P(X_t | e_{1:t})$$

- Then, after one time step passes:

$$\begin{aligned} \underline{P(X_{t+1} | e_{1:t})} &= \sum_{x_t} P(X_{t+1}, x_t | e_{1:t}) \\ &= \sum_{x_t} P(X_{t+1} | x_t, e_{1:t}) P(x_t | e_{1:t}) \\ &= \sum_{x_t} P(X_{t+1} | x_t) P(x_t | e_{1:t}) \end{aligned}$$

- Basic idea: beliefs get “pushed” through the transitions

- With the “B” notation, we have to be careful about what time step t the belief is about, and what evidence it includes



- Or compactly:

$$B'(X_{t+1}) = \sum_{x_t} P(X' | x_t) B(x_t)$$

Example: Passage of Time

- As time passes, uncertainty “accumulates”

(Transition model: ghosts usually go clockwise)

<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
<0.01	<0.01	1.00	<0.01	<0.01	<0.01
<0.01	<0.01	<0.01	<0.01	<0.01	<0.01



T = 1

<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
<0.01	<0.01	0.06	<0.01	<0.01	<0.01
<0.01	0.76	0.06	0.06	<0.01	<0.01
<0.01	<0.01	0.06	<0.01	<0.01	<0.01


T = 2

0.05	0.01	0.05	<0.01	<0.01	<0.01
0.02	0.14	0.11	0.35	<0.01	<0.01
0.07	0.03	0.05	<0.01	0.03	<0.01
0.03	0.03	<0.01	<0.01	<0.01	<0.01

T = 5



Inference: Base Cases



$$P(X_1|e_1)$$

$$P(x_1|e_1) = P(x_1, e_1)/P(e_1)$$

$$\propto_{X_1} P(x_1, e_1)$$

$$= P(x_1)P(e_1|x_1)$$

Observation

- Assume we have current belief $P(X \mid \text{previous evidence})$:

$$B'(X_{t+1}) = P(X_{t+1} | e_{1:t})$$

- Then, after evidence comes in:

$$P(X_{t+1} | e_{1:t+1}) = P(X_{t+1}, e_{t+1} | e_{1:t}) / P(e_{t+1} | e_{1:t})$$


$$\propto_{X_{t+1}} P(X_{t+1}, e_{t+1} | e_{1:t})$$

$$= P(e_{t+1} | e_{1:t}, X_{t+1}) P(X_{t+1} | e_{1:t})$$

$$= P(e_{t+1} | X_{t+1}) P(X_{t+1} | e_{1:t})$$

- Or, compactly:

$$B(X_{t+1}) \propto_{X_{t+1}} P(e_{t+1} | X_{t+1}) B'(X_{t+1})$$



- Basic idea: beliefs “reweighted” by likelihood of evidence
- Unlike passage of time, we have to renormalize

Example: Observation

- As we get observations, beliefs get reweighted, uncertainty “decreases”


0.05	0.01	0.05	<0.01	<0.01	<0.01
0.02	0.14	0.11	0.35	<0.01	<0.01
0.07	0.03	0.05	<0.01	0.03	<0.01
0.03	0.03	<0.01	<0.01	<0.01	<0.01

Before observation

<0.01	<0.01	<0.01	<0.01	0.02	<0.01
<0.01	<0.01	<0.01	0.83	0.02	<0.01
<0.01	<0.01	0.11	<0.01	<0.01	<0.01
<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

After observation

$$B(X) \propto P(e|X)B'(X)$$




CSE 573: Artificial Intelligence

Hanna Hajishirzi

HMMs Inference, Particle Filters

slides adapted from
Dan Klein, Pieter Abbeel ai.berkeley.edu
And Dan Weld, Luke Zettelmoyer



Announcements

- PS4 – March 10th
- HW2 – March 12th
 - Gradescope instructions
- Project Presentation – March 15th
 - Presentations, send us a link to your recorded presentation
- Final report – March 17th

HMM Inference: Find State Given Evidence

- We are given evidence at each time and want to know

$$B_t(X) = P(X_t | \underline{e_{1:t}})$$

- Idea: start with $P(X_1)$ and derive B_t in terms of B_{t-1}
 - equivalently, derive B_{t+1} in terms of B_t



Online Belief Updates

- Every time step, we start with current $P(X \mid \text{evidence})$
- We update for time:

$$P(\underline{x_t} | e_{1:t-1}) = \sum_{x_{t-1}} \underbrace{P(x_{t-1} | e_{1:t-1})}_{\leftarrow} \cdot \overbrace{P(x_t | x_{t-1})}^{\rightarrow}$$

- We update for evidence:


$$P(x_t | e_{1:t}) \propto_X \underbrace{P(x_t | e_{1:t-1})}_{\leftarrow} \cdot \overbrace{P(e_t | x_t)}^{\rightarrow}$$



Filtering: $P(X_t \mid \text{evidence}_{1:t})$



Elapse time: compute $P(X_t \mid e_{1:t-1})$

$$P(x_t | e_{1:t-1}) = \sum_{x_{t-1}} P(x_{t-1} | e_{1:t-1}) \cdot P(x_t | x_{t-1})$$



Observe: compute $P(X_t \mid e_{1:t})$

$$P(x_t | e_{1:t}) \propto P(x_t | e_{1:t-1}) \cdot P(e_t | x_t)$$



Belief: $\langle P(\text{rain}), P(\text{sun}) \rangle$


$P(X_1)$ $\langle 0.5, 0.5 \rangle$ Prior on X_1

$P(X_1 \mid E_1 = \text{umbrella})$ $\langle 0.82, 0.18 \rangle$ Observe

$P(X_2 \mid E_1 = \text{umbrella})$ $\langle 0.63, 0.37 \rangle$ Elapse time

$P(X_2 \mid E_1 = \text{umb}, E_2 = \text{umb})$ $\langle 0.88, 0.12 \rangle$ Observe

Example: Weather HMM



Pacman – Sonar (P4)



Approximate Inference

- Sometimes $|X|$ is too big for exact inference


- $|X|$ may be too big to even store $B(X)$
- E.g. when X is continuous
- $|X|^2$ may be too big to do updates

- Solution: approximate inference by sampling
- How robot localization works in practice



$$\sum_{x_{t-3}} |X| \quad \sum_{x_{t-2}} |X| \quad \sum_{x_{t-1}} |X| \quad X_t$$

Approximate Inference: Sampling



$$P(X_t | X_{t-1})$$
$$P(e_t | X_t)$$

Sampling

$$P(X_t | e_1 \dots e_t)$$

- Sampling is a lot like repeated simulation


- Predicting the weather, basketball games, ...

- Basic idea

- Draw N samples from a sampling distribution S
- Compute an approximate probability

- Why sample?

- Learning: get samples from a distribution you don't know
- Inference: getting a sample is faster than computing the right answer




Sampling


■ Sampling from given distribution

- Step 1: Get sample u from uniform distribution over $[0, 1)$
 - E.g. `random()` in python
- Step 2: Convert this sample u into an outcome for the given distribution by having each target outcome associated with a sub-interval of $[0,1)$ with sub-interval size equal to probability of the outcome

■ Example



C	P(C)
red	0.6
green	0.1
blue	0.3




$0 \leq u < 0.6, \rightarrow C = red$


$0.6 \leq u < 0.7, \rightarrow C = green$

$0.7 \leq u < 1, \rightarrow C = blue$

- If `random()` returns $u = 0.83$, then our sample is $C = blue$
- E.g, after sampling 8 times:



Particle Filtering



Particle Filtering $P(X_t)$

- Filtering: approximate solution
- Sometimes $|X|$ is too big to use exact inference
 - $|X|$ may be too big to even store $B(X)$
 - E.g. X is continuous
- Solution: approximate inference
 - Track samples of X , not all values
 - Samples are called particles
 - Time per step is linear in the number of samples
 - But: number needed may be large
 - In memory: list of particles, not states
- This is how robot localization works in practice
- ~~Particle~~ is just new name for sample

$$P(X_1 = (1, 2)) = 0.1$$
$$P(X_1 = (4, 4)) = \dots$$

0.0	0.1	0.0
0.0	0.0	0.2
0.0	0.2	0.5



	●	
		●●
	●●	●●●●

Representation: Particles

$$P(x_t)$$

$$P(x_t | x_{t-1})$$

$$P(E_t | x_t)$$


- Our representation of $P(X)$ is now a list of N particles (samples)

- Generally, $N \ll |X|$
- Storing map from x to counts would defeat the point

- $P(x)$ approximated by number of particles with value x

- So, many x may have $P(x) = 0$!
- More particles, more accuracy

- For now, all particles have a weight of 1



Particles:

(3,3)
(2,3)
(3,3)
(3,2)
(3,3)
(3,2)
(1,2)
(3,3)
(3,3)
(2,3)

$$P(x_t | x_{t-1} = (3,3))$$

Particle Filtering: Elapse Time

x_{t-1}

- Each particle is moved by sampling its next position from the transition model

$$x' = \text{sample}(\underline{P(X'|x)}) \quad P(X_t | (3,3))$$


- Samples' frequencies reflect the transition probabilities
- Here, most samples move clockwise, but some move in another direction or stay in place

- This captures the passage of time

- If enough samples, close to exact values before and after (consistent)


Particles:

(3,3)
(2,3)
(3,3)
(3,2)
(3,3)
(3,2)
(1,2)
(3,3)
(3,3)
(2,3)



Particles:

(3,2)
(2,3)
(3,2)
(3,1)
(3,3)
(3,2)
(1,3)
(2,3)
(3,2)
(2,2)



Particle Filtering: Observe

- Slightly trickier:

- Don't sample observation, fix it
- Downweight samples based on the evidence

$$w(x) = P(e|x)$$

$$B(X) \propto P(e|X)B'(X)$$


$$P(e = \text{red} | x_{t=3,2}) = 0.9$$

$$P(e = \text{red} | x_{t=1,i}) = 0.1$$

- As before, the probabilities don't sum to one, since all have been downweighted (in fact they now sum to (N times) an approximation of P(e))


Particles:

(3,2)
(2,3)
(3,2)
(3,1)
(3,3)
(3,2)
(1,3)
(2,3)
(3,2)
(2,2)



Particles:

(3,2) w=.9
(2,3) w=.2
(3,2) w=.9
(3,1) w=.4
(3,3) w=.4
(3,2) w=.9
(1,3) w=.1
(2,3) w=.2
(3,2) w=.9
(2,2) w=.4



Particle Filtering: Resample


$$P(x_t | e_{1:t}) \propto P(x_t | e_{1:t})$$

- Rather than tracking weighted samples, we resample
- N times, we choose from our weighted sample distribution (i.e. draw with replacement)
- This is equivalent to renormalizing the distribution
- Now the update is complete for this time step, continue with the next one

1/2


Particles:

(3,2) w=.9
(2,3) w=.2
(3,2) w=.9
(3,1) w=.4
(3,3) w=.4
(3,2) w=.9
(1,3) w=.1
(2,3) w=.2
(3,2) w=.9
(2,2) w=.4



(New) Particles:


(3,2)
(2,2)
(3,2)
(2,3)
(3,3)
(3,2)
(1,3)
(2,3)
(3,2)
(3,2)




Recap: Particle Filtering

$$P(x_t | e_{1:t})$$


- Particles: track samples of states rather than an explicit distribution



Video of Demo – Moderate Number of Particles




Video of Demo – Huge Number of Particles




Which Algorithm?

Particle filter, uniform initial beliefs, 25 particles




Which Algorithm?

Exact filter, uniform initial beliefs





Which Algorithm?

Particle filter, uniform initial beliefs, 300 particles



Robot Localization

- In robot localization:
 - We know the map, but not the robot's position
 - Observations may be vectors of range finder readings
 - State space and readings are typically continuous (works basically like a very fine grid) and so we cannot store $B(X)$
 - Particle filtering is a main technique



Particle Filter Localization (Sonar)



Particle Filter Localization (Laser)

