

# Knowledge-Based Organ Identification from CT Images

Masahara Kobashi and Linda Shapiro

Best-Paper Prize in

*Pattern Recognition*

Vol. 28, No. 4

1995


# Motivation

- The extraction of structure from CT volumes of cancer patients is an important first step in the creation of **patient-specific models** that can be used by treatment planning software to deliver maximal dosage to the tumor and minimal dosage to critical anatomical structures.
- Even today, **no automatic techniques have been successful** enough to replace the standard manual methods of outlining the organs.
- The goal of this work was to develop a knowledge-based recognition system that **utilizes knowledge of anatomy and image processing to extract the organs** from CT volumes.


# 3 CT Slices of the Abdomen



kidney.jpg



g006.jpg



e030.jpg

Where are the kidneys, liver, spleen, aorta, spine?

# Major Features of the System

1. **dynamic thresholding** controlled by feedback
2. the use of **negative shape constraints** that
3. **progressive landmarking** that extracts organs in order of predicted success and uses already-extracted organs to help locate others

# Difficulties in Segmenting CT Images

1. Regions produced by gray-tone-based segmentation procedures **do not correspond to organs**.
2. There are very few shape invariants for organs.
3. The **absolute gray tones** for each organ **vary** widely over difference instances.
4. There is **no precise, objective ground truth** for performance evaluation (in our study).

# Observations

- Two different organs can have the same or very close gray tones in CT images
- Most human organs have few computable and stable shape invariants.



Shapes of a kidney in different CT slices.

# More Observations

- Each organ has a fairly **stable** vertical and horizontal **location**.
- The **ordering of organs by their gray tones** is fairly stable, even though their absolute gray tones vary widely.
- Each biological substance has a relatively **narrow range of gray tones**.
- But CT image analysis is **simpler than** many outside-world **computer vision** domains.
- And there are relatively **small numbers of objects** in each image.
- There are some very stable landmarks: **spine and aorta**.

# Specific Organ Properties to Use

1. position in the ordering of gray tones among organs
2. relevant gray-tone range
3. height of gray-tone cliff (related to range of thresholds)
4. location in terms of stable landmarks: aorta and spine
5. adjacency with other organs
6. size in terms of expected area in a slice
7. overlap ratio with other slices
8. positive and negative shape constraints




# Idea of the Dynamic Thresholding

too high



(a) results of thresholding at the initial (highest) threshold for kidneys

3 steps down



(b) at 3 steps, the kidneys become detectable

too far



(c) at 11 steps, both kidneys connect with other organs

# Steps of the Procedure

1. Set the initial threshold to the high end of the relevant gray tone range for the organ of interest.

From the second iteration on, this threshold will be reduced by a constant value (10 was used) in each iteration.

If the threshold reaches the low end of the range with no candidates, other methods are invoked.

# Steps

2. **Threshold** the image with the current threshold.
3. Perform **connected components** to produce a set of regions.
4. **AREA CHECK:** Check if there is a region of acceptable size in the search area for the organ of interest. If not, go back to step 1.
5. **LOCATION CHECK:** Check if any candidate regions satisfy the location condition for the organ of interest. If so, record them, else go back to step 1.


# Steps

6. **SHAPE CHECK:** Check if there is among the candidates one that satisfies the positive shape constraints (for the aorta and spine) or the negative shape constraints (for the rest).

Negative shape constraints include

- abnormal size
- abnormal extension
- vertical and horizontal lengths
- vertical/horizontal ratio

# Concept of a Negative Shape Constraint: Shapes that are NOT Kidney



# Steps

7. **OVERLAP CHECK:** check if there is a candidate region that satisfies the overlap condition with an already-segmented adjacent slice. Else go to step 1.

The minimum required overlap is 50% of the smaller region.

8. **COLLISION CHECK:** Check if there is a candidate region that does not collide with other recognized organs. Else go to step 1.
9. **CHOOSE BEST:** Choose the best candidate region.

# Steps

**10. SLOPE CHECK:** Check the change in area with change in threshold. Look for the flattest part of the curve that has acceptable area. Choose the midpoint as the threshold.




Fig. 4. The slope check test.

# Steps


## 11. MORPHOLOGICAL OPERATIONS:

- Close with a disk of 3
- Open with a disk of 5
- Extract the regions that satisfies the conditions
- Close the extracted region with a disk of 3

The result is output as the organ of interest.



# Some Results: Labeled as Grade A, B, or C



(b)

Fig. 5. Grade A extraction of all organs. (a) Original image. (b) Homogeneous dark regions are kidneys, liver (leftmost), spleen (rightmost), aorta (round one in the center) and a part of spine.

Grade A: Comparable to human dosimetry within a 5 pixel mismatch.

# Some Results: Labeled as Grade A, B, or C




(b)

Fig. 6. Grade B extraction of liver. (a) Original image, (b) Homogeneous dark region is the extracted liver.

Grade B: Worse than A, but at least 70% correct.

# Some Results: Labeled as Grade A, B, or C



(b)

Fig. 7. Grade B extraction of spleen. (a) Original image. (b) Homogeneous dark region is the extracted spleen.

Grade B Spleen

# Some Results: Labeled as Grade A, B, or C




(b)


Fig. 8. Grade C extraction of liver. (a) Original image. (b) Homogeneous dark region is the extracted liver.

Grade C: Less than 70% correct.

# Extraction from 3 Slices



low-level slice



mid-level slice



higher-level slice

# Comparison

	Grade A	Grade B	Grade C
Kidneys	85%	0%	15%
Spleen	70%	6%	23%
Liver	52%	31%	17%

# Possible Course Project

- Design and implement a semi-automatic system that finds and segments organs from CT or other images and produces 3D meshes from the slices of each organ.
- There are other methods in the literature now.
- We have a set of CT images with kidneys in them from the web.