



CSE P 501 – Compilers

Intermediate Representations

Hal Perkins


Autumn 2011



Agenda

- Parser Semantic Actions
- Intermediate Representations
 - Abstract Syntax Trees (ASTs)
 - Linear Representations
 - & more

Compiler Structure (review)





What's a Parser to Do?

- Idea: at significant points in the parse perform a *semantic action*
 - Typically when a production is reduced (LR) or at a convenient point in the parse (LL)
- Typical semantic actions
 - Build (and return) a representation of the parsed chunk of the input (compiler)
 - Perform some sort of computation and return result (interpreter)



Intermediate Representations

- In most compilers, the parser builds an intermediate representation of the program
- Rest of the compiler transforms the IR to improve (“optimize”) it and eventually translates it to final code
 - Often will transform initial IR to one or more different IRs along the way
- Some general examples now; specific examples as we cover later topics



IR Design

- Decisions affect speed and efficiency of the rest of the compiler
- Desirable properties
 - Easy to generate
 - Easy to manipulate
 - Expressive
 - Appropriate level of abstraction
- Different tradeoffs depending on compiler goals
- Different tradeoffs in different parts of the same compiler



IR Design Taxonomy

- Structure
 - Graphical (trees, DAGs, etc.)
 - Linear (code for some abstract machine)
 - Hybrids are common (e.g., control-flow graphs)
- Abstraction Level
 - High-level, near to source language
 - Low-level, closer to machine




Levels of Abstraction

- Key design decision: how much detail to expose
 - Affects possibility and profitability of various optimizations
 - Structural IRs are typically fairly high-level
 - Linear IRs are typically low-level
 - But these generalizations don't always hold

Examples: Array Reference

A[i,j]



or

t1 ← A[i,j]

```
loadI 1 => r1
sub rj,r1 => r2
loadI 10 => r3
mult r2,r3 => r4
sub ri,r1 => r5
add r4,r5 => r6
loadI @A => r7
add r7,r6 => r8
load r8 => r9
```



Structural IRs

- Typically reflect source (or other higher-level) language structure
- Tend to be large
- Examples: syntax trees, DAGs
- Generally used in early phases of compilers



Concrete Syntax Trees

- The full grammar is needed to guide the parser, but contains many extraneous details
 - Chain productions
 - Rules that control precedence and associativity
- Typically the full syntax tree does not need to be used explicitly

$expr ::= expr + term \mid expr - term \mid term$
 $term ::= term * factor \mid term / factor \mid factor$
 $factor ::= int \mid id \mid (expr)$



Syntax Tree Example

- Concrete syntax for $x=2*(n+m);$



Abstract Syntax Trees

- Want only essential structural information
 - Omit extraneous junk
- Can be represented explicitly as a tree or in a linear form
 - Example: LISP/Scheme S-expressions are essentially ASTs
- Common output from parser; used for static semantics (type checking, etc.) and high-level optimizations
 - Usually lowered for later compiler phases



AST Example

- AST for $x=2*(n+m);$



Directed Acyclic Graphs

- DAGs are often used to identify common subexpressions
 - Not necessarily a primary representation, compiler might build dag then translate back after some code improvement
 - Leaves = operands
 - Interior nodes = operators



Expression DAG example

- DAG for $a + a * (b - c) + (b - c) * d$



Linear IRs

- Pseudo-code for some abstract machine
- Level of abstraction varies
- Simple, compact data structures
 - Commonly used: arrays, linked structures
- Examples: three-address code, stack machine code



Abstraction Levels in Linear IR

- Linear IRs can also be close to the source language, very low-level, or somewhere in between.
- Example: Linear IRs for C array reference $a[i][j+2]$ (from Muchnick, sec. 4.2)
- High-level: $t1 \leftarrow a[i,j+1]$



IRs for $a[i,j+2]$, cont.

- Medium-level

$t1 \leftarrow j + 2$

$t2 \leftarrow i * 20$

$t3 \leftarrow t1 + t2$

$t4 \leftarrow 4 * t3$

$t5 \leftarrow \text{addr } a$

$t6 \leftarrow t5 + t4$

$t7 \leftarrow *t6$

- Low-level

$r1 \leftarrow [fp-4]$

$r2 \leftarrow r1 + 2$

$r3 \leftarrow [fp-8]$

$r4 \leftarrow r3 * 20$

$r5 \leftarrow r4 + r2$

$r6 \leftarrow 4 * r5$

$r7 \leftarrow fp - 216$

$f1 \leftarrow [r7+r6]$



Abstraction Level Tradeoffs

- High-level: good for source optimizations, semantic checking
- Low-level: need for good code generation and resource utilization in back end; many optimizing compilers work at this level for middle/back ends
- Medium-level: fine for optimization and most other middle/back-end purposes



Three-Address code

- Usual form: $x \leftarrow y \text{ (op) } z$
 - One operator
 - Maximum of three names
- Example: $x = 2 * (n + m)$; becomes
 - $t1 \leftarrow n + m$
 - $t2 \leftarrow 2 * t1$
 - $x \leftarrow t2$
 - Invent as many new temporary names as needed



Three Address Code

- Advantages
 - Resembles code for actual machines
 - Explicitly names intermediate results
 - Compact
 - Often easy to rearrange
- Various representations
 - Quadruples, triples, SSA
 - We will see much more of this...



Stack Machine Code

- Originally used for stack-based computers (famous example: B5000, ca 1961 et seq)
- Now used for Java (.class files), C# (MSIL), others
- Advantages
 - Very compact; mostly 0-address opcodes
 - Easy to generate
 - Simple to translate to machine code or interpret directly
 - And a good starting point for generating optimized code



Stack Code Example

- Hypothetical code for $x=2*(n+m);$

pushaddr x

pushconst 2

pushval n

pushval m

add

mult

store



Hybrid IRs

- Combination of structural and linear
- Level of abstraction varies
- Most common example: control-flow graph
 - Nodes: basic blocks
 - Edge from B1 to B2 if execution can flow from B1 to B2



Basic Blocks

- Fundamental unit in IRs
- Definition: a *basic block* is a maximal sequence of instructions entered at the first instruction and exited at the last
 - i.e., if the first instruction is executed, all of them will be (modulo exceptions)



Identifying Basic Blocks

- Easy to do with a scan of the linear instruction stream
- A basic blocks begins at each instruction that is:
 - The beginning of a routine
 - The target of a branch
 - Immediately following a branch or return



What IR to Use?

- Common choice: all(!)
 - AST or other structural representation built by parser and used in early stages of the compiler
 - Closer to source code
 - Good for semantic analysis
 - Facilitates some higher-level optimizations
 - Lower to linear IR for later stages of compiler
 - Closer to machine code
 - Exposes machine-related optimizations
 - Use to build control-flow graph



Coming Attractions

- Representing ASTs
- Working with ASTs
 - Where do the algorithms go?
 - Is it really object-oriented? (Does it matter?)
 - Visitor pattern
- Then: semantic analysis, type checking, and symbol tables