

# CSEP 517

# Natural Language Processing

# Fall 2018

## Frame Semantics

## Luke Zettlemoyer

Slides adapted from Yejin Choi, Martha Palmer, Chris Manning,  
Ray Mooney, Lluís Marquez, Luheng He

# Frames

“Case for Case”

- Theory:
  - Frame Semantics (Fillmore 1968)
- Resources:
  - VerbNet (Kipper et al., 2000)
  - FrameNet (Fillmore et al., 2004)
  - PropBank (Palmer et al., 2005)
  - NomBank
- Statistical Models:
  - Task: Semantic Role Labeling (SRL)
  - Deep SRL





reddit

# AMA (ask me anything): Michael Jordan

(Sep 2014)

- [\[-\]CyberByte](#)
- If you got a billion dollars to spend on a huge research project that you get to lead, what would you like to do?



- [\[-\]michaelijordan](#)
- I'd use the billion dollars to build a **NASA-size program** focusing on natural language processing (NLP), in all of its glory (**semantics**, **pragmatics**, etc).
- Intellectually I think that NLP is fascinating, allowing us to focus on **highly-structured inference problems**, on issues that go to the core of "**what is thought**" but remain eminently practical, and on a technology that surely would make the world a better place.

---

(Sep 2014)



- Although current deep learning research tends to claim to encompass NLP, I'm (1) much less convinced about the strength of the results, compared to the results in, say, vision; (2) much less convinced in the case of NLP than, say, vision, the way to go is to couple huge amounts of data with black-box learning architectures.
- I'd invest in some of the human-intensive labeling processes that one sees in projects like **FrameNet** and (gasp) projects like Cyc. I'd do so in the context of a full merger of "data" and "knowledge", where the representations used by the humans can be connected to data and the representations used by the learning systems are directly tied to linguistic structure. I'd do so in the context of clear concern with the usage of language (e.g., causal reasoning).

# Frames

“Case for Case”

- Theory:
  - Frame Semantics (Fillmore 1968)
- Resources:
  - VerbNet(Kipper et al., 2000)
  - FrameNet (Fillmore et al., 2004)
  - PropBank (Palmer et al., 2005)
  - NomBank
- Statistical Models:
  - Task: Semantic Role Labeling (SRL)
  - Deep SRL



# Frame Semantics

---

- Frame: Semantic frames are schematic representations of situations involving various participants, propositions, and other conceptual roles.
- Frame Elements (FEs) include events, states, relations and entities.
- ✓ **Frame:** “*The case for case*” (Fillmore 1968)
  - 8k citations in Google Scholar.
- ✓ **Script:** knowledge about situations like eating in a restaurant.
  - “*Scripts, Plans, Goals and Understanding: an Inquiry into Human Knowledge Structures*” (Schank & Abelson 1977)
- ✓ **Political Framings:** George Lakoff’s recent writings on the framing of political discourse.

# Capturing Generalizations over Related Predicates & Arguments

---

<b>verb</b>	<b>BUYER</b>	<b>GOODS</b>	<b>SELLER</b>	<b>MONEY</b>	<b>PLACE</b>
Buy	subject	object	from	for	at
Sell	to	object	subject	for	at
Cost	Ind. object	subject	--	object	at
Spend	subject	on	--	object	at

# Case Grammar -> Frames

---

- Valency: Predicates have arguments (optional & required)
  - Example: “give” requires 3 arguments:
    - Agent (A), Object (O), and Beneficiary (B)
    - Jones (A) gave money (O) to the school (B)
- Frames:
  - commercial transaction frame: Buy/Sell/Pay/Spend
  - Save <good thing> from <bad situation>
  - Risk <valued object> for <situation>|<purpose>|<beneficiary>|<motivation>
- Collocations & Typical predicate argument relations
  - Save whales from extinction (not vice versa)
  - Ready to risk everything for what he believes
- Representation Challenges: What matters for practical NLP?



# Thematic (Semantic) Roles

---

- **AGENT** - the volitional causer of an event
  - **The waiter** spilled the soup
- **EXPERIENCER** - the experiencer of an event
  - **John** has a headache
- **FORCE** - the non-volitional causer of an event
  - **The wind** blows debris from the mall into our yards.
- **THEME** - the participant most directly affected by an event
  - Only after Benjamin Franklin broke **the ice** ...
- **RESULT** - the end product of an event
  - The French government has built **a regulation-size baseball diamond** ...

# Thematic (Semantic) Roles

---

- **INSTRUMENT** - an instrument used in an event
  - He turned to poaching catfish, stunning them **with a shocking device** ...
- **BENEFICIARY** - the beneficiary of an event
  - Whenever Ann makes hotel reservations **for her boss** ...
- **SOURCE** - the origin of the object of a transfer event
  - I flew in **from Boston**
- **GOAL** - the destination of an object of a transfer event
  - I drove **to Portland**
- Can we read semantic roles off from PCFG or dependency parse trees?

# Semantic roles $\neq$ Grammatical roles

---

- **Agent** – the volitional causer of an event
    - usually “subject”, sometimes “prepositional argument”, ...
  - **Theme** – the participant directly affected by an event
    - usually “object”, sometimes “subject”, ...
  - **Instrument** – an instrument (method) used in an event
    - usually prepositional phrase, but can also be a “subject”
- 
- John broke the window.
  - John broke the window with a rock.
  - The rock broke the window.
  - The window broke.
  - The window was broken by John.

# Ergative Verbs

---

- **Ergative verbs**
  - **subject when intransitive = direct object when transitive.**
  - "it broke the window" (transitive)
  - "the window broke" (intransitive).
- Most verbs in English are *not* ergative (the subject role does not change whether transitive or not)
  - "He ate the soup" (transitive)
  - "He ate" (intransitive)
- Ergative verbs generally describe some sort of “changes” of states:
  - Verbs suggesting a change of state — *break, burst, form, heal, melt, tear, transform*
  - Verbs of cooking — *bake, boil, cook, fry*
  - Verbs of movement — *move, shake, sweep, turn, walk*
  - Verbs involving vehicles — *drive, fly, reverse, run, sail*

FrameNet

# Frames

“Case for Case”

- Theory:
  - Frame Semantics (Fillmore 1968)
- Resources:
  - VerbNet (Kipper et al., 2000)
  - FrameNet (Fillmore et al., 2004)
  - PropBank (Palmer et al., 2005)
  - NomBank
- Statistical Models:
  - Task: Semantic Role Labeling (SRL)



## Words in “**change\_position\_on\_a\_scale**” frame:

---

<b>VERBS:</b>	dwindle	move	soar	escalation	shift
advance	edge	mushroom	swell	explosion	tumble
climb	explode	plummet	swing	fall	
decline	fall	reach	triple	fluctuation	<b>ADVERBS:</b>
decrease	fluctuate	rise	tumble	gain	increasingly
diminish	gain	rocket		growth	
dip	grow	shift	<b>NOUNS:</b>	hike	
double	increase	skyrocket	decline	increase	
drop	jump	slide	decrease	rise	

- Frame := the set of words sharing a similar predicate-argument relations
- Predicate can be a verb, noun, adjective, adverb
- The same word with multiple senses can belong to multiple frames

# Roles in “change\_position\_on\_a\_scale” frame

<b>Core Roles</b>	
ATTRIBUTE	The ATTRIBUTE is a scalar property that the ITEM possesses.
DIFFERENCE	The distance by which an ITEM changes its position on the scale.
FINAL_STATE	A description that presents the ITEM’s state after the change in the ATTRIBUTE’s value as an independent predication.
FINAL_VALUE	The position on the scale where the ITEM ends up.
INITIAL_STATE	A description that presents the ITEM’s state before the change in the ATTRIBUTE’s value as an independent predication.
INITIAL_VALUE	The initial position on the scale from which the ITEM moves away.
ITEM	The entity that has a position on the scale.
VALUE_RANGE	A portion of the scale, typically identified by its end points, along which the values of the ATTRIBUTE fluctuate.
<b>Some Non-Core Roles</b>	
DURATION	The length of time over which the change takes place.
SPEED	The rate of change of the VALUE.
GROUP	The GROUP in which an ITEM changes the value of an ATTRIBUTE in a specified way.



# Example

ATTRIBUTE  
DIFFERENCE

FINAL\_STATE

FINAL\_VALUE  
INITIAL\_STATE

INITIAL\_VALUE

ITEM  
VALUE\_RANGE

DURATION  
SPEED  
GROUP

- [Oil] rose [in price] [by 2%].
- [It] has increased [to having them 1 day a month].
- [Microsoft shares] fell [to 7 5/8].
- [cancer incidence] fell [by 50%] [among men].
- a steady increase [from 9.5] [to 14.3] [in dividends].
- a [5%] [dividend] increase...

# Find “Item” roles?

ATTRIBUTE  
DIFFERENCE

FINAL\_STATE

FINAL\_VALUE  
INITIAL\_STATE

INITIAL\_VALUE

ITEM  
VALUE\_RANGE

DURATION  
SPEED  
GROUP

- [Oil] rose [in price] [by 2%].
- [It] has increased [to having them] [1 day a month].
- [Microsoft shares] fell [to 7 5/8].
- [cancer incidence] fell [by 50%] [among men].
- a steady increase [from 9.5] [to 14.3] [in dividends].
- a [5%] [dividend] increase...

# Find “Difference” & “Final\_Value” roles?

---

ATTRIBUTE  
DIFFERENCE

FINAL\_STATE

FINAL\_VALUE  
INITIAL\_STATE

INITIAL\_VALUE

ITEM  
VALUE\_RANGE

DURATION  
SPEED  
GROUP

- [Oil] rose [in price] [by 2%].
- [It] has increased [to having them] [1 day a month].
- [Microsoft shares] fell [to 7 5/8].
- [cancer incidence] fell [by 50%] [among men].
- a steady increase [from 9.5] [to 14.3] [in dividends].
- a [5%] [dividend] increase...

# FrameNet (2004)

---

- Project at UC Berkeley led by Chuck Fillmore for developing a database of frames, general semantic concepts with an associated set of roles.
- Roles are specific to frames, which are “invoked” by the predicate, which can be a verb, noun, adjective, adverb
  - JUDGEMENT frame
    - Invoked by: V: blame, praise, admire; N: fault, admiration
    - Roles: JUDGE, EVALUEE, and REASON
- Specific frames chosen, and then sentences that employed these frames selected from the British National Corpus and annotated by linguists for semantic roles.
- Initial version: 67 frames, 49,013 sentences, 99,232 role fillers

PropBank  
(proposition bank)

# PropBank := proposition bank (2005)

---

- Project at Colorado led by Martha Palmer to add semantic roles to the Penn treebank.
- Proposition := verb + a set of roles
- Annotated over 1M words of Wall Street Journal text with existing gold-standard parse trees.
- Statistics:
  - 43,594 sentences      99,265 propositions
  - 3,324 unique verbs    262,281 role assignments

# PropBank argument numbering

---

- Numbered roles, rather than named roles.
  - Arg0, Arg1, Arg2, Arg3, ...
- Different numbering scheme for each **verb sense**.
- The general pattern of numbering is as follows.
  
- **Arg0** = “Proto-Agent” (agent)
- **Arg1** = “Proto-Patient” (direct object / theme / patient)
- Arg2 = indirect object (benefactive / instrument / attribute / end state)
- Arg3 = start point (benefactive / instrument / attribute)
- Arg4 = end point

# Different “frameset” for each verb sense

---

- Mary left the room.
- Mary left her daughter-in-law her pearls in her will.

Frameset **leave.01** "move away from":

Arg0: entity leaving

Arg1: place left

Frameset **leave.02** "give":

Arg0: giver

Arg1: thing given

Arg2: beneficiary




# Semantic Role Labeling

# Semantic Role Labeling (Task)

---


- Shallow meaning representation beyond syntactic parse trees
- Question Answering
  - “Who” questions usually use Agents
  - “What” question usually use Patients
  - “How” and “with what” questions usually use Instruments
  - “Where” questions frequently use Sources and Destinations.
  - “For whom” questions usually use Beneficiaries
  - “To whom” questions usually use Destinations
- Machine Translation Generation
  - Semantic roles are usually expressed using particular, distinct syntactic constructions in different languages.
- Summarization, Information Extraction

SRL <sup>def</sup> = detecting basic event structures such as *who* did *what* to *whom*, *when* and *where* [IE point of view]



Example from Lluís Marquez


SRL <sup>def</sup> identify the *arguments* of a given verb and assign them *semantic labels* describing the *roles* they play in the predicate (i.e., identify predicate argument structures) [CL point of view]



Example from Lluís Marquez

## Linguistic nature of the problem

- Argument identification is strongly related to syntax



- Role labeling is a semantic task
  - e.g., selectional preferences should play an important role

# SRL as Parse Node Classification

- Assume that a syntactic parse is available
- Treat problem as classifying parse-tree nodes.
- Can use any machine-learning classification method.
- Critical issue is engineering the right set of features for the classifier to use.

## Color Code:

not-a-role

agent


patient

source

destination

instrument


beneficiary



# Deep Semantic Role Labeling


# SRL Systems

## Pipeline Systems




Punyakankok et al., 2008  
Täckström et al., 2015  
FitzGerald et al., 2015

## End-to-end Systems



Collobert et al., 2011  
Zhou and Xu, 2015  
Wang et al., 2015


## Most Recent Work



He et al. 2017, 2018



# SRL as BIO Tagging Problem



(4) Viterbi decoding with hard constraints

B-ARG0	0.4
I-ARG0	0.05
B-ARG1	0.5
I-ARG1	0.03
...	...

B-ARG0	0.1
I-ARG0	0.5
B-ARG1	0.1
I-ARG1	0.2
...	...

B-ARG0	0.001
I-ARG0	0.001
B-ARG1	0.001
...	...
B-V	0.95

B-ARG0	0.1
I-ARG0	0.1
B-ARG1	0.7
I-ARG1	0.2
...	...

(3) Variational dropout

(2) Highway connections

(1) Deep BiLSTM tagger


(0) Embeddings / predicate ID

the [ ]

cats [ ]

love [V]

hats [ ]



# Model - (2) Highway Connections

Trend: Deeper models for higher accuracy



Grammar as a Foreign Language (Vinyals et al., 2014): **3** layers

End-to-end Semantic Role Labeling (Zhou and Xu, 2015): **8** layers


Google's Neural Machine Translation (GNMT, Wu et al., 2016): **8** layers

Deep Semantic Role Labeling (He et al 2017): **8** layers

Deep Residual Learning for Image Recognition (He et al, 2016): **152** layers



# Model - (2) Highway Connections



new output:


**residual net**  $\mathbf{h}_t + \mathbf{x}_t$

**gated highway network:**  
 $\mathbf{r}_t \circ \mathbf{h}_t + (1 - \mathbf{r}_t) \circ \mathbf{x}_t$   
 $\mathbf{r}_t = \sigma(f(\mathbf{h}_{t-1}, \mathbf{x}_t))$


References:

Deep Residual Networks, Kaiming He, ICML 2016 Tutorial  
Training Very Deep Networks, Srivastava et al., 2015


# Model - (3) Variational Dropout



Traditionally, dropout masks are only applied to vertical connections.




Applying dropout to recurrent connections causes too much noise amplification.



**Variational dropout:** Reuse the same dropout mask for each timestep.

Gal and Ghahramani, 2016



# Model - (4) Viterbi Decoding with Hard Constraints

Viterbi decoding	B-ARG0	0.4	B-ARG0	0.1	B-ARG0	0.001	B-ARG0	0.1
	I-ARG0	0.05	I-ARG0	0.5	I-ARG0	0.001	I-ARG0	0.1
	B-ARG1	0.5	B-ARG1	0.1	B-ARG1	0.001	B-ARG1	0.7
	I-ARG1	0.03	I-ARG1	0.2	I-ARG1	0.002	I-ARG1	0.2
	...	...	...	...	...	...	...	...
	O	0.01	O	0.05	B-V	0.95	O	0.05

BIO inconsistency

Greedy Output




Softmax



BiLSTM layers ...




# Other Implementation Details ...



- 8 layer BiLSTMs with 300D hidden layers.
- 100D GloVe embeddings, updated during training.
- **Orthonormal initialization** for LSTM weight matrices (Saxe et al., 2013)
- 5 model ensemble with **product-of-experts** (Hinton 2002)
- Trained for 500 epochs.




# CoNLL 2005 Results



\*:Ensemble models

# Ablations on Number of Layers (2,4,6 and 8)

Shallow models benefit more from constrained decoding.



# Ablations (single model)

