

FIRST-ORDER LOGIC

CHAPTER 8

Chapter 8 1

Outline

- ◇ Why FOL?
- ◇ Syntax and semantics of FOL
- ◇ Fun with sentences
- ◇ Wumpus world in FOL

Chapter 8 2

Pros and cons of propositional logic

- ⊕ Propositional logic is **declarative**: pieces of syntax correspond to facts
- ⊕ Propositional logic allows partial/disjunctive/negated information (unlike most data structures and databases)
- ⊕ Propositional logic is **compositional**: meaning of $B_{1,1} \wedge P_{1,2}$ is derived from meaning of $B_{1,1}$ and of $P_{1,2}$
- ⊕ Meaning in propositional logic is **context-independent** (unlike natural language, where meaning depends on context)
- ⊖ Propositional logic has very limited expressive power (unlike natural language)
E.g., cannot say "pits cause breezes in adjacent squares" except by writing one sentence for each square

Chapter 8 3

First-order logic

Whereas propositional logic assumes world contains **facts**, first-order logic (like natural language) assumes the world contains

- **Objects**: people, houses, numbers, theories, Ronald McDonald, colors, baseball games, wars, centuries
- **Relations**: red, round, bogus, prime, multistoried
brother of, bigger than, inside, part of, has color, occurred after, owns, comes between,
- **Functions**: father of, best friend, third inning of, one more than, end of

Chapter 8 4

Logics in general

Language	Ontological Commitment	Epistemological Commitment
Propositional logic	facts	true/false/unknown
First-order logic	facts, objects, relations	true/false/unknown
Temporal logic	facts, objects, relations, times	true/false/unknown
Probability theory	facts	degree of belief
Fuzzy logic	facts + degree of truth	known interval value

Chapter 8 5

Syntax of FOL: Basic elements

Constants *KingJohn, 2, UCB,*
Predicates *Brother, >,*
Functions *Sqrt, LeftLegOf,*
Variables *x, y, a, b,*
Connectives $\wedge \vee \neg \Rightarrow \Leftrightarrow$
Equality =
Quantifiers $\forall \exists$

Chapter 8 6

Atomic sentences


Atomic sentence = $\text{predicate}(\text{term}_1, \dots, \text{term}_n)$
 or $\text{term}_1 = \text{term}_2$

Term = $\text{function}(\text{term}_1, \dots, \text{term}_n)$
 or constant or variable

E.g., $\text{Brother}(\text{KingJohn}, \text{RichardTheLionheart})$
 $> (\text{Length}(\text{LeftLegOf}(\text{Richard})), \text{Length}(\text{LeftLegOf}(\text{KingJohn})))$

Chapter 8 7

Models for FOL: Example



Chapter 8 10

Complex sentences

Complex sentences are made from atomic sentences using connectives

$\neg S_1, S_1 \wedge S_2, S_1 \vee S_2, S_1 \Rightarrow S_2, S_1 \Leftrightarrow S_2$

E.g. $\text{Sibling}(\text{KingJohn}, \text{Richard}) \Rightarrow \text{Sibling}(\text{Richard}, \text{KingJohn})$

$> (1, 2) \vee \leq (1, 2)$
 $> (1, 2) \wedge \neg > (1, 2)$

Chapter 8 8

Chapter 8 11

Truth in first-order logic

Sentences are true with respect to a model and an interpretation

Model contains ≥ 1 objects (domain elements) and relations among them

Interpretation specifies referents for

constant symbols \rightarrow objects

predicate symbols \rightarrow relations

function symbols \rightarrow functional relations

An atomic sentence $\text{predicate}(\text{term}_1, \dots, \text{term}_n)$ is true

iff the objects referred to by $\text{term}_1, \dots, \text{term}_n$

are in the relation referred to by predicate

Chapter 8 9

Truth example

Consider the interpretation in which

$\text{Richard} \rightarrow$ Richard the Lionheart

$\text{John} \rightarrow$ the evil King John

$\text{Brother} \rightarrow$ the brotherhood relation

Under this interpretation, $\text{Brother}(\text{Richard}, \text{John})$ is true

just in case Richard the Lionheart and the evil King John

are in the brotherhood relation in the model

Models for FOL: Lots!

Entailment in propositional logic can be computed by enumerating models

We **can** enumerate the FOL models for a given KB vocabulary:

For each number of domain elements n from 1 to ∞

For each k -ary predicate R_k in the vocabulary

For each possible k -ary relation on n objects

For each constant symbol C in the vocabulary

For each choice of referent for C from n objects \dots

Computing entailment by enumerating FOL models is not easy!

Chapter 8 12

Universal quantification

\forall (variables) (sentence)

Everyone at Berkeley is smart:

$$\forall x \text{ At}(x, \text{Berkeley}) \Rightarrow \text{Smart}(x)$$

$\forall x \text{ } P$ is true in a model m iff P is true with x being each possible object in the model

Roughly speaking, equivalent to the conjunction of instantiations of P

$$\begin{aligned} & (\text{At}(\text{KingJohn}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{KingJohn})) \\ & \wedge (\text{At}(\text{Richard}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{Richard})) \\ & \wedge (\text{At}(\text{Berkeley}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{Berkeley})) \\ & \wedge \dots \end{aligned}$$

Chapter 8 13

Another common mistake to avoid

Typically, \wedge is the main connective with \exists

Common mistake: using \Rightarrow as the main connective with \exists :

$$\exists x \text{ At}(x, \text{Stanford}) \Rightarrow \text{Smart}(x)$$

is true if there is anyone who is not at Stanford!

Chapter 8 16

A common mistake to avoid

Typically, \Rightarrow is the main connective with \forall

Common mistake: using \wedge as the main connective with \forall :

$$\forall x \text{ At}(x, \text{Berkeley}) \wedge \text{Smart}(x)$$

means "Everyone is at Berkeley and everyone is smart"

Chapter 8 14

Properties of quantifiers

$\forall x \forall y$ is the same as $\forall y \forall x$ (why??)

$\exists x \exists y$ is the same as $\exists y \exists x$ (why??)

$\exists x \forall y$ is **not** the same as $\forall y \exists x$

$\exists x \forall y \text{ Loves}(x, y)$

"There is a person who loves everyone in the world"

$\forall y \exists x \text{ Loves}(x, y)$

"Everyone in the world is loved by at least one person"

Quantifier duality: each can be expressed using the other

$\forall x \text{ Likes}(x, \text{IceCream}) \quad \neg \exists x \neg \text{Likes}(x, \text{IceCream})$

$\exists x \text{ Likes}(x, \text{Broccoli}) \quad \neg \forall x \neg \text{Likes}(x, \text{Broccoli})$

Chapter 8 17

Existential quantification

\exists (variables) (sentence)

Someone at Stanford is smart:

$$\exists x \text{ At}(x, \text{Stanford}) \wedge \text{Smart}(x)$$

$\exists x \text{ } P$ is true in a model m iff P is true with x being some possible object in the model

Roughly speaking, equivalent to the disjunction of instantiations of P

$$\begin{aligned} & (\text{At}(\text{KingJohn}, \text{Stanford}) \wedge \text{Smart}(\text{KingJohn})) \\ & \vee (\text{At}(\text{Richard}, \text{Stanford}) \wedge \text{Smart}(\text{Richard})) \\ & \vee (\text{At}(\text{Stanford}, \text{Stanford}) \wedge \text{Smart}(\text{Stanford})) \\ & \vee \dots \end{aligned}$$

Chapter 8 15

Fun with sentences

Brothers are siblings

Chapter 8 18

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$$

"Sibling" is symmetric

Chapter 8 19

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$$

"Sibling" is symmetric

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x).$$

One's mother is one's female parent

Chapter 8 20

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$$

"Sibling" is symmetric

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x).$$

One's mother is one's female parent

$$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y)).$$

A first cousin is a child of a parent's sibling

Chapter 8 21

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y).$$

"Sibling" is symmetric

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x).$$

One's mother is one's female parent

$$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y)).$$

A first cousin is a child of a parent's sibling

$$\forall x, y \text{ FirstCousin}(x, y) \Leftrightarrow \exists p, ps \text{ Parent}(p, x) \wedge \text{Sibling}(ps, p) \wedge \text{Parent}(ps, y)$$

Chapter 8 22

Equality

$term_1 = term_2$ is true under a given interpretation if and only if $term_1$ and $term_2$ refer to the same object

E.g., $1 = 2$ and $\forall x \times(\text{Sqrt}(x), \text{Sqrt}(x)) = x$ are satisfiable
 $2 = 2$ is valid

E.g., definition of (full) *Sibling* in terms of *Parent*:

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \neg(x=y) \wedge \exists m, f \neg(m=f) \wedge \text{Parent}(m, x) \wedge \text{Parent}(f, x) \wedge \text{Parent}(m, y) \wedge \text{Parent}(f, y)$$

Chapter 8 23

Interacting with FOL KBs

Suppose a wumpus-world agent is using an FOL KB and perceives a smell and a breeze (but no glitter) at $t = 5$:

$$\text{Tell}(KB, \text{Percept}(\text{Smell}, \text{Breeze}, \text{None}, 5))$$

$$\text{Ask}(KB, \exists a \text{ Action}(a, 5))$$

I.e., does *KB* entail any particular actions at $t = 5$?

Answer: *Yes*, $\{a/\text{Shoot}\} \leftarrow$ substitution (binding list)

Given a sentence *S* and a substitution σ ,

S σ denotes the result of plugging σ into *S*; e.g.,

$$S = \text{Smarter}(x, y)$$

$$\sigma = \{x/\text{Hillary}, y/\text{Bill}\}$$

$$S\sigma = \text{Smarter}(\text{Hillary}, \text{Bill})$$

$\text{Ask}(KB, S)$ returns some/all σ such that $KB \models S\sigma$

Chapter 8 24

Knowledge base for the wumpus world

“Perception”

$\forall b, g, t \text{ Percept}([Smell, b, g], t) \Rightarrow Smell(t)$
 $\forall s, b, t \text{ Percept}([s, b, Glitter], t) \Rightarrow AtGold(t)$

Reflex: $\forall t \text{ AtGold}(t) \Rightarrow \text{Action}(\text{Grab}, t)$

Reflex with internal state: do we have the gold already?

$\forall t \text{ AtGold}(t) \wedge \neg \text{Holding}(\text{Gold}, t) \Rightarrow \text{Action}(\text{Grab}, t)$

Holding(Gold, t) cannot be observed

⇒ keeping track of change is essential

Chapter 8 25

Describing actions I

“Effect” axiom—describe changes due to action

$\forall s \text{ AtGold}(s) \Rightarrow \text{Holding}(\text{Gold}, \text{Result}(\text{Grab}, s))$

“Frame” axiom—describe **non-changes** due to action

$\forall s \text{ HaveArrow}(s) \Rightarrow \text{HaveArrow}(\text{Result}(\text{Grab}, s))$

Frame problem: find an elegant way to handle non-change

- representation—avoid frame axioms
- inference—avoid repeated “copy-overs” to keep track of state

Qualification problem: true descriptions of real actions require endless caveats—
what if gold is slippery or nailed down or ...

Ramification problem: real actions have many secondary consequences—
what about the dust on the gold, wear and tear on gloves, ...

Chapter 8 26

Deducing hidden properties

Properties of locations:

$\forall x, t \text{ At}(\text{Agent}, x, t) \wedge Smell(t) \Rightarrow Smelly(x)$

$\forall x, t \text{ At}(\text{Agent}, x, t) \wedge Breezy(t) \Rightarrow Breezy(x)$

Squares are breezy near a pit:

Diagnostic rule—infer cause from effect

$\forall y \text{ Breezy}(y) \Rightarrow \exists x \text{ Pit}(x) \wedge \text{Adjacent}(x, y)$

Causal rule—infer effect from cause

$\forall x, y \text{ Pit}(x) \wedge \text{Adjacent}(x, y) \Rightarrow \text{Breezy}(y)$

Neither of these is complete—e.g., the causal rule doesn't say whether
squares far away from pits can be breezy

Definition for the *Breezy* predicate:

$\forall y \text{ Breezy}(y) \Leftrightarrow [\exists x \text{ Pit}(x) \wedge \text{Adjacent}(x, y)]$

Chapter 8 26

Chapter 8 29

Keeping track of change

Facts hold in situations, rather than eternally


E.g., *Holding(Gold, Now)* rather than just *Holding(Gold)*

Situation calculus is one way to represent change in FOL.

Adds a situation argument to each non-eternal predicate
E.g., *Now* in *Holding(Gold, Now)* denotes a situation

Situations are connected by the *Result* function

Result(a, s) is the situation that results from doing *a* in *s*



Chapter 8 27

Describing actions II

Successor-state axioms solve the representational frame problem

Each axiom is “about” a **predicate** (not an action per se):

P true afterwards \Leftrightarrow [an action made P true
 \vee P true already and no action made P false]

For holding the gold:

$\forall a, s \text{ Holding}(\text{Gold}, \text{Result}(a, s)) \Leftrightarrow$

$[(a = \text{Grab} \wedge \text{AtGold}(s))$

$\vee (\text{Holding}(\text{Gold}, s) \wedge a \neq \text{Release})]$

Chapter 8 29

Making plans

Initial condition in KB:

$\text{At}(\text{Agent}, [1, 1], S_0)$

$\text{At}(\text{Gold}, [1, 2], S_0)$

Query: $\text{Ask}(KB, \exists s \text{ Holding}(\text{Gold}, s))$

i.e., in what situation will I be holding the gold?

Answer: $\{s | \text{Result}(\text{Grab}, \text{Result}(\text{Forward}, S_0))\}$

i.e., go forward and then grab the gold

This assumes that the agent is interested in plans starting at S_0 and that S_0
is the only situation described in the KB

Chapter 8 30

Making plans: A better way

Represent plans as action sequences $[a_1, a_2, \dots, a_n]$

$PlanResult(p, s)$ is the result of executing p in s

Then the query $Ask(KB, \exists p \text{ Holding}(Goal, PlanResult(p, S_0)))$
has the solution $\{p/[Forward, Grab]\}$

Definition of $PlanResult$ in terms of $Result$:

$\forall s \text{ PlanResult}([], s) = s$

$\forall a, p, s \text{ PlanResult}([a|p], s) = PlanResult(p, Result(a, s))$

Planning systems are special-purpose reasoners designed to do this type of inference more efficiently than a general-purpose reasoner

Chapter 8 31

Summary

First-order logic:

- objects and relations are semantic primitives
- syntax: constants, functions, predicates, equality, quantifiers

Increased expressive power: sufficient to define wumpus world

Situation calculus:

- conventions for describing actions and change in FOL
- can formulate planning as inference on a situation calculus KB

Chapter 8 32