CSEP 573 Final Lecture

Artificial Intelligence: Past, Present, and Future



© CSE AI faculty

Plan for Today

• Part I

AI History and Review Select Applications The Future: where do we go from here?

- Break (student evals)
- Part II

Emerging Area in AI: "Brain Computer Interfaces" Guest lecture by Dr. Reinhold Scherer

A long time ago in a galaxy far away...

August 31, 1955 DARTMOUTH SUMMER RESEARCH PROJECT ON ARTIFICIAL INTELLIGENCE J. McCarthy, Dartmouth College M. L. Minsky, Harvard University N. Rochester, I.B.M. Corporation C.E. Shannon, Bell Telephone Laboratories

"We propose that a 2 month, 10 man study of artificial intelligence ...

- An attempt will be made to find how to make machines use language, form abstractions and concepts, solve kinds of problems now reserved for humans, and improve themselves.
- We think that a significant advance can be made in one or more of these problems if a carefully selected group of scientists work on it together *for a summer*."

Samuel's Checkers program (1959)

- First self-learning AI program
- Used search tree of board positions reachable from current position





Flashback: Search



- Uninformed Search • DFS and BFS **Iterative Deepening Bidirectional Search**
- Informed Search Best first search: Greedy, A*, admissible heuristics
- Local Search Hill Climbing Simulated Annealing

Genetic Algorithms





Flashback: Adversarial Search

- Minimax Search
- Alpha Beta Pruning
- Truncated search and evaluation functions







Samuel's Checkers program (1959)

- First use of minimax search
- First use of alpha-beta pruning
- First use of truncated search and evaluation functions
- First use of machine learning
- Implemented on an IBM 701 with 9 KB memory!
- IBM's stock went up 15 points after demo



1961: First Industrial Robot



Unimate by Unimation

- Worked on a General Motors assembly line
- Transported die castings from assembly line and welded these onto auto bodies
- Began the era of industrial robots

Flashback: Robots today

- Invited Talks by:
- Dieter Fox (Probabilistic localization in robots)



 Rawichote Chalodhorn (Robot programming by human demonstration)



Math Flashback: Recursive Bayesian Updating

$$P(x_n \mid z_1,...,z_n) = \frac{P(z_n \mid x_n, z_1,..., z_{n-1}) P(x_n \mid z_1,...,z_{n-1})}{P(z_n \mid z_1,...,z_{n-1})}$$

Markov assumption: z_n is independent of z_1, \dots, z_{n-1} if we know x_n .

Application: Robot Localization and Mapping of Allen Center



(Work of Prof. Dieter Fox and students)

1971: Dawn of Classical Symbolic AI

- Blocks world model Introduced by Terry Winograd
- World is modeled as a set of abstract symbols which may be reasoned about using *logic*



Flashback: Logical Reasoning

- Propositional logic
 - Models and Entailment Inference techniques:
 - Soundness, completeness
 - Resolution
 - Forward/backward chaining
 - WalkSAT
- First-Order Logic

Variables, Quantifiers Inference techniques:

- Skolemization & Unification
- Forward/backward chaining
- Resolution





1980s: Neural Networks

- Early neural networks McCulloch & Pitts (1943) – simple neural nets Rosenblatt (1962) – perceptron
- Backpropagation learning algorithm
 - Invented in 1969 and again in 1974
 - Hardware too slow, until rediscovered in 1985





Backprop rule for <u>input-hidden weights w</u>:

$$w_{kj} \rightarrow w_{kj} - \varepsilon \frac{dE}{dw_{kj}}$$
$$\frac{dE}{dw_{kj}} = \left[-\sum_{m,i} \left(d_i^m - v_i^m \right) g' \left(\sum_j W_{ji} x_j^m \right) W_{ji} \right] \cdot \left[g' \left(\sum_k w_{kj} u_k^m \right) u_k^m \right]$$

Application: Handwriting Recognition

Artificial Neural Network Handwriting Recognizer

Written in JavaTM

by Dob Muchell						
	👙 Handw	riting Recognizer	Applet			
👙 Recognized As: 🔀	File Edit	Network Help				
В =3 ок Java Applet Window		2	\sum			
	0 1	2 3 4 5	3 7 8 9		Clear Train Test	
Applet JRec.GUI started	Java Applet	Window				

her Park Mitchell all



http://www.cs.rochester.edu/~kautz/Courses/290Bspring2008/NeuralNets/NeuralNetsHandwriting/JRec.html

1990s to present: Probabilistic Models and Machine Learning

• Probabilistic graphical models

Pearl (1988) – Bayesian networks

• Machine learning

Quinlan (1993) – decision trees (C4.5) Vapnik (1992) – Support vector machines (SVMs) Schapire (1996) – Boosting Neal (1996) – Gaussian processes

• Recent progress:

Probabilistic relational models, deep networks, active learning, structured prediction, etc.

Flashback: Bayesian Networks



Application: Tracking a Person using GPS

Tracking



foot=blue, bus=green, car=red

(Work of Prof. Fox, Prof. Kautz, and students)

Application: Robot Learning by Imitation





Imitating from Motion Capture Data



Motion Capture



Data from Motion Capture



Attempted Imitation

Bayesian Network for Stable Imitation and Learning

Idea: Use Bayesian network to capture consequences of actions (current body state, action) \rightarrow Next body state

State s = [joint angles, gyro values, foot pressure values]
Action a = [position commands to motors for each joint]



Infer actions a_t given evidence $s_1, ..., s_T$ from teacher subject to stability constraints on gyro readings

Learning to Imitate a Human Action





Result after Learning



Human Action

Imitation

The Future of AI

- Massive amounts of data
- Sophisticated probabilistic reasoning and machine learning algorithms
- +

+

Massive computing power

= AI revolution?

Automated Driving





Winners of the 2005 and 2007 DARPA Grand Challenges

Driverless pod cars at Heathrow International Airport



AI in a Sensor-rich World

- Intelligent houses
- Intelligent refrigerators
- Intelligent forests
- Intelligent oceans
- Intelligent bridges
- Etc.

AI in Industry

• Joseph Sirosh's talk:

Fraud detection, trust, and safety Just-in-time inventory systems Collaborative filtering Recommendation in social networks Behavioral ad targeting

Other applications

Stock market prediction Insider trading and market abuse detection AI-assisted design Intelligent robots for manufacturing and testing

Other future AI applications

- Smart power grids: electric power flows both ways and is distributed dynamically according to changing demand
- Security and military: Bomb diffusing robots, unmanned vehicles, "soldier" robots
- Robot firefighters
- AI Travel Agents
- AI Accountants
- AI Cashiers
- AI Football Coaches
- AI Football Players

Flashback: Machine Learning

Classification

- Decision Trees
- Neural Networks
- SVMs





Application: Brain-Computer Interfaces

- Classifying brain signals recorded at the scalp
- Detect what a person wants from a set of options
- Command a humanoid robot to fetch an object
- Details in Dr. Scherer's talk





CBS News Sunday Morning

