

Uninformed Search

Chapter 3

(Based on slides by Stuart Russell, Dan Weld, Oren Etzioni,
Henry Kautz, and other UW-AI faculty)

What is Search?

- Search is a class of techniques for systematically finding or constructing solutions to problems.
 - Example technique: generate-and-test.
 - Example problem: Combination lock.
1. Generate a possible solution.
 2. Test the solution.
 3. If solution found THEN done ELSE return to step 1.

Search thru a Problem Space/State Space

Input:

- Set of states
- Operators [and costs]
- Start state
- Goal state [test]

Output:

- Path: start \Rightarrow a state satisfying goal test
- [May require shortest path]

Why is search interesting?

- Many (all?) AI problems can be formulated as search problems!
- Examples:
 - Path planning
 - Games
 - Natural Language Processing
 - Machine learning
 - ...

Example: The 8-puzzle

7	2	4
5		6
8	3	1

Start State

	1	2
3	4	5
6	7	8

Goal State

- states?
- actions?
- goal test?
- path cost?

Example: The 8-puzzle

7	2	4
5		6
8	3	1


Start State

	1	2
3	4	5
6	7	8


Goal State

- states? locations of tiles
- actions? move blank left, right, up, down
- goal test? = goal state (given)
- path cost? 1 per move
-
- [Note: optimal solution of n -Puzzle family is NP-hard]

Search Tree Example: Fragment of 8-Puzzle Problem Space



Example: robotic assembly



- states?: real-valued coordinates of robot joint angles parts of the object to be assembled
-
- actions?: continuous motions of robot joints
-
- goal test?: complete assembly
-
- path cost?: time to execute
-

Example: Romania

- On holiday in Romania; currently in Arad.
- Flight leaves tomorrow from Bucharest
-
- **Formulate goal:**
 - be in Bucharest
 -
- **Formulate problem:**
 - **states:** various cities
 - **actions:** drive between cities
 -
- **Find solution:**
 - sequence of cities, e.g., Arad, Sibiu, Fagaras, Bucharest
 -


Example: N Queens

- Input:
 - Set of states
 - Operators [and costs]
 - Start state
 - Goal state (test)
- Output

		Q	
Q			
			Q
	Q		

Implementation: states vs. nodes

- A **state** is a (representation of) a physical configuration
- A **node** is a data structure constituting part of a search tree includes **state**, **parent node**, **action**, **path cost $g(x)$** , **depth**



- The `Expand` function creates new nodes, filling in the various fields and using the `SuccessorFn` of the problem to create the corresponding states.
-

Search strategies



- A search strategy is defined by picking the **order of node expansion**
- Strategies are evaluated along the following dimensions:
 - **completeness**: does it always find a solution if one exists?
 - **time complexity**: number of nodes generated
 - **space complexity**: maximum number of nodes in memory
 - **optimality**: does it always find a least-cost solution?
 - **systematicity**: **does it visit each state at most once?**
- Time and space complexity are measured in terms of
 - *b*: maximum branching factor of the search tree
 - *d*: depth of the least-cost solution
 - *m*: maximum depth of the state space (may be ∞)

Uninformed search strategies

- **Uninformed** search strategies use only the information available in the problem definition
- Breadth-first search
- Depth-first search
- Depth-limited search
- Iterative deepening search


Repeated states

- Failure to detect repeated states can turn a linear problem into an exponential one!



Depth First Search


- Maintain stack of nodes to visit
- Evaluation
 - Complete? **Yes except for infinite spaces**
 - Time Complexity? **$O(b^m)$**
 - Space Complexity? **$O(bm)$**



<http://www.youtube.com/watch?v=dtoFAvtVE4U>

Breadth First Search

- Maintain queue of nodes to visit
- Evaluation
 - Complete? **Yes (b is finite)**
 - Time Complexity? **$O(b^d)$**
 - Space Complexity? **$O(b^d)$**



<http://www.youtube.com/watch?v=z6lUnb9kktE>

Memory Limitation

- Suppose:
 - 2 GHz CPU
 - 1 GB main memory
 - 100 instructions / expansion
 - 5 bytes / node

- 200,000 expansions / sec
- Memory filled in 100 sec ... < 2 minutes

Iterative deepening search

```
function ITERATIVE-DEEPENING-SEARCH(problem) returns a solution, or fail-  
ure  
  inputs: problem, a problem  
  for depth  $\leftarrow$  0 to  $\infty$  do  
    result  $\leftarrow$  DEPTH-LIMITED-SEARCH(problem, depth)  
    if result  $\neq$  cutoff then return result
```

Iterative deepening search $l = 0$

Limit = 0




Iterative deepening search / =1

Limit = 1




Iterative deepening search $l = 2$

Limit = 2



Iterative deepening search / =3

Limit = 3



Iterative deepening search

- Number of nodes generated in a depth-limited search to depth d with branching factor b :

- $$N_{DLS} = b^0 + b^1 + b^2 + \dots + b^{d-2} + b^{d-1} + b^d$$

- Number of nodes generated in an iterative deepening search to depth d with branching factor b :

- $$N_{IDS} = (d+1)b^0 + d b^1 + (d-1)b^2 + \dots + 3b^{d-2} + 2b^{d-1} + 1b^d$$

- For $b = 10, d = 5,$

-

- $N_{DLS} = 1 + 10 + 100 + 1,000 + 10,000 + 100,000 = 111,111$

-

- $N_{IDS} = 6 + 50 + 400 + 3,000 + 20,000 + 100,000 = 123,456$

-

- Overhead = $(123,456 - 111,111)/111,111 = 11\%$


iterative deepening search

- Complete? Yes
- Time?
 - $(d+1)b^0 + d b^1 + (d-1)b^2 + \dots + b^d = O(b^{d+1})$
- Space?
 - $O(bd)$
- Optimal?
 - Yes, if step cost = 1
- Systematic?



Summary of algorithms

Criterion	Breadth-First	Uniform-Cost	Depth-First	Depth-Limited	Iterative Deepening
Complete?	Yes	Yes	No	No	Yes
Time	$O(b^{d+1})$	$O(b^{\lceil C^*/\epsilon \rceil})$	$O(b^m)$	$O(b^l)$	$O(b^d)$
Space	$O(b^{d+1})$	$O(b^{\lceil C^*/\epsilon \rceil})$	$O(bm)$	$O(bl)$	$O(bd)$
Optimal?	Yes	Yes	No	No	Yes

Forwards vs. Backwards



vs. Bidirectional



Problem

- All these methods are slow (blind)
- Solution → add guidance (“**heuristic estimate**”)
→ “**informed search**”