

CSE 322  
Introduction to Formal Models in Computer Science  
Alternative Conversion to Chomsky Normal Form

**Chomsky Normal Form:** A context-free grammar  $G = (V, \Sigma, R, S)$  is in Chomsky normal if and only if  $S$  does not appear on the right hand side of any rule, and all rules are of the form:

- $A \rightarrow BC$  for some  $B, C \in (V \cup \Sigma)$  (either variables or terminals),
- $A \rightarrow a$  for some  $a \in \Sigma$ , or
- $S \rightarrow \epsilon$

**Theorem:** Every CFL can be generated by some grammar in Chomsky Normal Form.

**Proof:** Let  $G = (V, \Sigma, R, S)$  be a context-free grammar generating  $L$ . We give a several step construction for converting  $G$  to a grammar  $G' = (V', \Sigma, R', S')$  in Chomsky Normal Form.

Step 1: Create a new start symbol  $S'$  and add the rule  $S' \rightarrow S$ .

Step 2: For each rule  $A \rightarrow B_1 \dots B_k$  with  $k > 2$ , create new variables  $T_2, \dots, T_{k-1}$  and replace the rule by rules  $A \rightarrow B_1 T_2, T_2 \rightarrow B_2 T_3, \dots, T_{k-1} \rightarrow B_{k-1} B_k$ . There are separate symbols  $T_i$  for each rule converted in this way. Now all rules have right-hand sides of length at most 2.

Step 3: Figure out the set of variables  $\mathcal{E}$  that can generate the empty string  $\epsilon$ : If  $A \rightarrow \epsilon$  is a rule then put  $A$  in  $\mathcal{E}$ . Then for every  $A \in \mathcal{E}$  if  $B \rightarrow w$  is a rule with  $w \in \mathcal{E}^*$ , also put  $B \in \mathcal{E}$ .

If  $S' \in \mathcal{E}$  add the rule  $S' \rightarrow \epsilon$  and remove all other rules  $A \rightarrow \epsilon$ . For every rule  $A \rightarrow BC$  with  $B \in \mathcal{E}$  add the rule  $A \rightarrow C$ . ( $C$  can either be a variable or terminal.) For every rule  $A \rightarrow BC$  with  $C \in \mathcal{E}$  add the rule  $A \rightarrow B$ . ( $B$  can either be a variable or terminal.)

Step 4: A *unit rule* is a rule of the form  $A \rightarrow B$  where  $A$  and  $B$  are variables. We now only need to eliminate all unit rules. To do this we draw a directed graph of all the variables where there is an edge from  $A$  to  $B$  if  $A \rightarrow B$  is a rule. For any variable  $A$ , let  $V(A)$  be the set of variables reachable from  $A$  in this graph.

Call a right-hand side of a rule *interesting* if the rule is not a unit rule. To make the Chomsky normal form grammar, we define a new grammar with the same variables in which  $A \rightarrow w$  if and only if  $w$  is an interesting right-hand side of some rule whose left-hand side is in  $V(A)$ .

Clearly these rules keep the language generated the same.  $\square$