

# B-Trees

## Section 4.7 in Weiss

CSE 326  
Data Structures  
Ruth Anderson

2/08/2010 1

## Today's Outline

- **Announcements**
  - Project 2B due Wednesday, 2/10 at 11pm
  - Midterms returned and discussed in section Thurs
  - Written Homework #4 due Friday 2/12
- **Today's Topics:**
  - B-Trees

2/08/2010 2

## Trees so far

- BST
- AVL
- Splay

2/08/2010 3

Component	Capacity	Time to access
CPU (has registers)		1 ns per instruction
Cache	8KB - 4MB	2-10 ns
Main Memory	DRAM up to 10GB	40-100 ns
Disk	many GB	a few milliseconds (5-10 Million ns)

2/08/2010 4

## M-ary Search Tree

- Maximum branching factor of  $M$
- Complete tree has height =

# disk accesses for *find*:

Runtime of *find*:

2/08/2010 5

## Solution: B-Trees

- specialized  $M$ -ary search trees
- Each **node** has (up to)  $M-1$  keys:
  - subtree between two keys  $x$  and  $y$  contains leaves with values  $v$  such that  $x \leq v < y$
- Pick branching factor  $M$  such that each node takes one full {page, block} of memory

2/08/2010 6

## B-Trees

What makes them disk-friendly?

### 1. Many keys stored in a node

- All brought to memory/cache in one access!

### 2. Internal nodes contain *only* keys;

**Only leaf nodes contain keys and actual data**


- The tree structure can be loaded into memory irrespective of data object size
- Data actually resides in disk
- Only retrieve data that we need

2/08/2010

7

## B-Tree: Example

B-Tree with  $M = 4$  (# pointers in internal node)  
and  $L = 4$  (# data items in leaf)



## B-Tree Properties ‡

- Data is stored at the **leaves**
- All **leaves** are at the same depth and contains between  $\lceil L/2 \rceil$  and  $L$  data items
- Internal** nodes store up to  $M-1$  keys
- Internal** nodes have between  $\lceil M/2 \rceil$  and  $M$  children
- Root** (special case) has between 2 and  $M$  children (or root could be a leaf)


2/08/2010

‡These are technically B<sup>+</sup>-Trees

9

## Example, Again

B-Tree with  $M = 4$   
and  $L = 4$



2/08/2010

10

## B-trees vs. AVL trees


Suppose we have 100 million items (100,000,000):

- Depth of AVL Tree
- Depth of B+ Tree with  $M = 128$ ,  $L = 64$

2/08/2010

11




## Building a B-Tree



Now, Insert(1)?

2/08/2010

12





### Insertion Algorithm

1. Insert the key in its leaf
2. If the leaf ends up with  $L+1$  items, **overflow!**
  - Split the leaf into two nodes:
    - original with  $\lceil (L+1)/2 \rceil$  items
    - new one with  $\lfloor (L+1)/2 \rfloor$  items
  - Add the new child to the parent
  - If the parent ends up with  $M+1$  items, **overflow!**
3. If an internal node ends up with  $M+1$  items, **overflow!**
  - Split the node into two nodes:
    - original with  $\lceil (M+1)/2 \rceil$  items
    - new one with  $\lfloor (M+1)/2 \rfloor$  items
  - Add the new child to the parent
  - If the parent ends up with  $M+1$  items, **overflow!**
4. Split an overflowed root in two and hang the new nodes under a new root

This makes the tree deeper!

2/08/2010 16



$M = 3 \quad L = 2$

### Deletion and Adoption

A leaf has too few keys!

Delete(5)

So, borrow from a sibling

2/08/2010 19

### Does Adoption Always Work?

- What if the sibling doesn't have enough for you to borrow from?

e.g. you have  $\lceil L/2 \rceil - 1$  and sibling has  $\lceil L/2 \rceil$ ?

2/08/2010 20

$M = 3 \quad L = 2$

### Deletion and Merging

A leaf has too few keys!

Delete(3)

And no sibling with surplus!

So, delete the leaf

But now an internal node has too few subtrees!

2/08/2010 21

$M = 3 \quad L = 2$

### Deletion with Propagation (More Adoption)

Adopt a neighbor

2/08/2010 22

$M = 3 \quad L = 2$

### A Bit More Adoption

Delete(1) (adopt a sibling)

2/08/2010 23

$M = 3 \quad L = 2$

### Pulling out the Root

A leaf has too few keys!  
And no sibling with surplus!

Delete(26)

So, delete the leaf; merge

But now the root has just one subtree!

Delete the node

2/08/2010 24

$M = 3$   $L = 2$

## Pulling out the Root (continued)

The root has just one subtree!

Simply make the one child the new root!

2/08/2010 25

## Deletion Algorithm

1. Remove the key from its leaf
2. If the leaf ends up with fewer than  $\lceil L/2 \rceil$  items, **underflow!**
  - Adopt data from a sibling; update the parent
  - If adopting won't work, delete node and merge with neighbor
  - If the parent ends up with fewer than  $\lceil M/2 \rceil$  items, **underflow!**

2/08/2010 26

## Deletion Slide Two

3. If an internal node ends up with fewer than  $\lceil M/2 \rceil$  items, **underflow!**
  - Adopt from a neighbor; update the parent
  - If adoption won't work, merge with neighbor
  - If the parent ends up with fewer than  $\lceil M/2 \rceil$  items, **underflow!**
4. If the root ends up with only one child, make the child the new root of the tree

This reduces the height of the tree!

2/08/2010 28

## Thinking about B-Trees

- B-Tree insertion can cause (expensive) splitting and propagation
- B-Tree deletion can cause (cheap) adoption or (expensive) deletion, merging and propagation
- Propagation is rare if  $M$  and  $L$  are large (*Why?*)
- If  $M = L = 128$ , then a B-Tree of height 4 will store at least 30,000,000 items

2/08/2010 28

## Tree Names You Might Encounter

FYI:

- B-Trees with  $M = 3$ ,  $L = x$  are called **2-3 trees**
  - Nodes can have 2 or 3 keys
- B-Trees with  $M = 4$ ,  $L = x$  are called **2-3-4 trees**
  - Nodes can have 2, 3, or 4 keys

2/08/2010 29

## Determining M and L for a B-Tree

1 Page on disk = 1 KByte  
 Key = 8 bytes, Pointer = 4 bytes  
 Data = 256 bytes per record (includes key)

M =

L =

2/08/2010 30

Student Activity