

---

CSE 331  
Software Design & Implementation

Kevin Zatloukal  
Fall 2022  
Subtypes and Subclasses

---

# Midterm

---

- Friday in class
- Covers lecture material through last Friday
  - required readings are fair game
- No notes or devices (shouldn't be needed)
- 5 problems
  - Specifications
  - Reasoning x 2 (of the types mentioned before)
  - Testing
  - Multiple choice / short answer

# **SUBTYPES VS SUBCLASSES**

# Substitution principle for classes

---

If B is a subtype of A, then a B can *always* **be substituted** for an A

Any property guaranteed by A must be guaranteed by B

- anything provable about an A is provable about a B
- if an instance of subtype is treated purely as supertype (only supertype methods/fields used), then the result should be consistent with an object of the supertype being manipulated

B is *permitted to strengthen* properties and add properties

- an overriding method must have a stronger (or equal) spec
- fine to add new methods (that preserve invariants)

B is *not permitted to weaken* the spec

- no overriding method with a weaker spec
- no method removal

# Substitution principle for methods

---

## Constraints on methods

- for each supertype method, subtype must have such a method
  - (could be inherited or overridden)

Each overridden method must *strengthen* (or match) the spec:

- ask nothing extra of client (“weaker precondition”)
  - *requires* clause is at most as strict as in supertype’s method
- guarantee at least as much (“stronger postcondition”)
  - *effects* clause is at least as strict as in the supertype method
  - no new entries in *modifies* clause
  - promise more (or the same) in *returns* & *throws* clauses
    - cannot change return values or switch between return and throws

# Java subtyping

---

- Java types:
  - defined by classes, interfaces, primitives
- Java subtyping stems from **B extends A** and **B implements A** declarations
- In a Java subtype, each corresponding method has:
  - same argument types
    - if different, then *overloading* — unrelated methods
  - compatible return types
  - no additional declared exceptions

# Java subtyping guarantees

---

A variable's run-time type (i.e., the class of its run-time value) is a Java subtype of its declared type

```
Object o = new Date(); // OK
```

```
Date d = new Object(); // compile-time error
```

If a variable of *declared (compile-time)* type T1 holds a reference to an object of *actual (runtime)* type T2, then T2 must be a Java subtype of T1

Corollaries:

- objects always have implementations of the methods specified by their declared type
- *if* all subtypes are true subtypes, then all objects meet the specification of their declared type

Rules out a huge class of bugs

# Java subtyping non-guarantees

---

Java subtyping does **not** guarantee that overridden methods

- have smaller requires
- have smaller modifies
- have stronger postconditions
  - Java only checks the *return type* not the postcondition
  - could compute a completely different function
- have stronger effects
- have stronger throws (& only for the same cases as before)
- have no new unchecked exceptions



**EQUALS WITH SUBCLASSES**

# equals specification

---

public boolean equals(Object **obj**) should be:

- *reflexive*: for any reference value **x**, **x.equals(x) == true**
- *symmetric*: for any reference values **x** and **y**,  
**x.equals(y) == y.equals(x)**
- *transitive*: for any reference values **x**, **y**, and **z**, if **x.equals(y)** and **y.equals(z)** are **true**, then **x.equals(z)** is **true**
- *consistent*: for any reference values **x** and **y**, multiple invocations of **x.equals(y)** consistently return **true** or consistently return **false** (provided neither is mutated)
- For any *non-null* reference value **x**, **x.equals(null)** should return **false**

# Really fixed now

---

```
public class Duration {
    @Override
    public boolean equals(Object o) {
        if (!(o instanceof Duration))
            return false;
        Duration d = (Duration) o;
        return this.min==d.min && this.sec==d.sec;
    }
}
```

- Correct and idiomatic Java
- Gets `null` case right (`null instanceof C` always `false`)
- Cast cannot fail

# Two subclasses

---

```
class CountedDuration extends Duration {
    public static numCountedDurations = 0;
    public CountedDuration(int min, int sec) {
        super(min, sec);
        ++numCountedDurations;
    }
}
class NanoDuration extends Duration {
    private final int nano;
    public NanoDuration(int min, int sec, int nano) {
        super(min, sec);
        this.nano = nano;
    }
    public boolean equals(Object o) { ... }
    ...
}
```

# CountedDuration is (probably) fine

---

- `CountedDuration` does not override `equals`
  - inherits `Duration.equals(Object)`
- Will (implicitly) treat any `CountedDuration` like a `Duration` when checking `equals`
  - `o instanceof Duration` is true if `o` is `CountedDuration`
- Any combination of `Duration` and `CountedDuration` objects can be compared
  - equal if same contents in `min` and `sec` fields
  - works because `o instanceof Duration` is true when `o` is an instance of `CountedDuration`

# NanoDuration is (probably) not fine

---

- If we don't override `equals` in `NanoDuration`, then objects with different `nano` fields will be equal
- Using what we have learned:

```
@Override
public boolean equals(Object o) {
    if (!(o instanceof NanoDuration))
        return false;
    NanoDuration nd = (NanoDuration) o;
    return super.equals(nd) && nano == nd.nano;
}
```

- But we have violated the `equals` contract
  - Hint: Compare a `Duration` and a `NanoDuration`

# The symmetry bug

---

```
public boolean equals(Object o) {
    if (!(o instanceof NanoDuration))
        return false;
    NanoDuration nd = (NanoDuration) o;
    return super.equals(nd) && nano == nd.nano;
}
```

This is *not symmetric!*

```
Duration d1 = new NanoDuration(5, 10, 15);
Duration d2 = new Duration(5, 10);
d1.equals(d2); // false
d2.equals(d1); // true
```

# Fixing symmetry

---

This version restores symmetry by using `Duration`'s `equals` if the argument is a `Duration` (and not a `NanoDuration`)

```
public boolean equals(Object o) {
    if (!(o instanceof Duration))
        return false;
    // if o is a normal Duration, compare without nano
    if (!(o instanceof NanoDuration))
        return super.equals(o);
    NanoDuration nd = (NanoDuration) o;
    return super.equals(nd) && nano == nd.nano;
}
```

Alas, this *still* violates the `equals` contract

- Transitivity...



# The transitivity bug

---

```
Duration d1 = new NanoDuration(1, 2, 3);  
Duration d2 = new Duration(1, 2);  
Duration d3 = new NanoDuration(1, 2, 4);  
d1.equals(d2); // true  
d2.equals(d3); // true  
d1.equals(d3); // false!
```

NanoDuration

min	1
sec	2
nano	3

Duration

min	1
sec	2

NanoDuration

min	1
sec	2
nano	4

# No perfect solution

---

- *Effective Java* says not to (re)override `equals` like this
  - generally good advice
  - but there is one way to satisfy `equals` contract (see below)
- Two less-than-perfect approaches on next two slides:
  1. Don't make **NanoDuration** a subclass of **Duration**
    - fact that `equals` should be different is a hint it's not a subtype
  2. Change **Duration's** `equals` so only **Duration** objects that are not (proper) subclasses of **Duration** are equal

# Option 1: avoid subclassing

---

Choose composition over subclassing (Effective Java)

- often good advice in general
- many programmers overuse subclassing

```
public class NanoDuration {  
    private final Duration duration;  
    private final int nano;  
    ...  
}
```

Solves some problems:

- clients can choose which type of equality to use

Introduces others:

- can't use **NanoDurations** where **Durations** are expected (since it is not a subtype)

## Option 2: the `getClass` trick

---

Check if `o` is a `Duration` and *not* a subtype:

```
@Override
public boolean equals(Object o) { // in Duration
    if (o == null)
        return false;
    if (!o.getClass().equals(getClass()))
        return false;
    Duration d = (Duration) o;
    return d.min == min && d.sec == sec;
}
```

But this breaks `CountedDuration`!

- subclasses do not “act like” instances of superclass because behavior of `equals` changes with subclasses
- generally considered wrong to “break” subtyping like this

# Subclassing summary

---

- Subtypes *should* be useable wherever the type is used
  - Liskov substitution principle
- Unresolvable tension between
  - what we want for equality: *treat subclasses differently*
  - what we want for subtyping: *treat subclasses the same*
- No perfect solution for all cases...
- Choose whether you want subtyping or not
  - in former case, don't override equals (make it final)
  - in latter case, can still use composition instead
    - this matches the advice in *Effective Java* and from us (later)
  - almost always best to avoid getClass trick

# **DESIGNING FOR INHERITANCE**

# Inheritance can break encapsulation

---

```
public class InstrumentedHashSet<E>
    extends HashSet<E> {
    private int addCount = 0; // count # insertions
    public InstrumentedHashSet(Collection<? extends E> c) {
        super(c);
    }
    public boolean add(E o) {
        addCount++;
        return super.add(o);
    }
    public boolean addAll(Collection<? extends E> c) {
        addCount += c.size();
        return super.addAll(c);
    }
    public int getAddCount() { return addCount; }
}
```

# Dependence on implementation

---

What does this code print?

```
InstrumentedHashSet<String> s =  
    new InstrumentedHashSet<String> ();  
System.out.println(s.getAddCount()); // 0  
s.addAll(Arrays.asList("CSE", "331"));  
System.out.println(s.getAddCount()); // 4?!
```

- Answer *depends on implementation* of `addAll` in `HashSet`
  - different implementations may behave differently!
  - if `HashSet`'s `addAll` calls `add`, then double-counting
- `AbstractCollection`'s `addAll` specification:
  - “adds all elements in the specified collection to this collection.”
  - does not specify whether it calls `add`
- Lesson: subclassing typically requires *designing for inheritance*
  - self-calls is not the only example... (more in future lectures)



# Solutions

---

1. Change spec of **HashSet**
  - indicate all self-calls
  - less flexibility for implementers
  
2. Avoid spec ambiguity by avoiding self-calls
  - a) “re-implement” methods such as **addAll**
    - more work
  - b) use composition not inheritance
    - no longer a subtype (unless an interface is handy)
    - bad for equality tests, callbacks, etc.

# Solution: composition

---

Delegate

```
public class InstrumentedHashSet<E> {
    private final HashSet<E> s = new HashSet<E>();
    private int addCount = 0;
    public InstrumentedHashSet(Collection<? extends E> c) {
        this.addAll(c);
    }
    public boolean add(E o) {
        addCount++; return s.add(o);
    }
    public boolean addAll(Collection<? extends E> c) {
        addCount += c.size();
        return s.addAll(c);
    }
    public int getAddCount() { return addCount; }
    // ... and every other method specified by HashSet<E>
}
```

The implementation  
no longer matters

# Composition (wrappers, delegation)

---

Implementation *reuse* without *inheritance*

- Easy to reason about. Self-calls are irrelevant
- Example of a “wrapper” class
- Works around badly-designed / badly-specified classes
- Disadvantages (may be worthwhile price to pay):
  - does not preserve subtyping
  - sometimes tedious to write
  - may be hard to apply to equality tests, callbacks, etc.
    - (although we already saw equals is hard for subclasses)

# Composition does not preserve subtyping

---

- **InstrumentedHashSet** is not a **HashSet** anymore
  - so can't easily substitute it
- It may be a true subtype of **HashSet**
  - but Java doesn't know that!
  - Java requires declared relationships
  - not enough just to meet specification
- Interfaces to the rescue
  - can declare that we implement interface **Set**
  - if such an interface exists

normal Java style

## Interfaces reintroduce Java subtyping

---

```
public class InstrumentedHashSet<E> implements Set<E> {
    private final Set<E> s = new HashSet<E>();
    private int addCount = 0;
    public InstrumentedHashSet(Collection<? extends E> c) {
        this.addAll(c);
    }
    public boolean add(E o) {
        addCount++;
        return s.add(o);
    }
    public boolean addAll(Collection<? extends E> c) {
        addCount += c.size();
        return s.addAll(c);
    }
    public int getAddCount() { return addCount; }
    // ... and every other method specified by Set<E>
}
```

# Interfaces and abstract classes

---

Provide *interfaces* for your functionality

- client code to interfaces rather than concrete classes
- allows different implementations later
- facilitates composition, wrapper classes
  - basis of lots of useful, clever techniques
  - we'll see more of these later

Consider also providing helper/template *abstract classes*

- makes writing new implementations much easier
- not necessary to use them to implement an interface, so retain freedom to create radically different implementations

# Java library interface/class example

---

```
// root interface of collection hierarchy
interface Collection<E>
// skeletal implementation of Collection<E>
abstract class AbstractCollection<E>
    implements Collection<E>
// type of all ordered collections
interface List<E> extends Collection<E>
// skeletal implementation of List<E>
abstract class AbstractList<E>
    extends AbstractCollection<E>
    implements List<E>
// an old friend...
class ArrayList<E> extends AbstractList<E>
```

# Why interfaces instead of classes?

---

Java design decisions:

- a class has **exactly one** superclass
- a class may implement multiple interfaces
- an interface may extend multiple interfaces

Observation:

- multiple superclasses are difficult to use and to implement
- multiple interfaces, single superclass gets most of the benefit



# Pluses and minuses of inheritance

---

- Inheritance is a powerful way to achieve code reuse
- Inheritance can break encapsulation
  - a subclass may need to depend on unspecified details of the implementation of its superclass
    - e.g., pattern of self-calls
  - subclass may need to evolve in tandem with superclass
    - okay when implementation of both is under control of the same programmer
  - this is tricky to get right and is a source of subtle bugs
- Effective Java:
  - either **design for inheritance** or else **prohibit it**
  - favor composition (and interfaces) to inheritance