
CSE 331

Software Design & Implementation

Topic: Debugging

 **Discussion:** What is Soham's favorite fruit?

Reminders

- No extensions on HW9 (one late day only)
- Only two more weeks in the quarter!

Upcoming Deadlines

- Prep. Quiz: HW8 due Monday (8/08)
- HW8 due Thursday (8/11)

Last Time...

- Review
- Examples
 - Simplest React application
 - Character Counter
 - Class Picker
 - Messaging App (sorta?)


Today's Agenda

- Examples
 - Messaging App
- Debugging


Example 4

messaging/...

How should data flow?



Data Flow



DEBUGGING

A Bug's Life



defect – mistake committed by a human

error – incorrect computation

failure – visible error: program violates its specification

Debugging starts when a failure is observed

- Unit testing

- Integration testing

- In the field

Goal of debugging is to go *from failure back to defect*

Bug Removal

Tools, Inspection, & Testing

- increase confidence that the code is correct
- uncover problems by running the code

Defensive programming

- lay traps as you code to catch bugs when run

Debugging

- find out why a program is not functioning as intended

Testing ≠ debugging

- *test*: reveals existence of problem
- *debug*: pinpoint location & cause of problem
- debugging is often painful, testing is not

How to Avoid Debugging

Levels of defense against painful debugging:

1. Make errors *impossible*
 - examples: Java prevents type errors, memory corruption
Python prevents key mutation
2. Don't introduce defects
 - “get things right the first time” (by reasoning & unit testing)
3. Make errors *immediately visible* (often by defensive programming)
 - examples: assertions, **checkRep**
 - reduce *distance* from error to failure

(subtle bugs like key mutations are hard to find because of the distance between error and failure)

First defense: Impossible by design

In the language

- Java prevents type mismatches, memory overwrite bugs; guaranteed sizes of numeric types, ...

In the protocols/libraries/modules

- TCP/IP guarantees data is not reordered
- **BigInteger** guarantees there is no overflow

In self-imposed conventions

- immutable data structure guarantees behavioral equality
- **finally** block can prevent a resource leak

Caution: You must maintain discipline

Second defense: Correctness

Get things right the first time

- think before you code (don't code before you think!)
- if you're making **lots** of easy-to-find defects, you're probably **also** making hard-to-find defects

Especially important when debugging is going to be hard

- concurrency, real-time environment, no access to customer environment, etc.

The key techniques are everything we have been learning:

- forward & backward reasoning
- clear and complete specs
- strive to write *simpler software*

Strive for simplicity

“There are two ways of constructing a software design:


One way is to make it **so simple** that there are obviously no deficiencies, and the other way is to make it **so complicated** that there are no obvious deficiencies.

The first method is far more difficult.”

“Debugging is twice as hard as writing the code in the first place. Therefore, if you write the code as cleverly as possible, you are, by definition, **not smart enough to debug it.**”



Sir Anthony Hoare



Brian Kernighan

Second defense: Correctness

Find errors by testing before you check in the code:

Unit testing: when you test a module in isolation, any failure is due to a defect in that unit (or the test driver)

Regression testing: run tests as often as possible when changing code. If there is a failure, chances are there's a mistake in the code you just changed (or the new code is triggering a bug that hadn't been observed before)

Test early and often. More tests is almost never a bad thing.

Third defense: Immediate visibility

If we can't prevent errors, we can try to spot them early

`asserts` (e.g., in `checkRep`): check at runtime that the program is in the state that we are expecting.

Cause a `failure` that is closer to the `error`

Benefits of immediate visibility

Failure is likely to be closer to the defect

- failure can occur far from the mistake that caused it
- immediate visibility reduces the search time to find the defect

Defect is less likely to have infected other parts of the program

- the longer we wait, the more code we'll likely have to change

Don't program in ways that hide errors

- this lengthens distance between defect and failure

Last resort: debugging

Defects happen

- people are imperfect
- industry average (?): 10 defects per 1000 lines of code

Defects are sometimes not immediately clear from the failure
That means...



The bug removal process

step 1: find (small) repeatable test case that produces the failure

- smaller test case will make step 2 easier
- do *not* start step 2 until you have a repeatable test

step 2: narrow down location and cause

- *loop*: (a) study the data (b) hypothesize (c) experiment
- experiments often involve changing the code
- do *not* start step 3 until you understand the cause

step 3: fix the defect

- is it a simple typo or a design flaw?
- does it occur **elsewhere** in the code?

step 4: run all the tests (including the new one)

- is this failure fixed? are any other new failures introduced?

Example

```
// returns true iff sub is a substring of full
// (i.e. iff there exists A,B such that full=A+sub+B)
boolean contains(String full, String sub);
```

User bug report:

It can't find the string "very happy" within:

```
"Fáilte, you are very welcome! Hi Seán! I am very very
happy to see you all."
```

Reducing input size

Find a simple test case by divide-and-conquer

Reduce test iteratively:

Can not find **"very happy"** within

```
"Fáilte, you are very welcome! Hi Seán! I am very very  
happy to see you all."
```

```
"I am very very happy to see you all."
```

```
"very very happy"
```

Can find **"very happy"** within

```
"very happy"
```

Can not find **"ab"** within **"aab"**

General strategy: simplify

Find simplest input that will provoke failure

- usually not the input that revealed existence of the defect

Start with data that revealed the defect


- keep paring it down (binary search can help!)
- sometimes leads directly to an understanding of the cause

When not dealing with just one method call:


- “test input” is the set of steps that reliably trigger the failure
- same basic idea

Debugging and the scientific method

- Debugging should be *systematic*
 - carefully *decide* what to do
 - don't flail about randomly!
 - may help to keep a *record* of what you tried
 - don't get sucked into fruitless avenues



- Use an iterative scientific process:



Localizing a defect

Sometimes you can take advantage of modularity

- start with everything, take away pieces until failure goes away
- start with nothing, add pieces back in until failure appears


Binary search speeds up this process too

- error happens somewhere between first and last statement
- do binary search on that ordered set of statements
 - is the state correct after the middle statement?

Binary search on buggy code

```
public class MotionDetector {
    private boolean first = true;
    private Matrix prev = new Matrix();


    public Point apply(Matrix current) {
        if (first) {
            prev = current;
        }
        Matrix motion = new Matrix();
        getDifference(prev, current, motion);
        applyThreshold(motion, motion, 10);
        labelImage(motion, motion);
        Hist hist = getHistogram(motion);
        int top = hist.getMostFrequent();
        applyThreshold(motion, motion, top, top);
        Point result = getCentroid(motion);
        prev.copy(current);
        return result;
    }
}
```



Binary search on buggy code

```
public class MotionDetector {
    private boolean first = true;
    private Matrix prev = new Matrix();

    public Point apply(Matrix current) {
        if (first) {
            prev = current;
        }
        Matrix motion = new Matrix();
        getDifference(prev, current, motion);
        applyThreshold(motion, motion, 10);
        labelImage(motion, motion);
        Hist hist = getHistogram(motion);
        int top = hist.getMostFrequent();
        applyThreshold(motion, motion, top, top);
        Point result = getCentroid(motion);
        prev.copy(current);
        return result;
    }
}
```



Detecting Bugs in the Real World

Real systems

- large and complex
- collection of modules, written by multiple people
- complex input
- many external interactions
- non-deterministic

Replication can be an issue

- infrequent failure (the worst)
- instrumentation eliminates the failure (the worst of the worst)

Defects cross abstraction barriers

Large time lag from corruption (error) to detection (failure)

Heisenbugs

In a sequential, deterministic program, failure is repeatable

But the real world is not that nice...

- continuous input/environment changes
- concurrency and parallelism
- failure occurs randomly
 - literally depends on results of random-number generation

Common for debugging because...

- these are most likely bugs to **sneak past** reasoning & testing

Bugs hard to reproduce when:

- use of debugger or assertions makes failure goes away
 - due to timing or assertions having side-effects
- only happens when under heavy load
- only happens once in a while

Debugging In Harsh Environments

Failure is non-deterministic, difficult to reproduce

Can't print or use debugger

Can't change timing of program (or defect/failure depends on timing)



Logging Events


Log (record) events during execution as program runs (at full speed)

Examine logs to help reconstruct the past

- particularly on failing runs
- and/or compare failing and non-failing runs

The log may be all you know about a customer's environment

- (some amount of logging is fairly standard)
- needs to tell you enough to reproduce the failure



More Tricks for Hard Bugs

Rebuild system from scratch

- bug could be in your build system or persistent data structures

Make sure that you have correct source code

- check out fresh copy from repository; recompile everything

Explain the problem to a friend (or to a rubber duck)

- The Pragmatic Programmer calls this “rubber ducking”

Make sure it is a bug

- program may be working correctly!



Where is the defect?

The defect is **not** where you think it is (or else you'd have found it)

- ask yourself where it can not be; explain why

Look for simple easy-to-overlook mistakes first, e.g.,

- reversed order of arguments:
`Collections.copy(src, dest);`
- spelling of identifiers: `int hashCode()`
`@Override` can help catch method name typos
- same object vs. equal: `a == b` versus `a.equals(b)`
- deep vs. shallow copy

When the going gets tough

Reconsider assumptions

- e.g., has the OS changed? Is there room on the hard drive? Is it a leap year? 2 full moons in the month?
- debug the code, *not* the comments
 - ensure that comments and specs describe the code

Start documenting your system

- gives a fresh angle, and highlights area of confusion

Get help

- we all develop blind spots
- explaining the problem often helps (even to rubber duck)

Walk away

- sleep! often you can't see the problem because you're too tired
- one good reason to start early

Summary

- Debugging occurs when tools & inspection fail to catch a bug
- Debugging is the **search** from a **failure** back to the **defect**
 - defect = the actual bug, somewhere in the code
 - failure = bad effects from the bug becoming visible to users (crash, error message, incorrect result, etc.)
- Debugging can be *hours* (or even *days!*) of *frustrating* work
 - bugs that get past tools & inspection are usually the **most subtle**



Before next class...

1. Start [Prep. Quiz: HW8](#)
 - Ask some React questions
2. Only two more weeks in the quarter!