



CSE332: Data Abstractions

Lecture 20: Shared-Memory Concurrency & Mutual Exclusion

Ruth Anderson
Winter 2011

Announcements

- **Homework 6** – due NOW at the BEGINNING of lecture
- **Homework 7** – due Friday March 4th at the BEGINNING of lecture, coming soon!
- **Project 3** – the last programming project!
 - Version 1 & 2 - Tues March 1, 2011 11PM - (10% of overall grade)
 - ALL Code - Tues March 8, 2011 11PM - (65% of overall grade):
 - Writeup - Thursday March 10, 2011, 11PM - (25% of overall grade)

2

Toward sharing resources (memory)

- So far, we have been studying **parallel algorithms** using fork-join model
- Reduce span via parallel tasks
- Fork-Join algorithms all had a very simple **structure** to avoid **race conditions**
- Each thread had memory “only it accessed”
 - Example: each array sub-range accessed by only one thread
 - Result of forked process not accessed until after join() called
 - So the structure (mostly) ensured that bad simultaneous access wouldn't occur
- This strategy won't work well when:
- Memory accessed by threads is overlapping or unpredictable
 - Threads are doing independent tasks needing access to same resources (rather than implementing the same algorithm)

3


Each thread accesses a different sub-range of the array: Array is shared, but no overlap

```
class SumArray extends RecursiveTask<Integer> {
    int lo; int hi; int[] arr; // fields to know what to do
    SumArray(int[] a, int l, int h) { ... }
    protected Integer compute() { // return answer
        if (hi - lo < SEQUENTIAL_CUTOFF) {
            int ans = 0;
            for (int i = lo; i < hi; i++)
                ans += arr[i];
            return ans;
        } else {
            SumArray left = new SumArray(arr, lo, (hi+lo)/2);
            SumArray right = new SumArray(arr, (hi+lo)/2, hi);
            left.fork();
            int rightAns = right.compute();
            int leftAns = left.join();
            return leftAns + rightAns;
        }
    }
}

static final ForkJoinPool fjpPool = new ForkJoinPool();
int sum(int[] arr) {
    return fjpPool.invoke(new SumArray(arr, 0, arr.length));
}
```

4

Really sharing memory between Threads



5

Sharing a Queue....

- Imagine 2 threads, running at the same time,
- both with access to a **shared linked-list based queue** (initially empty)

```
enqueue(x) {
    if (back == null) {
        back = new Node(x);
        front = back;
    } else {
        back.next = new Node(x);
        back = back.next;
    }
}
```

6

Sharing a Queue....

- Imagine 2 threads, running at the same time, both with access to a shared linked-list based queue (initially empty)

```
enqueue(x) {  
    if(back==null){  
        back=new Node(x);  
        front=back;  
    }  
    else{  
        back.next = new Node(x);  
        back = back.next;  
    }  
}
```

- Each thread has own program counter (and local stack)
- Queue is shared, so both threads indirectly use the same 'front' and 'back' (which is the whole point of sharing the queue)
- We have no guarantee what happens first between different threads; can (and will) arbitrarily 'interrupt' each other
- Many things can go wrong: say, one tries to enqueue "a", the other "b", and both verify that back is 'null' before other sets back
 - Result: One assignment of back will be 'forgotten'
- In general, any 'interleaving' of results is possible if enqueue were called at the same time for both

7

Concurrent Programming

Concurrency: Allowing *simultaneous* or *interleaved* access to shared resources from multiple clients

Requires *coordination*, particularly **synchronization to avoid incorrect simultaneous access**: make somebody *block* (wait) until the resource is free

- `join` is not what we want
- block until another thread is "done using what we need" not "completely done executing"

Even correct concurrent applications are usually highly **non-deterministic**:

- how threads are scheduled affects what operations happen first
- non-repeatability complicates testing and debugging

8

Concurrency Examples

What if we have multiple threads:

- Processing different bank-account operations
 - What if 2 threads change the same account at the same time?
- Using a shared cache (e.g., hashtable) of recent files
 - What if 2 threads insert the same file at the same time?
- Creating a pipeline (think assembly line) with a queue for handing work to next thread in sequence?
 - What if enqueueer and dequeuer adjust a circular array queue at the same time?

9

Why threads?

Unlike with parallelism, not about implementing algorithms faster

But threads still useful for:

- *Code structure for responsiveness*
 - Example: Respond to GUI events in one thread while another thread is performing an expensive computation
- *Processor utilization (mask I/O latency)*
 - If 1 thread "goes to disk," have something else to do
- *Failure isolation*
 - Convenient structure if want to *interleave* multiple tasks and don't want an exception in one to stop the other

10

Sharing, again

It is common in concurrent programs that:

- Different threads might access the same resources in an unpredictable order or even at about the same time
- Program correctness requires that simultaneous access be prevented using synchronization
- Simultaneous access is rare
 - Makes testing difficult
 - Must be much more disciplined when designing / implementing a concurrent program
 - Will discuss common idioms known to work

11

Canonical example

Correct code in a single-threaded world

```
class BankAccount {  
    private int balance = 0;  
    int getBalance() { return balance; }  
    void setBalance(int x) { balance = x; }  
    void withdraw(int amount) {  
        int b = getBalance();  
        if(amount > b)  
            throw new WithdrawTooLargeException();  
        setBalance(b - amount);  
    }  
    ... // other operations like deposit, etc.  
}
```

12

Interleaving

Suppose:

- Thread T1 calls `x.withdraw(100)`
- Thread T2 calls `y.withdraw(100)`

If second call starts before first finishes, we say the calls **interleave**

- Could happen even with one processor since a thread can be **pre-empted** at any point for time-slicing
 - e.g. T1 runs for 50 ms, pauses somewhere, T2 picks up for 50ms

If `x` and `y` refer to different accounts, no problem

- "You cook in your kitchen while I cook in mine"
- But if `x` and `y` alias, possible trouble...

13

What is the balance at the end?

Two threads both trying to `withdraw(25)` from the **same account**:

- Assume initial balance 100

```
class BankAccount {
    private int balance = 0;
    int getBalance() { return balance; }
    void setBalance(int x) { balance = x; }
    void withdraw(int amount) {
        int b = getBalance();
        if (amount > b)
            throw new WithdrawTooLargeException();
        setBalance(b - amount);
    }
    ... // other operations like deposit, etc.
}
```

Thread 1
`x.withdraw(25);`


Thread 2
`x.withdraw(25);`

14

Another example: a bad interleaving

Two threads both trying to `withdraw(100)` from the **same account**:

- Assume initial balance 150
- This **should** cause a `WithdrawTooLarge` exception




15

A bad fix, Another bad interleaving

Two threads both trying to `withdraw(100)` from the **same account**:

- Assume initial balance 150
- This **should** cause a `WithdrawTooLarge` exception




16

Still a bad fix, Another bad interleaving

Two threads both trying to `withdraw(100)` from the **same account**:

- Assume initial balance 150
- This **should** cause a `WithdrawTooLarge` exception



Instead of an exception,
we have a "Lost withdraw"

17

Incorrect "fix"

It is tempting and almost always **wrong** to fix a bad interleaving by rearranging or repeating operations, such as:

```
void withdraw(int amount) {
    if (amount > getBalance())
        throw new WithdrawTooLargeException();
    // maybe balance changed
    setBalance(getBalance() - amount);
}
```

This fixes nothing!

- Narrows the problem by one statement
- (Not even that since the compiler could turn it back into the old version because you didn't indicate need to synchronize)
- And now a negative balance is possible – why?

18

Mutual exclusion

The sane fix: At most one thread withdraws from account **A** at a time

- Exclude other simultaneous operations on **A** too (e.g., deposit)

Called **mutual exclusion**: One thread doing something with a resource (here: an account) means another thread must wait

- Define **critical sections**; areas of code that are mutually exclusive

Programmer (you!) must implement critical sections

- "The compiler" has no idea what interleavings should or shouldn't be allowed in your program
- But you need language primitives to do it!

19

Why is this Wrong?

Why can't we implement our own mutual-exclusion protocol?


- Say we tried to coordinate it ourselves using a boolean variable – **"busy"**

```
class BankAccount {
    private int balance = 0;
    private boolean busy = false;
    void withdraw(int amount) {
        while(busy) { /* "spin-wait" */ }
        busy = true;
        int b = getBalance();
        if(amount > b)
            throw new WithdrawTooLargeException();
        setBalance(b - amount);
        busy = false;
    }
    // deposit would spin on same boolean
}
```

20

Still just moved the problem!

Busy is initially = false



Time does elapse between checking 'busy' and setting 'busy'; can be interrupted there

21

What we need:

- There are many ways out of this conundrum, but we need help from the language
- One basic solution: **Locks**
 - Still on a conceptual level at the moment, 'Lock' is not a Java class
- We will define **Lock** as an ADT with operations:
 - new**: make a new lock
 - acquire**: If lock is "not held", makes it "held"
 - blocks if this lock is already currently "held"
 - Checking & setting happen together, and cannot be interrupted
 - Fixes problem we saw before
 - release**: makes this lock "not held"
 - if ≥ 1 threads are blocked on it, exactly 1 will acquire it

22

Why that works

- A **Lock** ADT with operations **new**, **acquire**, **release**
- The lock implementation ensures that given simultaneous acquires and/or releases, a correct thing will happen
 - Example:
 - If we have two acquires: one will "win" and one will block
- How can this be implemented?
 - Need to **"check-and-update"** all at once
 - Uses special hardware and O/S support
 - See a senior-level course in computer architecture or operating systems
 - In CSE 332, we take this as a primitive and use it

23

Almost-correct pseudocode

Note: 'Lock' is not an actual Java class

```
class BankAccount {
    private int balance = 0;
    private Lock lk = new Lock();
    ...
    void withdraw(int amount) {
        lk.acquire(); /* may block */
        int b = getBalance();
        if(amount > b)
            throw new WithdrawTooLargeException();
        setBalance(b - amount);
        lk.release();
    }
    // deposit would also acquire/release lk
}
```

24

Some mistakes

- A lock is a very primitive mechanism
 - Still up to you to use correctly to implement critical sections
- **Incorrect:** Forget to release a lock (blocks other threads forever!)
 - Previous slide is **wrong** because of the exception possibility!

```
if(amount > b) {  
    lk.release(); // hard to remember!  
    throw new WithdrawTooLargeException();  
}
```

- **Incorrect:** Use different locks for **withdraw** and **deposit**
 - Mutual exclusion works only when using same lock
- **Poor performance:** Use same lock for every bank account
 - No simultaneous withdrawals from *different* accounts

25

Other operations

- If **withdraw** and **deposit** use the same lock, then simultaneous calls to these methods are properly synchronized
- But what about **getBalance** and **setBalance**?
 - Assume they're **public**, which may be reasonable
- If they **don't acquire the same lock**, then a race between **setBalance** and **withdraw** could produce a wrong result
- If they **do acquire the same lock**, then **withdraw** would block forever because it tries to acquire a lock it already has

26

One (not very good) possibility

```
int setBalance1(int x) {  
    balance = x;  
}  
int setBalance2(int x) {  
    lk.acquire();  
    balance = x;  
    lk.release();  
}  
void withdraw(int amount) {  
    lk.acquire();  
    ...  
    setBalanceX(b - amount);  
    lk.release();  
}
```

- Have **two** versions of setBalance!
- **withdraw** calls **setBalance1** (since it already has the lock)
 - Outside world calls **setBalance2**
 - Could work (if adhered to), but not good style; also not very convenient
 - Alternately, we can modify the meaning of the **Lock ADT** to support **re-entrant locks**
 - Java does this
 - Then just always use **setBalance2**

27

Re-entrant lock idea

A **re-entrant lock** (a.k.a. **recursive lock**)

- **The idea:** Once acquired, the lock is held by the Thread, and subsequent calls to **acquire** *in that Thread* won't block
- **Result:** **withdraw** can acquire the lock, and then call **setBalance**, which can also acquire the lock
 - Because they're in the same thread & it's a re-entrant lock, the inner **acquire** won't block!

28

Re-entrant lock

A **re-entrant lock** (a.k.a. **recursive lock**)

- "Remembers"
 - the thread (if any) that currently holds it
 - a **count**
- When the lock goes from **not-held** to **held**, the count is 0
- If (code running in) the current holder calls **acquire**:
 - it does not block
 - it **increments** the count
- On **release**:
 - if the count is > 0, the count is **decremented**
 - if the count is 0, the lock becomes **not-held**

29

Java's Re-entrant Lock

- `java.util.concurrent.locks.ReentrantLock`
- Has methods **lock()** and **unlock()**
- As described above, it is conceptually owned by the Thread, and shared within that thread
- Important to guarantee that lock is **always** released!!!
- Recommend something like this:

```
myLock.lock();  
try { // method body  
    ...  
} finally { myLock.unlock(); }
```
- Despite what happens in 'try', the code in finally will execute afterwards

30

Synchronized: A Java convenience

Java has built-in support for re-entrant locks

- You can use the `synchronized` statement as an alternative to declaring a `ReentrantLock`

```
synchronized (expression) {  
    statements  
}
```

1. Evaluates *expression* to an **object**
 - Every **object** (but not primitive types) “is a lock” in Java
2. Acquires the lock, blocking if necessary
 - “If you get past the {, you have the lock”
3. Releases the lock “at the matching }”
 - Even if control leaves due to **throw**, **return**, etc.
 - So *impossible* to forget to release the lock

31

Java example (correct but can be improved)

```
class BankAccount {  
    private int balance = 0;  
    private Object lk = new Object();  
    int getBalance()  
    { synchronized (lk) { return balance; } }  
    void setBalance(int x)  
    { synchronized (lk) { balance = x; } }  
    void withdraw(int amount) {  
        synchronized (lk) {  
            int b = getBalance();  
            if (amount > b)  
                throw ...  
            setBalance(b - amount);  
        }  
    }  
    // deposit would also use synchronized(lk)  
}
```

32

Improving the Java

- As written, the lock is **private**
 - Might seem like a good idea
 - But also prevents code in other classes from writing operations that synchronize with the account operations
- More common is to synchronize on **this**...
 - Also, it's convenient; don't need to declare an extra object!

33

Java version #2

```
class BankAccount {  
    private int balance = 0;  
    int getBalance()  
    { synchronized (this) { return balance; } }  
    void setBalance(int x)  
    { synchronized (this) { balance = x; } }  
    void withdraw(int amount) {  
        synchronized (this) {  
            int b = getBalance();  
            if (amount > b)  
                throw ...  
            setBalance(b - amount);  
        }  
    }  
    // deposit would also use synchronized(this)  
}
```

34

Syntactic sugar

Version #2 is slightly poor style because there is a shorter way to say the same thing:

Putting `synchronized` before a method declaration means the entire method body is surrounded by

```
synchronized(this){...}
```

Therefore, version #3 (next slide) means exactly the same thing as version #2 but is more concise

35

Java version #3 (final version)

```
class BankAccount {  
    private int balance = 0;  
    synchronized int getBalance()  
    { return balance; }  
    synchronized void setBalance(int x)  
    { balance = x; }  
    synchronized void withdraw(int amount) {  
        int b = getBalance();  
        if (amount > b)  
            throw ...  
        setBalance(b - amount);  
    }  
    // deposit would also use synchronized  
}
```

36

Addendum: More Java notes

- Class `java.util.concurrent.ReentrantLock` works much more like our pseudocode
 - Often use `try { ... } finally { ... }` to avoid forgetting to release the lock if there's an exception
- Also library and/or language support for *readers/writer locks* and *condition variables* (upcoming lectures)
- Lots of features and details (you are not responsible for) in Chapter 14 of CoreJava, Volume 1
 - For an entire book on advanced topics see "Java Concurrency in Practice" [Goetz et al]