


# CSE 417

## Chapter 4: Greedy Algorithms



Many Slides by Kevin Wayne.  
Copyright © 2005 Pearson-Addison Wesley.  
All rights reserved.

---

Greed is good. Greed is right. Greed works. Greed clarifies, cuts through, and captures the essence of the evolutionary spirit.

- *Gordon Gecko (Michael Douglas)*



# Intro: Coin Changing

---

# Coin Changing

**Goal.** Given currency denominations: 1, 5, 10, 25, 100, give change to customer using *fewest* number of coins.

Ex: 34¢



Algorithm is “Greedy”: One large coin better than two or more smaller ones

**Cashier's algorithm.** At each step, give the *largest* coin valued  $\leq$  the amount to be paid.

Ex: \$2.89




## Coin-Changing: Does Greedy Always Work?

**Observation.** Greedy is sub-optimal for US *postal* denominations: 1, 10, 21, 34, 70, 100, 350, 1225, 1500.

**Counterexample.** 140¢.

- Greedy: 100, 34, 1, 1, 1, 1, 1, 1.
- Optimal: 70, 70.



Algorithm is “Greedy”,  
but also short-sighted –  
attractive choice now  
may lead to dead ends  
later.

Correctness is key!

# Outline & Goals

“Greedy Algorithms”  
what they are

Pros


- intuitive
- often simple
- often fast

Cons

- often incorrect!

Proofs are crucial. 3 (of many) techniques:

- stay ahead
- structural
- exchange arguments



## 4.1 Interval Scheduling


---

Proof Technique I: “greedy stays ahead”

## Interval Scheduling

### Interval scheduling.

- Job  $j$  starts at  $s_j$  and finishes at  $f_j$ .
- Two jobs **compatible** if they don't overlap.
- Goal: find maximum subset of mutually compatible jobs.





## Interval Scheduling: Greedy Algorithms

**Greedy template.** Consider jobs in some order. Take each job provided it's compatible with the ones already taken.

- What order?
- Does that give best answer?
- Why or why not?
- Does it help to be greedy about order?

## Interval Scheduling: Greedy Algorithms

**Greedy template.** Consider jobs in some order. Take each job provided it's compatible with the ones already taken.

[Earliest start time] Order jobs by ascending start time  $s_j$

[Earliest finish time] Order jobs by ascending finish time  $f_j$

[Shortest interval] Order jobs by ascending interval length  $f_j - s_j$

[Longest Interval] Reverse of the above

[Fewest conflicts] For each job  $j$ , let  $c_j$  be the count the number of jobs in conflict with  $j$ . Order jobs by ascending  $c_j$

## Can You Find Counterexamples?

E.g., Longest Interval:



Others?:

## Interval Scheduling: Greedy Algorithms

**Greedy template.** Consider jobs in some order. Take each job provided it's compatible with the ones already taken.



breaks earliest start time



breaks shortest interval



breaks fewest conflicts

## Interval Scheduling: *Earliest Finish First Greedy Algorithm*



**Greedy algorithm.** Consider jobs in *increasing order of finish time*. Take each job provided it's compatible with the ones already taken.

```
Sort jobs by finish times so that
 $f_1 \leq f_2 \leq \dots \leq f_n$ .
  ↙ jobs selected
A ←  $\phi$ 
for j = 1 to n {
    if (job j compatible with A)
        A ← A ∪ {j}
}
return A
```




**Implementation.**  $O(n \log n)$ .

- Remember job  $j^*$  that was added last to A.
- Job  $j$  is compatible with A if  $s_j \geq f_{j^*}$ .



# Interval Scheduling



# Interval Scheduling





# Interval Scheduling









# Interval Scheduling





# Interval Scheduling





# Interval Scheduling





# Interval Scheduling



# Interval Scheduling



# Interval Scheduling



## Interval Scheduling: Correctness

**Theorem.** *Earliest Finish First Greedy algorithm is optimal.*


**Pf.** (“greedy stays ahead”)

Let  $g_1, \dots, g_k$  be greedy’s job picks,  $j_1, \dots, j_m$  those in some optimal solution  
 Show  $f(g_r) \leq f(j_r)$  by induction on  $r$ .

Basis:  $g_1$  chosen to have min finish time, so  $f(g_1) \leq f(j_1)$

Ind:  $f(g_r) \leq f(j_r) \leq s(j_{r+1})$ , so  $j_{r+1}$  is among the candidates considered by greedy when it picked  $g_{r+1}$ , & it picks min finish, so  $f(g_{r+1}) \leq f(j_{r+1})$

Similarly,  $k \geq m$ , else  $j_{k+1}$  is among (nonempty) set of candidates for  $g_{k+1}$



## 4.1 Interval Partitioning

---

Proof Technique 2: “Structural”




## Interval Partitioning

### Interval partitioning.

- Lecture  $j$  starts at  $s_j$  and finishes at  $f_j$ .
- Goal: find minimum number of classrooms to schedule all lectures so that no two occur at the same time in the same room.


**Ex:** This schedule uses 4 classrooms to schedule 10 lectures.



# Interval Partitioning as Interval Graph Coloring

Vertices = classes;  
edges = conflicting class pairs;  
different colors = different assigned rooms

Note: graph coloring is very hard in general, but graphs corresponding to interval intersections are a much simpler special case.




## Interval Partitioning

### Interval partitioning.

- Lecture  $j$  starts at  $s_j$  and finishes at  $f_j$ .
- Goal: find minimum number of classrooms to schedule all lectures so that no two occur at the same time in the same room.

**Ex:** Same classes, but this schedule uses only 3 rooms.




## Interval Partitioning: A “Structural” Lower Bound on Optimal Solution

**Def.** The depth of a set of open intervals is the maximum number that contain any given time. ↑  
no collisions at ends

**Key observation.** Number of classrooms needed  $\geq$  depth.

**Ex:** Depth of schedule below = 3  $\Rightarrow$  schedule is optimal.  
↑  
e.g., a, b, c all contain 9:30

**Q.** Does a schedule equal to depth of intervals always exist?



## Interval Partitioning: Earliest Start First Greedy Algorithm

**Greedy algorithm.** Consider lectures *in increasing order of start time*: assign lecture to any compatible classroom.

```
Sort intervals by start time so  $s_1 \leq s_2 \leq \dots \leq s_n$ .  
 $d \leftarrow 0$   $\leftarrow$  number of allocated classrooms  
  
for  $j = 1$  to  $n$  {  
  if (lect  $j$  is compatible with some room  $k$ ,  $1 \leq k \leq d$ )  
    schedule lecture  $j$  in classroom  $k$   
  else  
    allocate a new classroom  $d + 1$   
    schedule lecture  $j$  in classroom  $d + 1$   
     $d \leftarrow d + 1$   
}
```

Implementation? Run-time?  
Exercises

## Interval Partitioning: Greedy Analysis

**Observation.** Earliest Start First Greedy algorithm never schedules two incompatible lectures in the same classroom.

**Theorem.** Earliest Start First Greedy algorithm is optimal.

**Pf (exploit structural property).**

- Let  $d$  = number of rooms the greedy algorithm allocates.
- Classroom  $d$  is opened because we needed to schedule a job, say  $j$ , that is incompatible with all  $d-1$  previously used classrooms.
- Since we sorted by start time, all these incompatibilities are caused by lectures that start no later than  $s_j$ .
- Thus,  $d$  lectures overlap at time  $s_j + \epsilon$ , i.e.  $\text{depth} \geq d$
- “Key observation” on earlier slide  $\Rightarrow$  all schedules use  $\geq \text{depth}$  rooms, so  $d = \text{depth}$  and greedy is optimal

## 4.2 Scheduling to Minimize Lateness

---

Proof Technique 3: “Exchange” Arguments


## Scheduling to Minimize Lateness

### Minimizing lateness problem.

- Single resource processes one job at a time.
- Job  $j$  requires  $t_j$  units of processing time & is due at time  $d_j$ .
- If  $j$  starts at time  $s_j$ , it finishes at time  $f_j = s_j + t_j$ .
- Lateness:  $l_j = \max \{ 0, f_j - d_j \}$ .
- Goal: schedule all to minimize **max** lateness  $L = \max l_j$ .

Ex:

j	1	2	3	4	5	6
$t_j$	3	2	1	4	3	2
$d_j$	6	8	9	9	14	15





## Minimizing Lateness: Greedy Algorithms

**Greedy template.** Consider jobs in some order.

[Shortest processing time first]

Consider jobs in ascending order of processing time  $t_j$ .

[Earliest deadline first]

Consider jobs in ascending order of deadline  $d_j$ .

[Smallest slack]

Consider jobs in ascending order of *slack*  $d_j - t_j$ .

## Minimizing Lateness: Greedy Algorithms

**Greedy template.** Consider jobs in some order.

[Shortest processing time first] Consider in ascending order of processing time  $t_j$ .

	1	2
$t_j$	1	10
$d_j$	100	10

counterexample

[Smallest slack] Consider in ascending order of slack  $d_j - t_j$ .

	1	2
$t_j$	1	10
$d_j$	2	10


counterexample

## Minimizing Lateness: Greedy Algorithm

Greedy algorithm. Earliest deadline first.

```
Sort n jobs by deadline so that  $d_1 \leq d_2 \leq \dots \leq d_n$   
  
 $t \leftarrow 0$   
for  $j = 1$  to  $n$   
    // Assign job  $j$  to interval  $[t, t + t_j]$ :  
     $s_j \leftarrow t, f_j \leftarrow t + t_j$   
     $t \leftarrow t + t_j$   
output intervals  $[s_j, f_j]$ 
```

	1	2	3	4	5	6
$t_j$	3	2	1	4	3	2
$d_j$	6	8	9	9	14	15



## Proof Strategy

A *schedule* is an ordered list of jobs

Suppose  $S_1$  is any schedule

Let  $G$  be the/a schedule produced by the greedy algorithm

To show:  $\text{Lateness}(S_1) \geq \text{Lateness}(G)$

Idea: find a series of simple changes that successively transform  $S_1$  into other schedules that are more and more like  $G$ , each better than the last, until we reach  $G$ . I.e.

$$\text{Lateness}(S_1) \geq \text{Lateness}(S_2) \geq \text{Lateness}(S_3) \geq \dots \geq \text{Lateness}(G)$$


If it works for *any* starting  $S_1$ , it will work for an *optimal*  $S_1$ , so  $G$  is optimal

HOW?: *exchange* pairs of jobs

## Minimizing Lateness: No Idle Time

### Notes:


1. There is an optimal schedule with no **idle time**.



2. The greedy schedule has no idle time.

## Minimizing Lateness: Inversions


**Def.** An *inversion* in schedule  $S$  is a pair of jobs  $i$  and  $j$  s.t.:  
deadline  $i <$  deadline  $j$  but  $j$  scheduled before  $i$ .



- Greedy schedule has no inversions.
- Claim: If a schedule has an inversion, it has an adjacent inversion, i.e., a pair of inverted jobs scheduled consecutively.  
(Pf: If  $j$  &  $i$  aren't consecutive, then look at the job  $k$  scheduled right after  $j$ . If  $d_k < d_j$ , then  $(j,k)$  is a consecutive inversion; if not, then  $(k,i)$  is an inversion, & nearer to each other - repeat.)

## Minimizing Lateness: Inversions

**Def.** An *inversion* in schedule  $S$  is a pair of jobs  $i$  and  $j$  s.t.:  
deadline  $i <$  deadline  $j$  but  $j$  scheduled before  $i$ .




- Claim: Swapping an *adjacent* inversion reduces # inversions by 1 (exactly)

Pf: Let  $i, j$  be an adjacent inversion. For any pair  $(p, q)$ , inversion status of  $(p, q)$  is unchanged by  $i \leftrightarrow j$  swap unless  $\{p, q\} = \{i, j\}$ , and the  $i, j$  inversion is removed by that swap.

## Minimizing Lateness: Inversions

**Def.** An *inversion* in schedule  $S$  is a pair of jobs  $i$  and  $j$  s.t.:  
deadline  $i < j$  but  $j$  scheduled before  $i$ .



**Claim.** *Swapping* two adjacent, inverted jobs does not increase the max lateness.

**Pf.** Let  $l / l'$  be the lateness before / after swap, resp.

- $l'_k = l_k$  for all  $k \neq i, j$
- $l'_i \leq l_i$
- If job  $j$  is now late:

$$\begin{aligned}
 l'_j &= f'_j - d_j && \text{(definition)} \\
 &= f_i - d_j && \text{(} j \text{ finishes at time } f_i \text{)} \\
 &\leq f_i - d_i && \text{(} d_i \leq d_j \text{)} \\
 &= l_i && \text{(definition)}
 \end{aligned}$$


only  $j$  moves later, but it's no later than  $i$  was, so max not increased



## Minimizing Lateness: No Inversions

**Claim.** All idle-free, inversion-free schedules  $S$  have the same max lateness.

**Pf.** If  $S$  has no inversions, then deadlines of scheduled jobs are monotonically nondecreasing (i.e., increase or stay the same) as we walk through the schedule from left to right. Two such schedules can differ only in the order of jobs with the same deadlines. Within a group of jobs with the same deadline, the max lateness is the lateness of the last job in the group - order within the group doesn't matter.



## Minimizing Lateness: Correctness of Greedy Algorithm

**Theorem.** Greedy schedule  $S$  is optimal

**Pf.** Let  $S^*$  be an optimal schedule with the fewest number of inversions among all optimal schedules

Can assume  $S^*$  has no idle time.

If  $S^*$  has an inversion, let  $i$ - $j$  be an adjacent inversion

Swapping  $i$  and  $j$  does not increase the maximum lateness and strictly decreases the number of inversions

This contradicts definition of  $S^*$

So,  $S^*$  has no inversions. Hence  $\text{Lateness}(S) = \text{Lateness}(S^*)$

## Greedy Analysis Strategies

*Greedy algorithm stays ahead.* Show that after each step of the greedy algorithm, its solution is at least as “good” as any other algorithm's. (Part of the cleverness is deciding what’s “good.”)

*Structural.* Discover a simple "structural" bound asserting that every possible solution must have a certain value. Then show that your algorithm always achieves this bound. (Cleverness here is usually in finding a useful structural characteristic.)

*Exchange argument.* Gradually transform any solution to the one found by the greedy algorithm without hurting its quality. (Cleverness usually in choosing which pair to swap.)

(In all 3 cases, proving these claims may require cleverness.)

## 4.4 Shortest Paths in a Graph

---

You've seen this in prerequisite courses, so this section and next two on min spanning tree are review. I won't lecture on them, but you should review the material. Both, but especially shortest paths, are common problems, having many applications.

# Shortest Path Problem


## Shortest path network.

- Directed graph  $G = (V, E)$ .
- Source  $s$ , destination  $t$ .
- Length  $l_e =$  length of edge  $e$ .

Shortest path problem: find shortest directed path from  $s$  to  $t$ .



cost of path = sum of edge costs in path



Cost of path  $s-2-3-5-t$   
 $= 9 + 23 + 2 + 16$   
 $= 48.$

# Dijkstra's Algorithm


## Dijkstra's algorithm.

- Maintain a set of **explored nodes**  $S$  for which we have determined the shortest path distance  $d(u)$  from  $s$  to  $u$ .
- Initialize  $S = \{s\}$ ,  $d(s) = 0$ .
- Repeatedly choose unexplored node  $v$  which minimizes

$$\pi(v) = \min_{e = (u,v) : u \in S} d(u) + \ell_e,$$

add  $v$  to  $S$ , and set  $d(v) = \pi(v)$ .

shortest path to some  $u$  in explored part, followed by a single edge  $(u, v)$



# Dijkstra's Algorithm

## Dijkstra's algorithm.

- Maintain a set of **explored nodes**  $S$  for which we have determined the shortest path distance  $d(u)$  from  $s$  to  $u$ .
- Initialize  $S = \{s\}$ ,  $d(s) = 0$ .
- Repeatedly choose unexplored node  $v$  which minimizes

$$\pi(v) = \min_{e = (u,v) : u \in S} d(u) + \ell_e,$$

add  $v$  to  $S$ , and set  $d(v) = \pi(v)$ .

shortest path to some  $u$  in explored part, followed by a single edge  $(u, v)$

