

Texture Mapping

1

Reading

Required

- ♦ Watt, intro to Chapter 8 and intros to 8.1, 8.4, 8.6, 8.8.

Optional

- ♦ Watt, the rest of Chapter 8
- ♦ Paul S. Heckbert. Survey of texture mapping. **IEEE Computer Graphics and Applications** 6(11): 56--67, November 1986.
- ♦ Woo, Neider, & Davis, Chapter 9
- ♦ James F. Blinn and Martin E. Newell. Texture and reflection in computer generated images. **Communications of the ACM** 19(10): 542--547, October 1976.

2

Texture mapping



Texture mapping (Woo et al., fig. 9-1)


Texture mapping allows you to take a simple polygon and give it the appearance of something much more complex.

- ♦ Due to Ed Catmull, PhD thesis, 1974
- ♦ Refined by Blinn & Newell, 1976

Texture mapping ensures that “all the right things” happen as a textured polygon is transformed and rendered.

3

Non-parametric texture mapping




With “non-parametric texture mapping”:

- ♦ Texture size and orientation are fixed
- ♦ They are unrelated to size and orientation of polygon
- ♦ Gives cookie-cutter effect

4

Parametric texture mapping



With “parametric texture mapping,” texture size and orientation are tied to the polygon.

Idea:


- ◆ Separate “texture space” and “screen space”
- ◆ Texture the polygon as before, but in texture space
- ◆ Deform (render) the textured polygon into screen space

A texture can modulate just about any parameter – diffuse color, specular color, specular exponent, ...


5

Implementing texture mapping

A texture lives in its own image coordinates parameterized by (u, v) :



It can be wrapped around many different surfaces:



Computing (u, v) texture coordinates in a ray tracer is fairly straightforward.


Note: if the surface moves/deforms, the texture goes with it.

6

Texture resampling

The texture is usually stored as an image.

Q: What do you do when the texture sample you need lands between texture pixels?




We need to **resample** the texture. A common choice is **bilinear resampling**:

$$\begin{aligned}
 T(u_0, v_0) &= T(i + a, j + b) \\
 &= \text{_____} T[i, j] + \\
 &\quad \text{_____} T[i+1, j] + \\
 &\quad \text{_____} T[i, j+1] + \\
 &\quad \text{_____} T[i+1, j+1]
 \end{aligned}$$

7

Solid textures

Q: What kinds of artifacts might you see from using a marble veneer instead of real marble?



One solution is to use **solid textures**:

- ◆ Use model-space coordinates to index into a 3D texture
- ◆ Like “carving” the object from the material

One difficulty of solid texturing is coming up with the textures.

9

Solid textures (cont'd)

Here's an example for a vase cut from a solid marble texture:




Solid marble texture by Ken Perlin, (Foley, IV-21)

10

Displacement mapping

Textures can be used for more than just color.

In **displacement mapping**, a texture is used to perturb the surface geometry itself:



- ◆ These displacements “animate” with the surface

Q: Do you have to do hidden surface calculations on \tilde{Q} ?


11

Bump mapping

In **bump mapping**, a texture is used to perturb the normal:

- ◆ Use the original, simpler geometry, $Q(u)$, for hidden surfaces
- ◆ Use the normal from the displacement map for shading:

$$\tilde{N} = \text{normal}[\tilde{Q}(u)]$$




Q: What artifacts in the images would reveal that bump mapping is a fake?


12

Displacement vs. bump mapping

Input texture



Rendered as displacement map over a rectangular surface



13

Displacement vs. bump mapping (cont'd)



Original rendering

Rendering with bump map wrapped around a cylinder

Bump map and rendering by Wyvern Aldinger

14

Environment mapping



In **environment mapping** (also known as **reflection mapping**), a texture is used to model an object's environment:

- ◆ Rays are bounced off objects into environment
- ◆ Color of the environment used to determine color of the illumination
- ◆ Really, a simplified form of ray tracing
- ◆ Environment mapping works well when there is just a single object – or in conjunction with ray tracing

Under simplifying assumptions, environment mapping can be implemented in hardware.

With a ray tracer, the concept is easily extended to handle refraction as well as reflection.

15

Combining texture maps

Using texture maps in combination gives even better effects, as *Young Sherlock Holmes* demonstrated ...




Construction of the glass knight, (Foley, IV-24)

16


Combining texture maps (cont'd)

Phong lighting with diffuse texture




Environment-mapped mirror reflection

Bump mapping + textures
Glossy reflection



Combine and add dirt

Rivet stains + Shinier reflections




Close-up

Construction of the glass knight, (Foley, IV-24)


17

Antialiasing

If you point-sample the texture map, you get aliasing:



Proper antialiasing requires filtering the texture map:



18


Computing the average color

The difficult part is finding which texture pixels to average for each pixel, and computing the filter

Several methods have been used:

The simplest is **brute force**:

- ◆ Figure out which texels are covered and add up their colors to compute the average.



More efficient methods:

- ◆ mip-mapping (Williams '83)
- ◆ summed-area tables (Crow '84)

19

Summary

What to take home from this lecture:

1. The meaning of the boldfaced terms.
2. Familiarity with the various kinds of texture mapping, including their strengths and limitations.
3. Basic idea of antialiased texture mapping

20