

## CSE 401/M501 25au Homework 4

**Due:** Thursday, Dec. 4 by 11:59 pm. As before, please use Gradescope (linked from the CSE 401/M501 web page) to submit your homework online.

- Unreadable solutions cannot be graded--no blurry photos, poor contrast, or illegible handwriting, please.
- Type-written solutions are encouraged but not required. Hand-written solutions are fine if legible.
- If possible, don't split the solution to a problem across a page break.

We suggest you show your work to help us award partial credit if appropriate, and for TA sanity. You should do this assignment individually.

The first questions are based on the following program, given as a sequence of 3-address instructions (Appel).

```
1. m = 0
2. v = 0
3. if v >= n goto #15
4. r = v
5. s = 0
6. if r < n goto #9
7. v = v + 1
8. goto #3
9. x = M[r]           # M[k] denotes contents of element k of array M
10. s = s + x
11. if s <= m goto #13
12. m = s
13. r = r + 1
14. goto #6;
15. return m
```

1. (leaders, basic blocks, and control flow graphs) (a) List the numbers of the instructions above that are *leaders* (a first instruction in some basic block).

Hints: Recall that the first instruction (#1) is a leader, the target of every branch/jump/goto is a leader, and every instruction following a branch/jump/goto is a leader. The discussion of basic blocks and how to identify leaders towards the end of the Intermediate Representations (IR) lecture might be helpful.

(question continued on next page)

## CSE 401/M501 25au Homework 4

1. (b) Draw the Control Flow Graph (CFG) for this program. The nodes in the graph should be *basic blocks*. Each basic block starts with a leader instruction and should contain all subsequent instructions up to but not including the next leader that begins a different basic block. There should be edges from each basic block to each of its successors.

Each basic block should show in sequential order the instructions contained in it. Write both the instruction(s) and their original instruction number(s) in the CFG graph nodes.

Please number the basic blocks in your CFG as follows so the graphs will be consistent for grading: The first basic block beginning with instruction #1 should be basic block #1. The remaining basic blocks should be given sequential numbers 2, 3, ... in the same ascending order that their leader instructions appear in the original program. In other words, the first instruction in block 2 should have a larger instruction number than the first instruction in block 1 and a smaller instruction number than the first instruction in block 3, etc.

2. (dataflow analysis – live variables) (a) Use the dataflow analysis framework described in class to compute the set of variables that are live at the beginning of each basic block in the control flow graph from question #1.

Recall that the live variable dataflow problem is formulated from the following sets. For each basic block  $b$ , define

- $\text{use}[b]$  = variables used in  $b$  before any def
- $\text{def}[b]$  = variables defined in  $b$
- $\text{in}[b]$  = variables live on entry to  $b$
- $\text{out}[b]$  = variables live on exit from  $b$

To compute the variables that are live at the beginning of each basic block  $b$  (i.e.,  $\text{in}[b]$ ), first compute  $\text{use}[b]$  and  $\text{def}[b]$  for each block. That can be done independently for each basic block since those sets only depend on local information for each block. Then initialize

$$\text{in}[b] = \text{out}[b] = \emptyset$$

Then iteratively solve the following set of equations by updating the in and out sets for each block until no further changes occur:

- $\text{in}[b] = \text{use}[b] \cup (\text{out}[b] - \text{def}[b])$
- $\text{out}[b] = \bigcup_{s \in \text{succ}[b]} \text{in}[s]$


Your analysis should include all of the scalar variables in the original program, but not the array  $M$ .

Use the instruction and block numbers and the control flow graph from your answer to problem 1.

(b) Are any variables in the program uninitialized? (That is, potentially used before they are defined?). Justify your answer in terms of the results of the live variable dataflow analysis from part (a).

## CSE 401/M501 25au Homework 4

3. (dominators) (based on Cooper/Torczon 2<sup>nd</sup> ed., ex 6. p. 536-7) Compute the dominator tree for the following CFG, then compute the dominance frontier of each node in the graph.



4. (ssa) Translate the CFG from the previous problem into SSA form. You only need to show the final graph after  $\Phi$ -functions have been added and variables have been renamed. (If you want to edit your answer on a computer, the course assignment calendar page contains a link to the original ppt slide with the above diagram. However, don't feel obligated to do this – it might turn into quite a time sink compared to just drawing the result.)

Your answer should include all of the  $\Phi$ -functions required by the Dominance Frontier Criteria (or alternatively the path convergence criteria, which places the same set of  $\Phi$ -functions), but no additional ones. In other words, you need to include all of the  $\Phi$ -functions to satisfy the criteria but should not have extra ones that are not required. You should include all  $\Phi$ -functions that satisfy the Dominance Frontier Criteria even if some of those are assignments to variables that are never used (i.e., dead assignments). Answers that have a couple of extraneous  $\Phi$ -functions will receive almost full credit, but answers that, for example, use a maximal-SSA strategy of placing  $\Phi$ -functions for all variables at the beginning of every block will not be looked on with favor.